

# **MISSOURI VITAL STATISTICS 1974**

**Missouri Center for Health Statistics**



**MISSOURI  
VITAL STATISTICS**

**1974**

**Prepared by  
Missouri Center for Health Statistics  
June, 1975**

**DEPARTMENT OF SOCIAL SERVICES**

**DIVISION OF HEALTH  
MISSOURI CENTER FOR HEALTH STATISTICS  
BROADWAY STATE OFFICE BUILDING  
JEFFERSON CITY, MISSOURI 65101**



## **PREFACE**

This is the final tabulation of statistical data relating to vital events in Missouri during 1974. Data for the year of the report is accepted through March 15 of the following year before it is cut off, allowing information reflecting events in that year to be as complete as possible.

The annual report of Missouri Vital Statistics was compiled for use in public health and related fields as an aid for studying births, deaths, fetal deaths, marriages, and dissolutions. Provisional vital statistics data are available through the publication, Monthly Vital Statistics. Unpublished detailed annual vital statistics data are available upon request.

**MISSOURI CENTER FOR HEALTH STATISTICS**

**JUNE 1975**

## BACKGROUND

### RELIABILITY OF THE DATA

In analyzing any data, the fact of potential error in the data must not be overlooked. There are several types of errors possible including: underregistration, errors made by the informant, and errors in compiling and processing.

Probably, the most potentially dangerous error is that of improper interpretation. Statistics are neither more true nor false than the interpretation given to them. Particular caution must be made in analyzing trend data, for there have been changes over the years in medical diagnosis, coding definitions, and registration coverage. Most of the rates computed in this report are crude rates. In comparing geographic areas, crude rates are limited because they do not take into account the differences in age, sex, race, and other population characteristics. Care should also be taken in using rates where the number of events or the population is small. Minor variations in the number of events may result in major changes in the rates.

### VITAL RECORDS

Vital Statistics in Missouri are compiled from five basic records which are filed with the Division of Health by State Law. These records are: (1) live birth records, (2) death records, and (3) fetal death records, each beginning with 1910; (4) marriage, and (5) divorce records, beginning with 1948. In 1974 divorces were changed to dissolutions of marriage by a new "no-fault" divorce law. They will appear as dissolutions in this publication. Annulments now are invalidities. Total dissolutions in Graph F and Table 32 exclude legal separations.

Missouri cooperates with other states in the exchange of records for live births, fetal deaths, and deaths to include in resident data events occurring to Missouri residents in other states.

The data within this report represents the 1974 calendar year of events. Records have been accepted through March 15 of 1975 before cut-off, allowing 1974 events to be as complete as possible.

### POPULATION

Population data in this report is a Provisional Estimate of Population, July 1, 1974; provided jointly by the Division of State Planning and Analysis; Office of Administration, Capitol Building, Jefferson City, Missouri and Division of Health.

### RATES

Rates are calculated by dividing the event of concern by the population at risk or a related population and multiplying by a constant. Death rates from all causes and live birth rates are expressed in terms of 1,000 estimated population; deaths from a specific cause are based on 100,000 estimated population (excluding maternal and infant causes); maternal deaths calculated per 10,000 live births; infant, neonatal and fetal deaths stated per 1,000 live births.

### COLOR

The term "color" refers to the division of population into two groups, white and nonwhite.

The color group designated as "nonwhite" consists of such races as the Negro, American Indian, Japanese, Chinese, Filipino, Korean, Asian Indian, and Malayan races. Persons of Mexican birth or ancestry who are not definitely of Indian or other nonwhite race are classified as white.

Persons of mixed racial parentage are classified according to the race of the nonwhite parent.

### TERMS "RESIDENT" AND "RECORDED"

It is important to understand the significance of the terms "Resident" and "Recorded" when analyzing vital statistics.

"Resident" data are compiled for vital events that relate to persons residing in an area independent of where the events occurred. (A person is considered to be a resident of an area if he has resided there six months or more. In the case of live births, fetal deaths, and infant deaths, the residence of the mother is considered to be the residence of the child.)

"Recorded" data are based on the number of vital events that occur in an area. These data are used to analyze events that might be affected by the place in which they occur.

Resident and recorded figures can neither be added nor subtracted from the other. Thus the number of events occurring or not occurring in the same geographic area where the people reside cannot be calculated from resident and recorded data.

### CAUSE OF DEATH CLASSIFICATION

The causes of death presented here are classified in accordance with the Eighth Revision of the International Classification of Diseases, Adapted, 1967; Public Health Service Publication No. 1693, from the U. S. Government Printing Office.

The specific causes of death in this report are shown in groupings of 41 causes. Where the leading causes were selected, it was done so from a further consolidation of these 41 causes.

### RATES AND WHOLE NUMBERS

Rates are rounded to the nearest tenth. When the rate or percent is less than one-tenth, the entry is left blank.

In the case of whole numbers, if a blank or dash (—) is shown, this means none or zero.

# TABLE OF CONTENTS

## BIRTHS, FETAL DEATHS, DEATHS, INFANT DEATHS, MATERNAL DEATHS, ACCIDENTS


Table/Graph		Page
A	Trends in Live Birth and Death Rates, 1911—1974 . . . . .	2
1	Population, Recorded Births and Deaths with Rates per 1,000 Population and Excess of Births Over Deaths, Missouri: 1911—1944 . . . . .	3
2	Population, Recorded and Resident Births and Deaths with Rates per 1,000 Population and Excess of Resident Births over Deaths, Missouri: 1945—1974 . . . . .	4
3	Selected Resident Live Birth Statistics with Percentages, By Sex, Color, Attendant, Legitimacy, Deformity, Weight, Place of Delivery, and Month of Occurrence, Urban and Rural, Missouri: 1974 . . . . .	5
4	Resident and Recorded Births and Fetal Deaths by Counties With Rates, Missouri: 1974 . . . . .	8
5	Resident and Recorded Births and Fetal Deaths by Cities Over 2,500 Population, Missouri: 1974 . . . . .	12
6	Resident Live Births, Urban and Rural, By Age of Mother, Sex and Color of Child, Missouri: 1974 . . . . .	17
B	Trends in Fetal Death Rates by Color, 1932—1974 . . . . .	18
7	Resident and Recorded Fetal Deaths by Color and Weight, Missouri: 1974 . . . . .	19
8	Legitimacy of Resident Live Births With Percentages by Color by Counties and Cities of 10,000 Population and Over, Missouri: 1974 . . . . .	20
9	Ten Leading Causes of Death and Rates, Resident Data, Missouri: 1974 . . . . .	26
10	Five Causes of Death for Selected Age Groups, Number of Resident Deaths, Missouri: 1974 . . . . .	27
C	Trends in Maternal Death Rates by Color, 1932—1974 . . . . .	29
11	Resident Maternal Deaths by Cause and Color with Rates, Missouri: 1974 . . . . .	30
12	Resident Deaths, Age Groups by Sex and Color and by Selected Causes of Death, Missouri: 1974 . . . . .	31
13	Resident and Recorded Deaths, Infant Deaths, and Maternal Deaths by Counties with Rates, Missouri: 1974 . . . . .	35
14	Resident and Recorded Deaths, Infant Deaths, and Maternal Deaths by Cities 2,500 Population, Missouri: 1974 . . . . .	39
D	Trends in Infant Death Rates by Color, 1932—1974 . . . . .	44
15	Resident Infant Deaths by Age, Cause, and Color with Rates by Cause and Color, Missouri: 1974 . . . . .	45
16	Resident Live Births and Fetal Deaths by Color and Attendant; Infant Deaths, Maternal Deaths and Selected Causes of Death by Color; State Total and Population Groups, County Areas Including Cities and Cities of 10,000 Population and Over, Missouri: 1974 . . . . .	46
17	Recorded Deaths by Type of Accident, Age and Sex, Missouri: 1974 . . . . .	136
	MARRIAGES	
E	Trends in Marriage Rates, 1949—1974 . . . . .	138
18	Reported Marriages by Age of Groom, by Age of Bride, Missouri: 1974 . . . . .	139
19	Reported Marriages by Marital Status and Selected Age Groups, Grooms and Brides, Missouri: 1974 . . . . .	141
20	Reported Marriages by Marital Status, Missouri: 1974 . . . . .	142
21	Reported Marriages by Color of Groom, by Color of Bride, Missouri: 1974 . . . . .	142
22	Reported Marriages by County of Record with Rates, Missouri: 1974 . . . . .	143
	DISSOLUTIONS	
F	Trends in Dissolution Rates, 1949—1974 . . . . .	145
23	Reported Dissolutions, Invalidities and Legal Separations by Number of Previous Marriages, Husband by Wife, Missouri: 1974 . . . . .	146
24	Reported Dissolutions, Invalidities and Legal Separations by Duration of Marriages, Missouri: 1974 . . . . .	147
25	Reported Dissolutions, Invalidities and Legal Separations by Number of Children Affected, Missouri: 1974 . . . . .	148
26	Reported Dissolutions, Invalidities and Legal Separations by Petitioner, Missouri: 1974 . . . . .	148
27	Reported Dissolutions, Invalidities and Legal Separations by Petitioner by Disposition of Children, Missouri: 1974 . . . . .	148
28	Reported Dissolutions, Invalidities and Legal Separations by Maintenance and Settlement, Missouri: 1974 . . . . .	149
29	Reported Dissolutions, Invalidities and Legal Separations by Legal Grounds for Decree, Missouri: 1974 . . . . .	149
30	Reported Dissolutions, Invalidities and Legal Separations by Color, Husband by Wife, Missouri: 1974 . . . . .	150
31	Reported Dissolutions, Invalidities and Legal Separations by Number of Cases Contested, Missouri: 1974 . . . . .	150
32	Reported Dissolutions and Invalidities by County of Recording with Rates, Missouri: 1974 . . . . .	151

# MISSOURI



**BIRTHS, FETAL DEATHS  
DEATHS, INFANT DEATHS  
MATERNAL DEATHS  
ACCIDENTS**

GRAPH A.  
LIVE BIRTH AND DEATH RATES 1911-1974  
(per 1,000 population)



Source: Missouri State Board of Health, Vital Statistics, 1911-1934 and 1937-1944; Division of Health of Missouri, Vital Statistics Reports, 1945-date; Special Reports of the United States Bureau of the Census, 1935-36. Population estimates taken from United States Bureau of the Census Release, Series P-25, No's 139, 304, 460, 488. July 1, 1974 provisional estimate—see page iv. Recorded data 1911 to 1944 and Resident data 1945 to date.

Year	Live Births	Deaths	Year	Live Births	Deaths	Year	Live Births	Deaths	Year	Live Births	Deaths
1911	22.3	13.1	1928	17.6	12.6	1945	18.7	12.1	1962	21.5	11.2
1912	22.6	12.6	1929	16.8	12.2	1946	21.5	11.3	1963	20.6	11.5
1913	22.1	12.4	1930	17.0	11.8	1947	23.4	11.6	1964	19.9	11.2
1914	21.3	12.0	1931	16.2	11.9	1948	22.1	11.1	1965	18.2	11.2
1915	20.5	11.7	1932	16.0	11.7	1949	21.5	11.1	1966	17.2	11.4
1916	20.8	12.7	1933	15.3	11.5	1950	21.6	11.0	1967	16.5	11.1
1917	19.3	13.1	1934	15.9	12.3	1951	22.4	10.9	1968	16.3	11.4
1918	19.2	15.6	1935	15.1	11.4	1952	22.7	11.3	1969	16.9	11.3
1919	18.2	11.7	1936	14.7	12.8	1953	22.7	11.2	1970	17.2	11.1
1920	19.2	12.5	1937	15.1	11.9	1954	23.0	10.8	1971	16.6	10.8
1921	19.5	10.6	1938	15.7	11.3	1955	22.7	10.4	1972	15.3	11.0
1922	18.7	11.2	1939	15.8	11.3	1956	23.1	10.7	1973	14.4	10.9
1923	19.3	12.1	1940	16.5	11.6	1957	23.2	11.3	1974	14.5	10.6
1924	19.7	11.5	1941	17.4	11.4	1958	23.1	11.2			
1925	19.4	11.7	1942	19.0	11.0	1959	23.1	10.9			
1926	18.7	12.0	1943	20.2	12.0	1960	22.6	11.2			
1927	18.6	11.4	1944	19.7	11.9	1961	22.4	10.9			

TABLE 1

POPULATION, RECORDED BIRTHS AND DEATHS WITH RATES PER 1,000 POPULATION  
AND EXCESS OF BIRTHS OVER DEATHS, MISSOURI: 1911-1944

Year	Estimated Mid-Year Population (Thousands)	Births		Deaths		Excess Births Over Deaths	Year	Estimated Mid-Year Population (Thousands)	Births		Deaths		Excess Births Over Deaths
		Number	Rate	Number	Rate				Number	Rate	Number	Rate	
1911	3,317	74,130	22.3	43,479	13.1	30,651	1928	3,601	63,401	17.6	45,219	12.6	18,182
1912	3,344	75,452	22.6	42,139	12.6	33,313	1929	3,622	60,980	16.8	44,262	12.2	16,718
1913	3,409	75,231	22.1	42,130	12.4	33,101	1930	3,646	62,011	17.0	42,924	11.8	19,087
1914	3,467	73,925	21.3	41,743	12.0	32,182	1931	3,711	60,201	16.2	43,999	11.9	16,202
1915	3,492	71,543	20.5	40,863	11.7	30,680	1932	3,746	59,755	16.0	43,695	11.7	16,060
1916	3,527	73,486	20.8	44,705	12.7	28,781	1933	3,773	57,717	15.3	43,368	11.5	14,349
1917	3,470	67,041	19.3	45,564	13.1	21,477	1934	3,784	60,317	15.9	46,685	12.3	13,632
1918	3,325	64,001	19.2	51,925	15.6	12,076	1935	3,798	57,299	15.1	43,201	11.4	14,098
1919	3,371	61,193	18.2	39,282	11.7	21,911	1936	3,801	55,916	14.7	48,767	12.8	7,149
1920	3,404	65,416	19.2	42,572	12.5	22,844	1937	3,794	57,270	15.1	45,160	11.9	12,110
1921	3,429	66,970	19.5	36,210	10.6	30,760	1938	3,781	59,365	15.7	42,578	11.3	16,787
1922	3,427	64,388	18.7	38,417	11.2	25,971	1939	3,783	59,688	15.8	42,693	11.3	16,995
1923	3,454	66,691	19.3	41,853	12.1	24,838	1940	3,786	62,545	16.5	43,950	11.6	18,595
1924	3,508	68,961	19.7	40,463	11.5	28,498	1941	3,811	66,268	17.4	43,295	11.4	22,973
1925	3,526	68,293	19.4	41,332	11.7	26,961	1942	3,829	72,575	19.0	42,117	11.0	30,458
1926	3,556	66,611	18.7	42,684	12.0	23,927	1943	3,705	74,820	20.2	44,437	12.0	30,383
1927	3,576	66,401	18.6	40,853	11.4	25,548	1944	3,560	69,982	19.7	42,347	11.9	27,635

Sources: 1911-1934 and 1937-1944 Vital Statistics Reports of the Missouri State Board of Health. 1935-1936, Special Reports of the United States Bureau of the Census. Population estimates 1911 to 1944 taken from United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1956

TABLE 2

**POPULATION, RECORDED AND RESIDENT BIRTHS AND DEATHS WITH RATES PER 1,000  
POPULATION AND EXCESS OF RESIDENT BIRTHS OVER DEATHS, MISSOURI: 1945-1974**

Year	Estimated Mid-Year Population (Thousands)	Recorded				Resident				Excess Births Over Deaths
		Births		Deaths		Births		Deaths		
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	
1945	3,516	67,693	19.3	42,757	12.2	65,691	18.7	42,496	12.1	23,195
1946	3,746	82,901	22.1	42,640	11.4	80,698	21.5	42,377	11.3	38,321
1947	3,845	92,369	24.0	44,762	11.6	89,902	23.4	44,474	11.6	45,428
1948	3,844	87,005	22.6	42,921	11.2	85,096	22.1	42,753	11.1	42,342
1949	3,955	87,372	22.1	43,995	11.1	85,206	21.5	43,708	11.1	41,498
1950	3,964	87,948	22.2	43,962	11.1	85,704	21.6	43,714	11.0	41,990
1951	4,015	92,664	23.1	44,318	11.0	89,977	22.4	44,051	10.9	45,926
1952	3,972	92,931	23.4	45,245	11.4	90,118	22.7	45,051	11.3	45,067
1953	4,020	94,419	23.5	45,686	11.4	91,447	22.7	45,148	11.2	46,299
1954	4,066	97,278	23.9	44,404	10.9	93,453	23.0	43,835	10.8	49,618
1955	4,134	97,591	23.6	43,531	10.5	93,797	22.7	43,000	10.4	50,797
1956	4,163	100,163	24.1	45,003	10.8	96,099	23.1	44,458	10.7	51,641
1957	4,189	101,287	24.2	47,784	11.4	97,161	23.2	47,333	11.3	49,828
1958	4,186	100,729	24.1	47,338	11.3	96,721	23.1	46,729	11.2	49,992
1959	4,258	102,461	24.1	47,099	11.1	98,537	23.1	46,465	10.9	52,072
1960	4,326	101,778	23.5	48,955	11.3	97,723	22.6	48,287	11.2	49,436
1961	4,349	101,462	23.3	47,933	11.0	97,321	22.4	47,303	10.9	50,018
1962	4,357	97,658	22.4	49,685	11.4	93,879	21.5	49,016	11.2	44,863
1963	4,392	93,545	21.3	51,159	11.6	90,363	20.6	50,538	11.5	39,825
1964	4,442	90,918	20.5	50,271	11.3	88,335	19.9	49,617	11.2	38,718
1965	4,467	84,162	18.8	51,101	11.4	81,216	18.2	50,249	11.2	30,967
1966	4,523	80,750	17.9	52,476	11.6	77,946	17.2	51,581	11.4	26,365
1967	4,539	77,940	17.2	51,245	11.3	74,823	16.5	50,544	11.1	24,279
1968	4,568	77,028	16.9	52,834	11.6	74,304	16.3	52,019	11.4	22,285
1969	4,640	81,313	17.5	53,172	11.5	78,396	16.9	52,314	11.3	26,082
1970	4,680	83,787	17.9	52,592	11.2	80,707	17.2	51,743	11.1	28,964
1971	4,717	81,409	17.3	51,810	11.0	78,375	16.6	50,811	10.8	27,564
1972	4,747	75,127	15.8	53,249	11.2	72,597	15.3	52,287	11.0	20,310
1973	4,768	70,808	14.9	53,003	11.1	68,605	14.4	51,812	10.9	16,793
1974	4,777*	71,875	15.0	51,656	10.8	69,412	14.5	50,504	10.6	18,908

Sources: Vital Statistics Reports of the Missouri Division of Health. Population estimates taken from United States Bureau of the Census Release, Series P-25, No.'s 139, 304, 460, 488. \*July 1, 1974 provisional estimate—see page iv.

TABLE 3

SELECTED RESIDENT LIVE BIRTH STATISTICS WITH PERCENTAGES, BY SEX, COLOR, ATTENDANT,  
LEGITIMACY, DEFORMITY, WEIGHT, PLACE OF DELIVERY, AND MONTH OF OCCURRENCE,  
URBAN AND RURAL, MISSOURI 1974

	NUMBER			PERCENTAGES		
LIVE BIRTHS	STATE TOTAL	URBAN	RURAL	STATE TOTAL	URBAN	RURAL
SEX-COLOR						
GRAND TOTAL	69,412	31,599	37,813	100.0	100.0	100.0
TOTAL MALE	35,719	16,197	19,522	51.5	51.3	51.6
TOTAL FEMALE	33,693	15,402	18,291	48.5	48.7	48.4
WHITE TOTAL	58,062	22,392	35,670	100.0	100.0	100.0
MALE	29,943	11,487	18,456	51.6	51.3	51.7
FEMALE	28,119	10,905	17,214	48.4	48.7	48.3
NONWHITE TOTAL	11,350	9,207	2,143	100.0	100.0	100.0
MALE	5,776	4,710	1,066	50.9	51.2	49.7
FEMALE	5,574	4,497	1,077	49.1	48.8	50.3
ATTENDANT-COLOR						
GRAND TOTAL	69,412	31,599	37,813	100.0	100.0	100.0
M. D.	61,761	29,513	32,248	89.0	93.4	85.3
D. O.	7,493	2,053	5,440	10.8	6.5	14.4
MIDWIFE	107	26	81	.2	.1	.2
OTHER	51	7	44	.1		.1
WHITE TOTAL	58,062	22,392	35,670	100.0	100.0	100.0
M. D.	51,123	20,748	30,375	88.0	92.7	85.2
D. O.	6,811	1,634	5,177	11.7	7.3	14.5
MIDWIFE	78	3	75	.1		.2
OTHER	50	7	43	.1		.1
NONWHITE TOTAL	11,350	9,207	2,143	100.0	100.0	100.0
M. D.	10,638	8,765	1,873	93.7	95.2	87.4
D. O.	682	419	263	6.0	4.6	12.3
MIDWIFE	29	23	6	.3	.2	.3
OTHER	1		1			

PERCENTAGES ARE COMPUTED ON THE BASIS OF TOTAL WHITE AND NONWHITE LIVE BIRTHS.  
URBAN AREAS INCLUDE CITIES OVER 10,000 POP. ACCORDING TO 1970 CENSUS.  
ALL OTHER AREAS ARE INCLUDED IN 'RURAL'.

TABLE 3 (CONT)

SELECTED RESIDENT LIVE BIRTH STATISTICS WITH PERCENTAGES, BY SEX, COLOR, ATTENDANT,  
LEGITIMACY, DEFORMITY, WEIGHT, PLACE OF DELIVERY, AND MONTH OF OCCURRENCE,  
URBAN AND RURAL, MISSOURI 1974

	NUMBER						PERCENTAGES					
	STATE TOTAL		URBAN		RURAL		STATE TOTAL		URBAN		RURAL	
LIVE BIRTHS	WHITE	NON-WHITE	WHITE	NON-WHITE	WHITE	NON-WHITE	WHITE	NON-WHITE	WHITE	NON-WHITE	WHITE	NON-WHITE
LEGITIMACY-COLOR												
LIVE BIRTH TOTAL	58,062	11,350	22,392	9,207	35,670	2,143	100.0	100.0	100.0	100.0	100.0	100.0
LEGITIMATE	54,259	5,235	20,523	3,966	33,736	1,269	93.5	46.1	91.7	43.1	94.6	59.2
ILLEGITIMATE	3,717	6,088	1,838	5,222	1,879	866	6.4	53.6	8.2	56.7	5.3	40.4
NOT STATED	86	27	31	19	55	8	.1	.2	.1	.2	.2	.4
DEFORMITY-COLOR												
LIVE BIRTH TOTAL	58,062	11,350	22,392	9,207	35,670	2,143	100.0	100.0	100.0	100.0	100.0	100.0
DEFORMED TOTAL	700	198	270	162	430	36	1.2	1.7	1.2	1.8	1.2	1.7
NOT DEFORMED TOTAL	57,005	11,109	22,017	9,018	34,988	2,091	98.2	97.9	98.3	97.9	98.1	97.6
NOT STATED/UNKNOWN	357	43	105	27	252	16	.6	.4	.5	.3	.7	.7
BIRTH WGT-ATTENDANT												
OVER 5.5 LBS TOTAL	54,339	9,800	20,835	7,932	33,504	1,868	100.0	100.0	100.0	100.0	100.0	100.0
M. D.	47,867	9,178	19,314	7,547	28,553	1,631	88.1	93.7	92.7	95.1	85.2	87.3
D. O.	6,358	595	1,512	364	4,846	231	11.7	6.1	7.3	4.6	14.5	12.4
MIDWIFE	72	26	3	21	69	5	.1	.3		.3	.2	.3
OTHER	42	1	6		36	1	.1				.1	.1
UNDER 5.5 LBS TOTAL	3,625	1,531	1,532	1,258	2,093	273	100.0	100.0	100.0	100.0	100.0	100.0
M. D.	3,177	1,446	1,411	1,204	1,766	242	87.6	94.4	92.1	95.7	84.4	88.6
D. O.	440	83	120	52	320	31	12.1	5.4	7.8	4.1	15.3	11.4
MIDWIFE	5	2		2	5		.1	.1		.2	.2	
OTHER	3		1		2		.1		.1		.1	
NOT STATED TOTAL	98	19	25	17	73	2	100.0	100.0	100.0	100.0	100.0	100.0
M. D.	79	14	23	14	56		80.6	73.7	92.0	82.4	76.7	
D. O.	13	4	2	3	11	1	13.3	21.1	8.0	17.6	15.1	50.0
MIDWIFE	1	1			1	1	1.0	5.3			1.4	50.0
OTHER	5				5		5.1				6.8	
DELIVERIES BY PLACE												
PLACE OF BIRTH TOTAL	58,062	11,350	22,392	9,207	35,670	2,143	100.0	100.0	100.0	100.0	100.0	100.0
HOSPITAL	57,817	11,285	22,347	9,162	35,470	2,123	99.6	99.4	99.8	99.5	99.4	99.1
CLINIC												
RESIDENCE	224	63	41	43	183	20	.4	.6	.2	.5	.5	.9
OTHER	21	2	4	2	17							

TABLE 3 (CONT)

SELECTED RESIDENT LIVE BIRTH STATISTICS WITH PERCENTAGES, BY SEX, COLOR, ATTENDANT,  
LEGITIMACY, DEFORMITY, WEIGHT, PLACE OF DELIVERY, AND MONTH OF OCCURRENCE,  
URBAN AND RURAL, MISSOURI 1974

LIVE BIRTHS	NUMBER						PERCENTAGES					
	STATE TOTAL		URBAN		RURAL		STATE TOTAL		URBAN		RURAL	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
MONTH OF OCCURRENCE												
TOTAL	58,062	11,350	22,392	9,207	35,670	2,143	100.0	100.0	100.0	100.0	100.0	100.0
JANUARY	4,637	995	1,834	823	2,803	172	8.0	8.8	8.2	8.9	7.9	8.0
FEBRUARY	4,302	875	1,642	719	2,660	156	7.4	7.7	7.3	7.8	7.5	7.3
MARCH	4,700	934	1,806	729	2,894	205	8.1	8.2	8.1	7.9	8.1	9.6
APRIL	4,517	855	1,801	686	2,716	169	7.8	7.5	8.0	7.5	7.6	7.9
MAY	4,763	922	1,879	743	2,884	179	8.2	8.1	8.4	8.1	8.1	8.4
JUNE	4,571	882	1,767	736	2,804	146	7.9	7.8	7.9	8.0	7.9	6.8
JULY	5,249	1,001	2,006	811	3,243	190	9.0	8.8	9.0	8.8	9.1	8.9
AUGUST	5,159	1,066	1,961	859	3,198	207	8.9	9.4	8.8	9.3	9.0	9.7
SEPTEMBER	5,264	979	1,987	794	3,277	185	9.1	8.6	8.9	8.6	9.2	8.6
OCTOBER	5,295	1,002	2,028	831	3,267	171	9.1	8.8	9.1	9.0	9.2	8.0
NOVEMBER	4,738	909	1,807	738	2,931	171	8.2	8.0	8.1	8.0	8.2	8.0
DECEMBER	4,867	930	1,874	738	2,993	192	8.4	8.2	8.4	8.0	8.4	9.0

TABLE 4

## RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI 1974

COUNTIES	POPULATION	NUMBER				RATES			
		RESIDENT		RECORDED		RESIDENT		RECORDED	
		LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DTHS.	LIVE BIRTHS	FETAL DTHS.
STATE TOTAL	4,777,000	69,412	848	71,875	811	14.5	12.2	15.0	11.3
COUNTIES INCLUDING CITIES									
ADAIR	23,600	306	5	592	9	13.0	16.3	25.1	15.2
ANDREW	12,800	155	4			12.1	25.8		
ATCHISON	9,100	131	1	183	1	14.4	7.6	20.1	5.5
AUDRAIN	25,400	405	2	558	5	15.9	4.9	22.0	9.0
BARRY	21,600	286	4	199		13.2	14.0	9.2	
BARTON	10,800	133	2	12		12.3	15.0	1.1	
BATES	16,000	209	4	173	2	13.1	19.1	10.8	11.6
BENTON	11,400	111	3	2	1	9.7	27.0	.2	500.0
BOLLINGER	9,600	103				10.7			
BOONE	86,200	1,162	6	1,906	12	13.5	5.2	22.1	6.3
BUCHANAN	86,000	1,275	20	1,812	27	14.8	15.7	21.1	14.9
BUTLER	35,600	516	6	915	8	14.5	11.6	25.7	8.7
CALDWELL	8,600	92	2			10.7	21.7		
CALLAWAY	28,100	395	6	112	1	14.1	15.2	4.0	8.9
CAMDEN	16,500	204	1	8		12.4	4.9	.5	
CAPE GIRARDEAU	51,700	720	16	1,338	20	13.9	22.2	25.9	14.9
CARROLL	12,100	177	3	41	1	14.6	16.9	3.4	24.4
CARTER	4,400	75	2	1		17.0	26.7	.2	
CASS	47,400	751	12	335	6	15.8	16.0	7.1	17.9
CEDAR	10,600	120	3	175	2	11.3	25.0	16.5	11.4
CHARITON	10,600	140	1	1		13.2	7.1	.1	
CHRISTIAN	19,200	296	2	1		15.4	6.8	.1	
CLARK	8,200	93	3			11.3	32.3		
CLAY	133,300	1,968	22	1,339	16	14.8	11.2	10.0	11.9
CLINTON	14,000	185	7	110	1	13.2	37.8	7.9	9.1
COLE	48,900	747	5	1,499	21	15.3	6.7	30.7	14.0
COOPER	14,600	148	1	103	2	10.1	6.8	7.1	19.4
CRAWFORD	16,600	276	3	220	3	16.6	10.9	13.3	13.6
DADE	7,200	86	1			11.9	11.6		
DALLAS	11,200	124	4	3		11.1	32.3	.3	
DAVISS	8,600	109	2	19		12.7	18.3	2.2	
DE KALB	8,000	97				12.1			
DENT	12,900	226	4	73	2	17.5	17.7	5.7	27.4

LIVE BIRTH RATES ARE PER 1,000 POPULATION, FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS, POPULATION USED WAS THE PROVISIONAL POPULATION ESTIMATE FOR JULY 1, 1974 (SEE PP IV).

TABLE 4 (CONT)

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI 1974

COUNTIES	POPULATION	NUMBER				RATES			
		RESIDENT		RECORDED		RESIDENT		RECORDED	
		LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DTHS.	LIVE BIRTHS	FETAL DTHS.
DOUGLAS	10,400	136	3	2		13.1	22.1	.2	
DUNKLIN	35,500	618	9	520	10	17.4	14.6	14.6	19.2
FRANKLIN	63,200	1,029	11	572	5	16.3	10.7	9.1	8.7
GASCONADE	12,900	137	4	121	3	10.6	29.2	9.4	24.8
GENTRY	7,900	89	1	128	1	11.3	11.2	16.2	7.8
GREENE	168,000	2,478	20	4,083	41	14.8	8.1	24.3	10.0
GRUNDY	11,800	162	1	206	1	13.7	6.2	17.5	4.9
HARRISON	10,100	120	1	61	1	11.9	8.3	6.0	16.4
HENRY	19,500	281		393	1	14.4		20.2	2.5
HICKORY	5,500	59		6		10.7		1.1	
HOLT	6,800	72				10.6			
HOWARD	10,500	128	2	141	1	12.2	15.6	13.4	7.1
HOWELL	26,400	370	4	563	6	14.0	10.8	21.3	10.7
IRON	10,500	183		72		17.4		6.9	
JACKSON	646,200	9,772	149	13,028	147	15.1	15.2	20.2	11.3
JASPER	83,000	1,243	12	1,591	15	15.0	9.7	19.2	9.4
JEFFERSON	122,500	2,116	22	441	8	17.3	10.4	3.6	18.1
JOHNSON	35,000	653	14	692	14	18.7	21.4	19.8	20.2
KNOX	5,700	65	1			11.4	15.4		
LACLEDE	22,400	297	2	312	2	13.3	6.7	13.9	6.4
LAFAYETTE	28,600	344	10	357	6	12.0	29.1	12.5	16.8
LAWRENCE	27,200	388	8	307	7	14.3	20.6	11.3	22.8
LEWIS	11,000	121	3	2		11.0	24.8	.2	
LINCOLN	20,000	301	3	201	1	15.1	10.0	10.1	5.0
LINN	15,200	209	2	272	1	13.8	9.6	17.9	3.7
LIVINGSTON	15,900	222	1	340	4	14.0	4.5	21.4	11.8
MC DONALD	14,900	155	2		1	10.4	12.9		
MACON	15,800	210	2	158	2	13.3	9.5	10.0	12.7
MADISON	9,300	135	4	161	1	14.5	29.6	17.3	6.2
MARIES	7,500	101	2			13.5	19.8		
MARION	28,000	423	5	694	4	15.1	11.8	24.8	5.8
MERCER	4,900	57	2	34	1	11.6	35.1	6.0	29.4
MILLER	16,500	232	6	106	2	14.1	25.9	6.4	18.5

LIVE BIRTH RATES ARE PER 1,000 POPULATION, FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS, POPULATION USED WAS THE PROVISIONAL POPULATION ESTIMATE FOR JULY 1, 1974 (SEE PP IV).

TABLE 4 (CONT)

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI 1974

COUNTIES	POPULATION	NUMBER				RATES			
		RESIDENT		RECORDED		RESIDENT		RECORDED	
		LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DTHS.	LIVE BIRTHS	FETAL DTHS.
MISSISSIPPI	16,500	251	6	116	2	15.2	23.9	7.0	17.2
MONITEAU	11,100	187	3	10		16.8	16.0	.9	
MONROE	9,400	124		4		13.2		.4	
MONTGOMERY	11,400	163	2			14.3	12.3		
MORGAN	11,900	153	1	4		12.9	6.5	.3	
NEW MADRID	23,900	407	8	6		17.0	19.7	.3	
NEWTON	36,600	506	7	549	7	13.8	13.8	15.0	12.8
NODAWAY	22,300	310	6	247	4	13.9	19.4	11.1	16.2
OREGON	9,600	111		2		11.6		.2	
OSAGE	11,500	176	3			15.3	17.0		
OZARK	7,100	82	1	1		11.5	12.2	.1	
PEMISCOT	25,700	512	9	581	12	19.9	17.6	22.6	20.7
PERRY	15,100	264	4	220	2	17.5	15.2	14.6	9.1
PETTIS	35,300	510	5	632	7	14.4	9.8	17.9	11.1
PHELPS	30,700	421	2	675	5	13.7	4.8	22.0	7.4
PIKE	16,800	261	4	184	4	15.5	15.3	11.0	21.7
PLATTE	37,700	531	5	2		14.1	9.4	.1	
POLK	17,400	227	1	50		13.0	4.4	2.9	
PULASKI	41,000	853	12	820	12	20.8	14.1	20.0	14.6
PUTNAM	6,000	68	4	61	3	11.3	58.8	10.2	49.2
RALLS	8,100	104	1			12.8	9.6		
RANDOLPH	22,800	288	1	265		12.6	3.5	11.6	
RAY	19,900	309	2	171		15.5	6.5	8.6	
REYNOLDS	6,600	75	1	1		11.4	13.3	.2	
RIPLEY	11,400	160	2	62	2	14.0	12.5	5.4	32.3
ST. CHARLES	111,300	1,941	24	1,313	14	17.4	12.4	11.8	10.7
ST. CLAIR	8,200	100		53		12.2		6.5	
ST. FRANCOIS	39,000	520	6	843	14	13.3	11.5	21.6	16.6
STE. GENEVIEVE	14,000	218	4	171	2	15.6	18.3	12.2	11.7
ST. LOUIS CITY	530,500	8,754	117	12,199	160	16.5	13.4	23.0	13.1
ST. LOUIS COUNTY	973,700	12,332	99	12,767	98	12.7	8.0	13.1	7.7
SALINE	24,400	345	2	242	2	14.1	5.8	9.9	8.3
SCHUYLER	4,800	58				12.1			

LIVE BIRTH RATES ARE PER 1,000 POPULATION, FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS, POPULATION USED WAS THE PROVISIONAL POPULATION ESTIMATE FOR JULY 1, 1974 (SEE PP IV).

TABLE 4 (CONT)

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI 1974

COUNTIES	POPULATION	NUMBER				RATES			
		RESIDENT		RECORDED		RESIDENT		RECORDED	
		LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DTHS.	LIVE BIRTHS	FETAL DTHS.
SCOTLAND	5,600	57		59		10.2		10.5	
SCOTT	35,300	597	12	703	15	16.9	20.1	19.9	21.3
SHANNON	7,700	106		1		13.8		.1	
SHELBY	7,700	105	1	4		13.6	9.5	.5	
STODDARD	27,600	360	5	510	7	13.0	13.9	18.5	13.7
STONE	12,500	152	2			12.2	13.2		
SULLIVAN	7,600	107	1	24	1	14.1	9.3	3.2	41.7
TANEY	17,100	208	1	148	2	12.2	4.8	8.7	13.5
TEXAS	20,600	261	3	337	3	12.7	11.5	16.4	8.9
VERNON	19,600	263	3	284	2	13.4	11.4	14.5	7.0
WARREN	12,000	181	2	2	1	15.1	11.0	.2	500.0
WASHINGTON	16,300	322	5	149	2	19.8	15.5	9.1	13.4
WAYNE	9,800	125	1			12.8	8.0		
WEBSTER	18,100	279	3	10		15.4	10.8	.6	
WORTH	3,200	32				10.0			
WRIGHT	15,200	209	4	99	2	13.8	19.1	6.5	20.2

LIVE BIRTH RATES ARE PER 1,000 POPULATION, FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS,  
POPULATION USED WAS THE PROVISIONAL POPULATION ESTIMATE FOR JULY 1, 1974 (SEE PP IV).

TABLE 5

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS  
BY INCORPORATED CITIES OVER 2,500 POPULATION, MISSOURI 1974

CITIES	RESIDENT NUMBER		RECORDED NUMBER	
	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS
TOTAL CITIES 2,500 POP. & OVER	39,462	521	67,529	746
TOTAL CITIES 10,000 POP. & OVER	31,599	406	50,382	572
TOTAL CITIES OVER 2,500 POP. LESS THAN 10,000	7,863	115	17,147	174
CITIES OVER 10,000 POP.				
BALLWIN	189	1		
BELLEFONTAINE NEIGHBORS	45			
BERKELEY	219	2	2	
BRENTWOOD	100	2		
BRIDGETON	198	1		
CAPE GIRARDEAU	422	12	1,338	19
CARTHAGE	167	2	253	3
CLAYTON	88	1	1,024	10
COLUMBIA	635	4	1,904	12
CRESTWOOD	66			
FERGUSON	267	5	1	
FLORISSANT	837	9	1,530	18
FULTON	121	3	110	1
GLADSTONE	258	1		
GRANDVIEW	374	6		
HANNIBAL	265	3	694	4
MARION CO. PART	263	3	694	4
RALLS CO. PART	2			
HAZELWOOD	222	2		
INDEPENDENCE	1,678	17	1,500	17
JEFFERSON CITY	419	3	1,499	21
JENNINGS	126	3		
JOPLIN	564	5	1,523	16
JASPER CO. PART	535	5	1,278	12
NEWTON CO. PART	29		245	4
KANSAS CITY	7,471	122	11,524	130
JACKSON CO. PART	6,227	110	11,523	130
CLAY CO. PART	1,036	10	1	
PLATTE CO. PART	208	2		
KIRKSVILLE	197	4	591	9

TABLE 5 CONT

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS  
BY INCORPORATED CITIES OVER 2,500 POPULATION, MISSOURI 1974

CITIES OVER 10,000 POP.	RESIDENT		RECORDED	
	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS
KIRKWOOD	308	5	1,362	14
LADUE	36			
LEE'S SUMMIT	314	3	1	
LIBERTY	216	4		1
MAPLEWOOD	82			
MARSHALL	198	1	209	1
MEXICO	153	1	535	5
MOBERLY	165		263	
OVERLAND	297	2	2	
POPLAR BLUFF	239	1	913	8
RAYTOWN	325	5		
RICHMOND HEIGHTS	114	1	1,972	9
ROLLA	169	1	674	5
ST. ANN	199			
ST. CHARLES	579	9	1,310	14
ST. JOSEPH	1,132	16	1,811	27
ST. LOUIS CITY	8,754	117	12,199	160
SEDALIA	324	3	632	6
SIKESTON	308	8	542	13
SCOTT CO. PART	306	8	541	13
NEW MADRID CO. PART	2		1	
SPRINGFIELD	1,904	17	4,080	41
UNIVERSITY CITY	445	4	1	
WARRENSBURG	156		382	8
WEBSTER GROVES	254		1	
CITIES OVER 2,500 POP.				
LESS THAN 10,000 POP.				
AURORA	69	2	235	4
BEL-RIDGE	35			
BELTON	237	3	1	
BETHANY	40	1	60	1
BLUE SPRINGS	331	6	2	
BOLIVER	74		1	
BONNE TERRE	68	2	140	4
BOONVILLE	78			
BOWLING GREEN	44			

TABLE 5 CONT

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS  
BY INCORPORATED CITIES OVER 2,500 POPULATION, MISSOURI 1974

CITIES OVER 2,500 POP. LESS THAN 10,000 POP.	RESIDENT		RECORDED	
	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS
BRECKENRIDGE HILLS	32			
BROOKFIELD	84		174	1
BUTLER	50	2	173	2
CALIFORNIA	57	2	9	
CAMERON	62	2	109	1
CLINTON CO. PART	47	2	109	1
DE KALB CO. PART	15			
CANTON	24	1		
CARROLLTON	71	3	41	1
CARUTHERSVILLE	179	3		
CENTRALIA	56	1		
CHAFFEE	41		141	2
CHARLESTON	104	1	115	2
CHILLICOTHE	136		340	4
CLINTON	124		342	1
CREVE COEUR	112	2	4,871	28
CRYSTAL CITY	38	1	1	
DELLWOOD	39	1		
DESOTO	39	1		
DES PERES	94	1		
DESLOGE	32		2	
DEXTER	85		489	7
EAST PRAIRIE	74	3	1	
ELDON	45	2		1
ELDORADO SPRINGS	40	2	174	2
ELLISVILLE	58			
EXCELSIOR SPRINGS	185	1	179	2
CLAY CO. PART	182	1	179	2
RAY CO. PART	3			
FARMINGTON	93		702	10
FAYETTE	33		140	1
FESTUS	97	1		
FLAT RIVER	63			
FREDERICKTOWN	50	2	161	1
FRONTENAC	12			
GLENDALE	56			
HARRISONVILLE	121	3	334	6

TABLE 5 CONT

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS  
BY INCORPORATED CITIES OVER 2,500 POPULATION, MISSOURI 1974

CITIES OVER 2,500 POP. LESS THAN 10,000 POP.	RESIDENT		RECORDED	
	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS
HAYTI	66	1	577	11
HERMANN	30	1	120	3
HIGGINSVILLE	53			
HILLSDALE VILLAGE	23	1		
JACKSON	94	2		
KENNETT	188	5	520	9
KINLOCH	92	1	3	
LAMAR	49	2	11	
LEBANON	114	2	312	2
LEXINGTON	63	4	171	4
LOUISIANA	47		175	4
MACON	75	1	158	2
MALDEN	119	1		
MANCHESTER	125	1	3	
MARCELINE	34		98	
MARSHFIELD	55		1	
MARYVILLE	126	5	245	4
MOLINE ACRES	17			
MONETT	113	3	251	3
BARRY CO. PART	65	2	179	
LAWRENCE CO. PART	48	1	72	3
MOUNTAIN GROVE	21	1		
MT. VERNON	47	1	35	1
NEOSHO	120	2	208	3
NEVADA	124		284	2
NEW MADRID	56			
NORMANDY	94	1	246	1
NORTH KANSAS CITY	64	1	812	10
NORTHWOODS	31	1		
ODESSA	45			
O'FALLON	115	2		
OLIVETTE	53			
PACIFIC	91			
FRANKLIN CO. PART	85			
ST. LOUIS CO. PART	6			
PAGEDALE	38		1	
PALMYRA	51			

TABLE 5 CONT

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS  
BY INCORPORATED CITIES OVER 2,500 POPULATION, MISSOURI 1974

CITIES OVER 2,500 POP. LESS THAN 10,000 POP.	RESIDENT NUMBER		RECORDED NUMBER	
	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS
PERRYVILLE	79	2	220	2
PINELAWN	58	3	1	
PLEASANT HILL	48	1		
PORTAGEVILLE	64	2	1	
POTOSI	42		2	
RICHMOND	94		171	
RIVERVIEW	21	1		
ROCK HILL	66			
ST. CLAIR	50	2		
ST. JAMES	25			
ST. JOHN	74		1	
STE. GENEVIEVE	59	2	171	2
SALEM	83	2		
SAVANNAH	51			
SHREWSBURY	40	1		
SLATER	26			
SUGAR CREEK	73			
SULLIVAN	68		217	2
CRAWFORD CO. PART	9		217	2
FRANKLIN CO. PART	59			
SUNSET HILLS	17		1	
TOWN AND COUNTRY	8		1,533	16
TRENTON	84		205	1
TROY	32		201	1
UNION	96	2	1	
VALLEY PARK	60			
VANDALIA	44	1		
VINITA PARK	14			
WARSON WOODS	16			
WASHINGTON	127		568	5
WAYNESVILLE	77	3	137	1
WEBB CITY	95	2	60	
WELLSTON	115	2		
WENTZVILLE	77			
WEST PLAINS	104	1	436	4
WINDSOR	41		51	
WOODSON TERRACE	40		2	


TABLE 6

RESIDENT LIVE BIRTHS, URBAN AND RURAL, BY AGE OF MOTHER,  
SEX AND COLOR OF CHILD, MISSOURI 1974

## AGE OF MOTHER

URBAN	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
ALL AGES	31,599	11,487	10,905	4,710	4,497
10-14 YEARS	222	24	29	88	81
15-19 YEARS	7,208	2,070	1,934	1,636	1,568
20-24 YEARS	10,983	4,070	3,901	1,561	1,451
25-29 YEARS	8,541	3,483	3,398	823	837
30-34 YEARS	3,248	1,309	1,183	396	360
35-39 YEARS	1,093	419	357	156	161
40-44 YEARS	278	101	96	46	35
45-49 YEARS	13	6	3	2	2
50 YEARS AND OVER					
UNKNOWN	13	5	4	2	2
RURAL					
ALL AGES	37,813	18,456	17,214	1,066	1,077
10-14 YEARS	84	34	30	10	10
15-19 YEARS	7,005	3,326	3,088	285	306
20-24 YEARS	13,331	6,531	6,164	312	324
25-29 YEARS	10,863	5,395	4,968	268	232
30-34 YEARS	4,565	2,232	2,096	113	124
35-39 YEARS	1,529	737	666	66	60
40-44 YEARS	398	185	182	11	20
45-49 YEARS	23	10	12	1	
50 YEARS AND OVER					
UNKNOWN	15	6	8		1
COMBINED TOTALS					
ALL AGES	69,412	29,943	28,119	5,776	5,574
10-14 YEARS	306	58	59	98	91
15-19 YEARS	14,213	5,396	5,022	1,921	1,874
20-24 YEARS	24,314	10,601	10,065	1,873	1,775
25-29 YEARS	19,404	8,878	8,366	1,091	1,069
30-34 YEARS	7,813	3,541	3,279	509	484
35-39 YEARS	2,622	1,156	1,023	222	221
40-44 YEARS	676	286	278	57	55
45-49 YEARS	36	16	15	3	2
50 YEARS AND OVER					
UNKNOWN	28	11	12	2	3

GRAPH B.  
FETAL DEATH RATES 1932-1974  
(per 1,000 live births)



Year	Total	White	Nonwhite	Year	Total	White	Nonwhite	Year	Total	White	Nonwhite
1932	41.9	38.4	97.4	1947	20.8	18.8	44.7	1962	15.1	13.2	26.5
1933	37.5	34.2	88.9	1948	20.7	18.7	42.7	1963	13.9	12.1	24.7
1934	33.9	31.3	73.9	1949	19.3	17.5	35.9	1964	15.5	13.3	28.7
1935	38.5	35.8	79.2	1950	19.2	17.2	37.2	1965	14.3	12.8	23.0
1936	36.0	33.4	74.7	1951	18.2	16.4	34.3	1966	13.3	11.7	21.7
1937	33.9	31.3	70.1	1952	17.5	16.1	29.7	1967	13.8	12.6	20.5
1938	35.0	32.0	76.4	1953	17.8	15.9	33.1	1968	15.1	13.4	24.9
1939	30.7	27.8	71.3	1954	17.2	15.9	27.7	1969	13.2	12.1	19.6
1940	32.5	29.8	69.5	1955	16.7	14.9	29.8	1970	13.8	12.7	19.8
1941	32.5	29.7	71.4	1956	16.6	15.4	25.4	1971	12.5	11.8	16.2
1942	28.9	26.2	65.0	1957	16.5	15.7	22.1	1972	12.1	10.9	18.2
1943	26.1	23.6	59.0	1958	16.1	14.7	24.8	1973	11.8	10.6	17.8
1944	26.1	23.3	59.8	1959	15.4	14.0	24.2	1974	12.2	11.2	17.3
1945	24.1	21.7	53.2	1960	15.2	13.8	24.3				
1946	23.6	21.4	51.2	1961	14.7	12.8	27.0				

Source: Missouri State Board of Health, Vital Statistics Reports, 1932-34 and 1937-48; U.S. Bureau of the Census, Mortality Statistics, 1935-36; Missouri Division of Health, Vital Statistics Reports, 1949-date. 1932-44 are recorded data and 1945 to date are resident.

TABLE 7

## RESIDENT AND RECORDED FETAL DEATHS BY COLOR AND WEIGHT, MISSOURI 1974

WEIGHT	TOTAL	RESIDENT		TOTAL	RECORDED	
		WHITE	NON-WHITE		WHITE	NON-WHITE
2 POUNDS 3 OUNCES OR LESS	225	159	66	175	122	53
2 POUNDS 4 OUNCES - 3 POUNDS 4 OUNCES	76	49	27	74	47	27
3 POUNDS 5 OUNCES - 4 POUNDS 6 OUNCES	54	37	17	54	37	17
4 POUNDS 7 OUNCES - 5 POUNDS 8 OUNCES	70	52	18	75	55	20
5 POUNDS 9 OUNCES - 6 POUNDS 9 OUNCES	67	46	21	70	49	21
6 POUNDS 10 OUNCES - 7 POUNDS 11 OUNCES	71	59	12	70	57	13
7 POUNDS 12 OUNCES - 8 POUNDS 13 OUNCES	42	36	6	44	37	7
8 POUNDS 14 OUNCES - 9 POUNDS 14 OUNCES	15	13	2	16	14	2
9 POUNDS 15 OUNCES OR MORE	16	13	3	16	13	3
UNKNOWN OR NOT STATED	212	188	24	217	190	27
TOTALS	848	652	196	811	621	190

TABLE 8

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR  
BY COUNTIES AND INCORPORATED CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1974

COUNTIES	GRAND TOTAL	WHITE				NON WHITE			
		WHITE TOTAL	LEGITIMATE NO.	PER- CENT	ILLEGITIMATE NO.	PER- CENT	NON- WHITE TOTAL	LEGITIMATE NO.	ILLEGITIMATE NO.
STATE TOTAL	69,412	58,062	54,259	93.5	3,717	6.4	11,350	5,235	6,088
CITIES OVER 10,000	31,598	22,392	20,523	91.7	1,838	8.2	9,207	3,966	5,222
RURAL	37,813	35,670	33,736	94.6	1,879	5.3	2,143	1,269	866
COUNTIES INCL. CITIES OVER 10,000									
ADAIR	306	296	281	94.9	15	5.1	10	10	-
ANDREW	155	155	149	96.1	6	3.9	-	-	-
ATCHISON	131	130	122	93.8	8	6.2	1	1	-
AUDRAIN	405	379	361	95.3	18	4.7	26	13	13
BARRY	286	285	265	93.0	20	7.0	1	1	-
BARTON	133	133	126	94.7	7	5.3	-	-	-
BATES	209	204	194	95.1	10	4.9	5	2	3
BENTON	111	110	103	93.6	7	6.4	1	1	-
BOLLINGER	103	102	94	92.2	8	7.8	1	1	-
BOONE	1,162	1,022	968	94.7	53	5.2	140	70	70
BUCHANAN	1,275	1,196	1,066	89.1	129	10.8	79	37	42
BUTLER	516	468	428	91.5	40	8.5	48	24	24
CALDWELL	92	92	85	92.4	7	7.6	-	-	-
CALLAWAY	395	373	357	95.7	16	4.3	22	15	7
CAMDEN	204	204	198	97.1	6	2.9	-	-	-
CAPE GIRARDEAU	720	672	636	94.6	36	5.4	48	21	27
CARROLL	177	171	164	95.9	7	4.1	6	3	3
CARTER	75	75	70	93.3	5	6.7	-	-	-
CASS	751	738	700	94.9	37	5.0	13	13	-
CEDAR	120	117	112	95.7	5	4.3	3	3	-
CHARITON	140	129	117	90.7	12	9.3	11	4	7
CHRISTIAN	296	295	285	96.6	10	3.4	1	1	-
CLARK	93	93	87	93.5	6	6.5	-	-	-
CLAY	1,968	1,932	1,832	94.8	97	5.0	36	34	2
CLINTON	185	181	168	92.8	13	7.2	4	2	2
COLE	747	707	666	94.2	39	5.5	40	30	10
COOPER	148	140	133	95.0	7	5.0	8	2	6
CRAWFORD	276	270	253	91.7	20	7.2	-	-	-
DADE	86	86	82	95.3	3	3.5	-	-	-
DALLAS	124	123	113	91.9	10	8.1	1	1	-
DAVIESS	109	108	102	94.4	6	5.6	1	1	-

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR  
BY COUNTIES AND INCORPORATED CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1974

COUNTIES	GRAND TOTAL	WHITE TOTAL	WHITE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE		ILLEGITIMATE	
			LEGITIMATE NO.	PER- CENT	NO.	PER- CENT		LEGITIMATE NO.	PER- CENT	NO.	PER- CENT
DE KALB	97	97	91	93.8	6	6.2	-	-	-	-	-
DENT	226	226	211	93.4	12	5.3	-	-	-	-	-
DOUGLAS	136	136	129	94.9	6	4.4	-	-	-	-	-
DUNKLIN	618	549	491	89.4	56	10.2	69	34	49.3	35	50.7
FRANKLIN	1,029	1,014	958	94.5	55	5.4	15	11	73.3	4	26.7
GASCONADE	137	137	130	94.9	6	4.4	-	-	-	-	-
GENTRY	89	89	81	91.0	8	9.0	-	-	-	-	-
GREENE	2,478	2,421	2,271	93.8	148	6.1	57	35	61.4	22	38.6
GRUNDY	162	161	148	91.9	13	8.1	1	-	-	1	100.0
HARRISON	120	120	114	95.0	6	5.0	-	-	-	-	-
HENRY	281	274	257	93.8	16	5.8	7	5	71.4	2	28.6
HICKORY	59	59	56	94.9	3	5.1	-	-	-	-	-
HOLT	72	72	69	95.8	3	4.2	-	-	-	-	-
HOWARD	128	109	106	97.2	3	2.8	19	6	31.6	13	68.4
HOWELL	370	369	343	93.0	26	7.0	1	1	100.0	-	-
IRON	183	180	167	92.8	12	6.7	3	3	100.0	-	-
JACKSON	9,772	7,124	6,565	92.2	553	7.8	2,648	1,323	50.0	1,316	49.6
JASPER	1,243	1,213	1,123	92.6	89	7.3	30	19	63.3	11	36.7
JEFFERSON	2,116	2,084	1,984	95.2	98	4.7	32	23	71.9	9	28.1
JOHNSON	653	596	582	97.7	14	2.3	57	51	89.5	6	10.5
KNOX	65	65	60	92.3	5	7.7	-	-	-	-	-
LACLEDE	297	295	274	92.9	21	7.1	2	1	50.0	1	50.0
LAFAYETTE	344	334	317	94.9	17	5.1	10	5	50.0	5	50.0
LAWRENCE	388	385	358	93.0	26	6.8	3	3	100.0	-	-
LEWIS	121	114	109	95.6	5	4.4	7	4	57.1	3	42.9
LINCOLN	301	292	273	93.5	19	6.5	9	4	44.4	5	55.6
LINN	209	206	195	94.7	11	5.3	3	2	66.7	1	33.3
LIVINGSTON	222	217	206	94.9	11	5.1	5	-	-	5	100.0
MC DONALD	155	152	139	91.4	12	7.9	3	2	66.7	1	33.3
MACON	210	203	192	94.6	11	5.4	7	5	71.4	2	28.6
MADISON	135	133	115	86.5	18	13.5	2	2	100.0	-	-
MARIES	101	101	94	93.1	7	6.9	-	-	-	-	-
MARION	423	401	373	93.0	28	7.0	22	14	63.6	8	36.4
MERCER	57	57	54	94.7	3	5.3	-	-	-	-	-
MILLER	232	231	213	92.2	17	7.4	1	-	-	1	100.0
MISSISSIPPI	251	175	154	88.0	21	12.0	76	25	32.9	51	67.1

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR  
BY COUNTIES AND INCORPORATED CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1974

COUNTIES	GRAND TOTAL	WHITE TOTAL	WHITE		NON WHITE		NON- WHITE TOTAL	NON WHITE		NON- WHITE TOTAL	NON WHITE	
			LEGITIMATE NO.	PER- CENT	ILLEGITIMATE NO.	PER- CENT		LEGITIMATE NO.	PER- CENT		ILLEGITIMATE NO.	PER- CENT
MONITEAU	187	186	180	96.8	6	3.2	1	1	100.0	-	-	-
MONROE	124	118	116	98.3	2	1.7	6	2	33.3	4	66.7	-
MONTGOMERY	163	152	141	92.8	11	7.2	11	6	54.5	5	45.5	-
MORGAN	153	152	141	92.8	10	6.6	1	1	100.0	-	-	-
NEW MADRID	407	318	290	91.2	26	8.2	89	32	36.0	57	64.0	-
NEWTON	506	501	468	93.4	31	6.2	5	5	100.0	-	-	-
NODAWAY	310	310	290	93.5	19	6.1	-	-	-	-	-	-
OREGON	111	111	105	94.6	6	5.4	-	-	-	-	-	-
OSAGE	176	175	165	94.3	8	4.6	1	1	100.0	-	-	-
OZARK	82	82	78	95.1	4	4.9	-	-	-	-	-	-
PEMISCOT	512	282	242	85.8	39	13.8	230	69	30.0	161	70.0	-
PERRY	264	264	247	93.6	17	6.4	-	-	-	-	-	-
PETTIS	510	475	430	90.5	45	9.5	35	19	54.3	16	45.7	-
PHELPS	421	412	376	91.3	30	7.3	9	9	100.0	-	-	-
PIKE	261	244	228	93.4	16	6.6	17	7	41.2	10	58.8	-
PLATTE	531	524	487	92.9	37	7.1	7	6	85.7	1	14.3	-
POLK	227	225	217	96.4	8	3.6	2	-	-	2	100.0	-
PULASKI	853	738	710	96.2	26	3.5	115	110	95.7	5	4.3	-
PUTNAM	68	68	65	95.6	3	4.4	-	-	-	-	-	-
RALLS	104	103	98	95.1	5	4.9	1	1	100.0	-	-	-
RANDOLPH	288	272	249	91.5	22	8.1	16	5	31.3	11	68.8	-
RAY	309	304	290	95.4	14	4.6	5	3	60.0	2	40.0	-
REYNOLDS	75	75	74	98.7	1	1.3	-	-	-	-	-	-
RIPLEY	160	160	145	90.6	15	9.4	-	-	-	-	-	-
ST. CHARLES	1,941	1,910	1,839	96.3	66	3.5	31	19	61.3	12	38.7	-
ST. CLAIR	100	100	96	96.0	3	3.0	-	-	-	-	-	-
ST. FRANCOIS	520	516	472	91.5	43	8.3	4	4	100.0	-	-	-
STE. GENEVIEVE	218	218	214	98.2	4	1.8	-	-	-	-	-	-
ST. LOUIS COUNTY	12,332	10,628	10,153	95.5	457	4.3	1,704	1,101	64.6	591	34.7	-
ST. LOUIS CITY	8,754	3,413	2,935	86.0	472	13.8	5,341	1,909	35.7	3,426	64.1	-
SALINE	345	338	316	93.5	22	6.5	7	4	57.1	3	42.9	-
SCHUYLER	58	56	56	100.0	-	-	2	2	100.0	-	-	-
SCOTLAND	57	57	52	91.2	5	8.8	-	-	-	-	-	-
SCOTT	597	524	491	93.7	33	6.3	73	27	37.0	46	63.0	-
SHANNON	106	104	98	94.2	6	5.8	2	2	100.0	-	-	-
SHELBY	105	104	98	94.2	6	5.8	1	-	-	1	100.0	-

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR  
BY COUNTIES AND INCORPORATED CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1974

COUNTIES	GRAND TOTAL	WHITE TOTAL	WHITE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE		ILLEGITIMATE	
			LEGITIMATE NO.	PER- CENT	NO.	PER- CENT		LEGITIMATE NO.	PER- CENT	NO.	PER- CENT
STODDARD	360	343	317	92.4	26	7.6	17	6	35.3	11	64.7
STONE	152	151	141	93.4	10	6.6	1	1	100.0	-	-
SULLIVAN	107	107	101	94.4	6	5.6	-	-	-	-	-
TANEY	208	208	199	95.7	9	4.3	-	-	-	-	-
TEXAS	261	260	251	96.5	9	3.5	1	1	100.0	-	-
VERNON	263	262	238	90.8	23	8.8	1	1	100.0	-	-
WARREN	181	169	160	94.7	9	5.3	12	8	66.7	4	33.3
WASHINGTON	322	319	279	87.5	40	12.5	3	2	66.7	1	33.3
WAYNE	125	123	117	95.1	6	4.9	2	2	100.0	-	-
WEBSTER	279	278	268	96.4	10	3.6	1	1	100.0	-	-
WORTH	32	32	28	87.5	4	12.5	-	-	-	-	-
WRIGHT	209	208	189	90.9	19	9.1	1	-	-	1	100.0

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR  
BY COUNTIES AND INCORPORATED CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1974

CITIES OVER 10,000	GRAND TOTAL	WHITE TOTAL	WHITE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE		ILLEGITIMATE	
			LEGITIMATE NO.	PER- CENT	NO.	PER- CENT		LEGITIMATE NO.	PER- CENT	NO.	PER- CENT
BALLWIN	189	186	182	97.8	4	2.2	3	3	100.0		
BELLEFONTAINE NEIGHBORS	45	44	42	95.5	2	4.5	1	1	100.0		
BERKELEY	219	160	149	93.1	11	6.9	59	40	67.8	19	32.2
BRENTWOOD	100	73	66	90.4	7	9.6	27	20	74.1	7	25.9
BRIDGETON	198	195	183	93.8	11	5.6	3	3	100.0		
CAPE GIRARDEAU	422	376	348	92.6	28	7.4	46	20	43.5	26	56.5
CARTHAGE	167	161	149	92.5	12	7.5	6	3	50.0	3	50.0
CLAYTON	88	80	77	96.3	3	3.8	8	8	100.0		
COLUMBIA	635	515	479	93.0	35	6.8	120	56	46.7	64	53.3
CRESTWOOD	66	66	64	97.0	2	3.0					
FERGUSON	267	248	233	94.0	15	6.0	19	13	68.4	6	31.6
FLORISSANT	837	802	772	96.3	29	3.6	35	30	85.7	4	11.4
FULTON	121	105	102	97.1	3	2.9	16	12	75.0	4	25.0
GLADSTONE	258	255	249	97.6	6	2.4	3	3	100.0		
GRANDVIEW	374	351	340	96.9	11	3.1	23	20	87.0	2	8.7
HANNIBAL	265	249	225	90.4	24	9.6	16	8	50.0	8	50.0
HAZELWOOD	222	203	191	94.1	11	5.4	19	14	73.7	5	26.3
INDEPENDENCE	1,678	1,644	1,549	94.2	95	5.8	34	29	85.3	5	14.7
JEFFERSON CITY	419	381	357	93.7	23	6.0	38	28	73.7	10	26.3
JENNINGS	126	82	77	93.9	5	6.1	44	32	72.7	12	27.3
JOPLIN	564	546	500	91.6	45	8.2	18	10	55.6	8	44.4
KANSAS CITY	7,471	4,872	4,403	90.4	462	9.5	2,599	1,282	49.3	1,309	50.4
KIRKSVILLE	197	188	180	95.7	8	4.3	9	9	100.0		
KIRKWOOD	308	245	242	98.8	3	1.2	63	27	42.9	36	57.1
LADUE	36	36	33	91.7	3	8.3					
LEE'S SUMMIT	314	312	293	93.9	19	6.1	2	2	100.0		
LIBERTY	216	214	208	97.2	6	2.8	2	1	50.0	1	50.0
MAPLEWOOD	82	71	64	90.1	6	8.5	11	8	72.7	2	18.2
MARSHALL	198	194	178	91.8	16	8.2	4	2	50.0	2	50.0
MEXICO	153	133	123	92.5	10	7.5	20	8	40.0	12	60.0
MOBERLY	165	150	133	88.7	16	10.7	15	4	26.7	11	73.3
OVERLAND	297	272	234	86.0	38	14.0	25	17	68.0	8	32.0
POPLAR BLUFF	239	213	187	87.8	26	12.2	26	13	50.0	13	50.0
RAYTOWN	325	322	310	96.3	12	3.7	3	3	100.0		
RICHMOND HEIGHTS	114	91	90	98.9	1	1.1	23	10	43.5	12	52.2
ROLLA	169	164	150	91.5	12	7.3	5	5	100.0		
ST. ANN	199	192	175	91.1	16	8.3	7	7	100.0		
ST. CHARLES	579	569	538	94.6	28	4.9	10	3	30.0	7	70.0
ST. JOSEPH	1,132	1,054	933	88.5	120	11.4	78	37	47.4	41	52.6
ST. LOUIS CITY	8,754	3,413	2,935	86.0	472	13.8	5,341	1,909	35.7	3,426	64.1
SEDALIA	324	292	256	87.7	36	12.3	32	18	56.3	14	43.8
SIKESTON	308	251	238	94.8	13	5.2	57	23	40.4	34	59.6
SPRINGFIELD	1,904	1,848	1,730	93.6	116	6.3	56	34	60.7	22	39.3
UNIVERSITY CITY	445	205	198	96.6	6	2.9	240	169	70.4	70	29.2
WARRENSBURG	156	141	134	95.0	7	5.0	15	9	60.0	6	40.0
WEBSTER GROVES	254	228	224	98.2	4	1.8	26	13	50.0	13	50.0

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR  
 BY COUNTIES AND INCORPORATED CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1974

INCLUDED IN CITIES OVER 10,000	GRAND TOTAL	WHITE TOTAL	WHITE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE		ILLEGITIMATE	
			LEGITIMATE NO.	PER- CENT	NO.	PER- CENT		LEGITIMATE NO.	PER- CENT	NO.	PER- CENT
HANNIBAL-RALLS	2	2	2	100.0							
JOPLIN-NEWTON	29	29	28	96.6	1	3.4					
KANSAS CITY-CLAY	1,036	1,015	959	94.5	54	5.3	21	21	100.0		
SIKESTON-NEW MADRID	2	1	1	100.0			1	1	100.0		
KANSAS CITY-PLATTE	208	203	184	90.6	19	9.4	5	4	80.0	1	20.0

GRAND TOTAL INCLUDES NOT STATED

TABLE 9

TEN LEADING CAUSES OF DEATH AND RATES, RESIDENT DATA, MISSOURI 1974

RANK	CAUSE OF DEATH	TOTAL	RATES	WHITE	NONWHITE
1.	HEART DISEASE (390-398,402,404,410-429)	19,614	410.6	18,057	1,557
2.	MALIGNANT NEOPLASMS (140-209)	8,980	188.0	8,070	910
3.	CEREBROVASCULAR DISEASE (430-438)	5,836	122.2	5,335	501
4.	ACCIDENTS (E800-E807,E810-E823,E825-E949)	2,424	50.7	2,200	224
5.	INFLUENZA & PNEUMONIA (470-474,480-486)	1,390	29.1	1,232	158
6.	DIABETES MELLITUS (250)	961	20.1	816	145
7.	ARTERIOSCLEROSIS (440)	952	19.9	896	56
8.	BRONCHITIS,EMPHYSEMA & ASTHMA (490-493)	708	14.8	674	34
9.	DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	630	13.2	463	167
10.	SUICIDE (E950-E959)	621	13.0	591	30
	ALL OTHER CAUSES	8,388		7,059	1,329
	TOTALS	50,504		45,393	5,111

TOTAL RESIDENT DEATHS - 50,504  
 PROVISIONAL POPULATION ESTIMATE FOR JULY 1, 1974 (SEE PP IV) - 4,777,000.

DEATH RATES ARE PER 100,000 POP.

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 10

FIVE LEADING CAUSES OF DEATH FOR SELECTED AGE GROUPS,  
NUMBER OF RESIDENT DEATHS, MISSOURI 1974

CAUSE BY AGE GROUPS	DEATHS
UNDER 1 YEAR	
1 DISEASES OF EARLY INFANCY (760-769.2) (769.4-772, 774-778)	629
2 CONGENITAL ANOMALIES (740-759)	211
3 INFLUENZA/PNEUMONIA (470-474, 480-486)	54
4 ACCIDENTS (E800-E949)	41
5 HEART DIS. (390-398, 402, 404, 410-429)	12
1-4 YEARS	
1 ACCIDENTS (E800-E949)	82
2 CONGENITAL ANOMALIES (740-759)	27
3 MALIGNANT NEOPLASMS (140-209)	13
3 INFLUENZA/PNEUMONIA (470-474, 480-486)	13
5 HOMICIDE (E960-E978)	7
5-14 YEARS	
1 ACCIDENTS (E800-E949)	165
2 MALIGNANT NEOPLASMS (140-209)	47
3 CONGENITAL ANOMALIES (740-759)	28
4 INFLUENZA/PNEUMONIA (470-474, 480-486)	7
5 HOMICIDE (E960-E978)	5
15-24 YEARS	
1 ACCIDENTS (E800-E949)	516
2 HOMICIDE (E960-E978)	152
3 SUICIDE (E950-E959)	97
4 MALIGNANT NEOPLASMS (140-209)	64
5 INFLUENZA/PNEUMONIA (470-474, 480-486)	14
25-34-YEARS	
1 ACCIDENTS (E800-E949)	255
2 HOMICIDE (E960-E978)	110
2 SUICIDE (E950-E959)	110
4 MALIGNANT NEOPLASMS (140-209)	108
5 HEART DIS. (390-398, 402, 404, 410-429)	70


NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 10 (CONT)

FIVE LEADING CAUSES OF DEATH FOR SELECTED AGE GROUPS,  
NUMBER OF RESIDENT DEATHS, MISSOURI 1974

CAUSE BY AGE GROUPS	DEATHS
35-44 YEARS	
1 MALIGNANT NEOPLASMS (140-209)	282
2 HEART DIS. (390-398,402,404,410-429)	254
3 ACCIDENTS (E800-E949)	205
4 SUICIDE (E950-E959)	83
5 HOMICIDE (E960-E978)	75
45-54 YEARS	
1 HEART DIS. (390-398,402,404,410-429)	1,065
2 MALIGNANT NEOPLASMS (140-209)	1,000
3 ACCIDENTS (E800-E949)	208
4 CEREBROVASCULAR DISEASE (430-438)	179
5 CIRRHOSIS OF LIVER (571)	126
55-64 YEARS	
1 HEART DIS. (390-398,402,404,410-429)	2,596
2 MALIGNANT NEOPLASMS (140-209)	2,023
3 CEREBROVASCULAR DISEASE (430-438)	460
4 ACCIDENTS (E800-E949)	240
5 CIRRHOSIS OF LIVER (571)	177
65-74 YEARS	
1 HEART DIS. (390-398,402,404,410-429)	4,919
2 MALIGNANT NEOPLASMS (140-209)	2,693
3 CEREBROVASCULAR DISEASE (430-438)	1,221
4 DIABETES MELLITUS (250)	284
5 INFLUENZA/PNEUMONIA (470-474,480-486)	251
75-84 YEARS	
1 HEART DIS. (390-398,402,404,410-429)	6,372
2 CEREBROVASCULAR DISEASE (430-438)	2,284
3 MALIGNANT NEOPLASMS (140-209)	2,066
4 INFLUENZA/PNEUMONIA (470-474,480-486)	452
5 ARTERIOSCLEROSIS (440)	351
85-YEARS & OVER	
1 HEART DIS. (390-398,402,404,410-429)	4,295
2 CEREBROVASCULAR DISEASE (430-438)	1,607
3 MALIGNANT NEOPLASMS (140-209)	678
4 ARTERIOSCLEROSIS (440)	445
5 INFLUENZA/PNEUMONIA (470-474,480-486)	389

**GRAPH C.**  
**MATERNAL DEATH RATES 1932-1974**  
(per 10,000 live births)



Year	Total	White	Nonwhite	Year	Total	White	Nonwhite	Year	Total	White	Nonwhite
1932	61.4	58.5	107.0	1947	12.9	11.8	26.2	1962	4.6	4.2	6.9
1933	51.6	50.0	77.9	1948	10.1	8.9	23.4	1963	3.7	2.8	8.8
1934	58.5	55.3	109.6	1949	8.5	7.2	20.2	1964	4.1	2.6	12.6
1935	57.0	55.0	87.0	1950	8.2	6.8	20.5	1965	2.7	2.5	4.0
1936	61.0	60.0	85.0	1951	7.6	6.7	15.7	1966	2.1	1.8	3.3
1937	51.3	49.9	71.2	1952	7.1	6.1	16.3	1967	2.4	1.9	5.2
1938	38.2	36.6	61.3	1953	6.6	5.4	16.2	1968	2.0	1.4	5.3
1939	37.0	35.4	59.9	1954	4.9	4.1	11.0	1969	1.9	1.7	2.5
1940	36.5	35.0	56.7	1955	4.7	4.0	9.7	1970	3.3	2.7	6.4
1941	31.7	28.6	75.1	1956	5.5	3.8	17.3	1971	1.5	1.4	2.3
1942	24.3	23.2	38.0	1957	3.3	2.5	8.7	1972	2.3	1.8	4.9
1943	22.7	21.9	33.7	1958	3.6	2.9	8.5	1973	2.3	1.8	5.2
1944	20.9	18.4	50.6	1959	3.8	3.3	6.7	1974	1.9	0.9	7.0
1945	16.9	15.3	36.1	1960	5.1	3.9	12.9				
1946	13.8	11.9	36.7	1961	2.4	1.7	6.8				

Source: Missouri State Board of Health, Vital Statistics Reports, 1932-34 and 1937-48; U.S. Bureau of the Census, Mortality Statistics, 1935-36, Missouri Division of Health, Vital Statistics Reports, 1949 to date. 1932-44 are recorded and 1945 to date are resident data.

TABLE 11

RESIDENT MATERNAL DEATHS BY CAUSE AND COLOR WITH RATES, MISSOURI 1974

CAUSE OF DEATH	TOTAL	NUMBER		RATES		
		WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
ALL CAUSES (630-678)	13	5	8	1.9	.9	7.0
ECTOPIC PREGNANCY (631)						
TOXEMIAS, EXCEPT ABORTION (636-639)	2		2	.3		1.8
HEMORRHAGE (632,651-653)	2	1	1	.3	.2	.9
ABORTIONS (640-645)						
SEPSIS (670,671,673)	4		4	.6		3.5
ALL OTHER COMPLICATIONS (630,633-635, 654-662,672,674-678)	5	4	1	.7	.7	.9
DELIVERY WITHOUT MENTION OF COMPLICATION (650)						

MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REVISION OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 12

RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR  
AND BY SELECTED CAUSES OF DEATH, MISSOURI 1974

	ALL AGES	UNDER 1 YR.	1-4 YRS.	5-9 YRS.	10-14 YRS.	15-19 YRS.	20-24 YRS.	25-29 YRS.	30-34 YRS.	35-39 YRS.	40-44 YRS.
TOTAL DEATHS	50,504	1,175	196	153	196	492	529	437	481	504	823
MALE	27,489	672	124	83	122	368	411	303	316	333	522
FEMALE	23,015	503	72	70	74	124	118	134	165	171	301
TOTAL WHITE	45,393	869	137	130	168	412	416	339	381	401	645
MALE	24,611	497	90	71	107	303	323	238	246	260	406
FEMALE	20,782	372	47	59	61	109	93	101	135	141	239
TOTAL NONWHITE	5,111	306	59	23	28	80	113	98	100	103	178
MALE	2,878	175	34	12	15	65	88	65	70	73	116
FEMALE	2,233	131	25	11	13	15	25	33	30	30	62
CAUSES OF DEATH											
TUBERCULOSIS, ALL FORMS (010-019)	88						3			2	
SYPHILIS AND ITS SEQUELAE (090-097)	10										
OTHER INFECTIVE & PARASITIC DISEASES REMAINDER OF (000-136)	287	44	7	5	6	3	7	3	1	3	7
MALIGNANT NEOPLASMS (140-209)	8,980	4	13	23	24	28	36	49	59	92	190
DIGEST. ORGANS (150-159)	2,373				1		3	3	7	17	44
RESPIRATORY SYSTEM (160-163)	2,072					2	1		2	16	41
BREAST (174)	750							3	9	12	26
GENITAL ORGANS (180-187)	1,085				2	1	6	9	6	13	23
URINARY ORGANS (188-189)	388	2	1	3			1			1	6
LEUKEMIA (204-207)	352	1	4	7	6	10	6	11	10	4	8
OTHER REMAINDER OF (140-209)	1,960	1	9	13	15	15	19	23	25	29	42
DIABETES MELLITUS (250)	961		1	1		2	1	6	13	9	9
MAJOR CARDIOVASCULAR DISEASE (390-448)	27,270	14	4	4	2	14	21	27	72	94	221
DISEASES OF HEART											
(390-398, 402, 404, 410-429)	19,614	12	2	2		9	17	18	52	74	180
RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (390-398)	331		1			1	5	5	3	5	11
HYPERTENSIVE HEART (402, 404)	371								1		5
ISCHEMIC HEART (410-414)	17,563		1			4	2	8	38	59	141
OTHER HEART DISEASE (420-429)	1,349	12		2		4	10	5	10	10	23

ALL AGES INCLUDES AGE UNKNOWN

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 12 (CONT)

RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR  
AND BY SELECTED CAUSES OF DEATH, MISSOURI 1974

	ALL AGES	UNDER 1 YR.	1-4 YRS.	5-9 YRS.	10-14 YRS.	15-19 YRS.	20-24 YRS.	25-29 YRS.	30-34 YRS.	35-39 YRS.	40-44 YRS.
HYPERTENSION (400,401,403)	194						1	2	2	1	1
CEREBROVASCULAR DISEASE (430-438)	5,836	2	1		2	4	3	6	15	16	36
ARTERIOSCLEROSIS (440)	952										
OTHER CIRCULATORY (441-448)	674		1	2		1		1	3	3	4
INFLUENZA/PNEUMONIA (470-474,480-486)	1,390	54	13	4	3	7	7	7	5	14	23
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	708		2		2	2	2	3	1	1	9
PEPTIC ULCER (531-533)	206	1					2		1	2	3
CIRRHOSIS OF LIVER (571)	545			1			2	1	25	27	34
NEPHRITIS AND NEPHROSIS (580-584)	211	1			2	1	4	1	1	4	4
COMPLICATIONS OF PREG., CHILDBIRTH & PUERPERIUM (630-678)	13					1	1	2	6	3	
CONGENITAL ANOMALIES (740-759)	321	211	27	17	11	6	4	6	6	6	3
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	630	629				1					
SYMPTOMS & ILL-DEFINED COND. (780-796)	1,488	88	3		2	6	8	11	12	14	29
ALL OTHER DISEASES (RESIDUAL)	3,677	78	29	28	33	33	27	37	52	53	87
ACCIDENTAL DEATHS (E800-E949)	2,424	41	82	69	96	280	236	140	115	91	114
MOTOR VEHICLE (E810-E823)	1,030	6	28	28	34	188	155	96	57	45	55
OTHER TRANS. (E800-E807,E825-E845)	86			2	8	12	3	5	13	10	5
POISONING (E850-E877)	75		6			5	17	7	6	1	4
FALLS (E880-E887)	460	2	3	1		3	5		4	6	9
FIRES (E890-E899)	181	2	19	8	6	4	9	4	4	7	5
DROWNING & SUBMERSIONS (E910)	155	2	13	15	22	35	17	10	4	9	9
FIREARM MISSILES (E922)	68		1	3	12	8	11	5	7	2	3
INDUSTRIAL (E916-E921,E923-E928)	163	1	7	9	4	16	10	10	11	3	14
OTHER REMAINDER OF (E900-E949)	206	28	5	3	10	9	9	3	9	8	10
SUICIDE (E950-E959)	621				5	34	63	59	51	44	39
HOMICIDE (E960-E978)	493	6	7		5	64	88	65	45	34	41
ALL OTHER EXTERNAL CAUSES (E980-E999)	181	4	8	1	5	10	17	20	16	11	10

ALL AGES INCLUDES AGE UNKNOWN

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 12 (CONT)

RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR  
AND BY SELECTED CAUSES OF DEATH, MISSOURI 1974

	45-49 YRS.	50-54 YRS.	55-59 YRS.	60-64 YRS.	65-69 YRS.	70-74 YRS.	75-79 YRS.	80-84 YRS.	85-89 YRS.	90-94 YRS.	OVER 94
TOTAL DEATHS	1,404	2,072	2,907	4,155	5,451	6,399	7,018	7,186	5,400	2,690	826
MALE	908	1,362	1,889	2,701	3,439	3,722	3,667	3,260	2,077	927	276
FEMALE	496	710	1,018	1,454	2,012	2,677	3,351	3,926	3,323	1,763	550
TOTAL WHITE	1,143	1,744	2,503	3,663	4,869	5,762	6,514	6,800	5,152	2,575	758
MALE	756	1,174	1,645	2,434	3,118	3,378	3,399	3,072	1,973	870	246
FEMALE	387	570	863	1,229	1,751	2,384	3,115	3,728	3,179	1,705	512
TOTAL NONWHITE	261	328	399	492	582	637	504	386	248	115	68
MALE	152	188	244	267	321	344	268	188	104	57	30
FEMALE	109	140	155	225	261	293	236	198	144	58	38
CAUSES OF DEATH											
TUBERCULOSIS, ALL FORMS (010-019)	6	7	12	9	8	15	9	9	6	2	
SYPHILIS AND ITS SEQUELAE (090-097)		1	1	2	1	3	1	1			
OTHER INFECTIVE & PARASITIC DISEASES											
REMAINDER OF (000-136)	10	10	19	21	22	26	33	29	17	10	4
MALIGNANT NEOPLASMS (140-209)	389	611	861	1,162	1,368	1,325	1,162	904	479	175	24
DIGEST. ORGANS (150-159)	81	113	183	282	351	353	382	307	167	63	10
RESPIRATORY SYSTEM (160-163)	108	166	245	369	394	324	224	117	48	12	2
BREAST (174)	60	82	87	105	97	95	70	46	39	17	2
GENITAL ORGANS (180-187)	41	50	92	114	162	164	149	141	79	30	3
URINARY ORGANS (188-189)	8	20	35	41	69	60	57	45	28	9	2
LEUKEMIA (204-207)	10	21	24	35	30	48	36	46	26	9	
OTHER REMAINDER OF (140-209)	81	159	190	216	265	281	244	202	92	35	5
DIABETES MELLITUS (250)	26	34	58	75	140	144	162	131	98	43	7
MAJOR CARDIOVASCULAR DISEASE (390-448)	488	812	1,236	1,958	2,796	3,694	4,405	4,894	3,875	1,996	640
DISEASES OF HEART											
(390-398, 402, 404, 410-429)	393	672	1,027	1,569	2,188	2,731	3,088	3,284	2,560	1,317	418
RHEUMATIC FEVER & CHRONIC											
RHEUMATIC HEART DISEASE (390-398)	16	30	29	41	53	37	36	31	16	8	3
HYPERTENSIVE HEART (402, 404)	3	6	14	18	39	40	46	84	59	38	16
ISCHEMIC HEART (410-414)	331	577	919	1,406	1,957	2,487	2,814	2,963	2,320	1,184	352
OTHER HEART DISEASE (420-429)	43	59	66	104	139	167	192	206	165	87	45

ALL AGES INCLUDES AGE UNKNOWN

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 12 (CONT)

RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR  
AND BY SELECTED CAUSES OF DEATH, MISSOURI 1974

	45-49 YRS.	50-54 YRS.	55-59 YRS.	60-64 YRS.	65-69 YRS.	70-74 YRS.	75-79 YRS.	80-84 YRS.	85-89 YRS.	90-94 YRS.	OVER 94
HYPERTENSION (400,401,403)	6	7	7	14	11	24	35	43	26	10	4
CEREBROVASCULAR DISEASE (430-438)	70	109	170	290	476	745	1,037	1,247	1,002	472	133
ARTERIOSCLEROSIS (440)	1	1	8	28	42	75	134	217	214	164	67
OTHER CIRCULATORY (441-448)	18	23	24	57	79	119	111	103	73	33	18
INFLUENZA/PNEUMONIA (470-474,480-486)	15	36	37	73	97	154	195	257	214	125	50
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	17	21	50	102	113	130	123	93	22	14	1
PEPTIC ULCER (531-533)	4	10	14	22	31	29	32	23	21	11	
CIRRHOSIS OF LIVER (571)	58	68	95	82	69	40	20	15	4	3	
NEPHRITIS AND NEPHROSIS (580-584)	8	6	10	19	20	26	33	36	19	13	3
COMPLICATIONS OF PREG., CHILDBIRTH & PUERPERIUM (630-678)											
CONGENITAL ANOMALIES (740-759)	2	8	5	2	3	3					
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)											
SYMPTOMS & ILL-DEFINED COND. (780-796)	44	98	91	152	179	190	175	158	127	67	33
ALL OTHER DISEASES (RESIDUAL)	115	168	212	284	429	468	499	474	352	168	51
ACCIDENTAL DEATHS (E800-E949)	108	100	123	117	119	103	129	140	151	57	12
MOTOR VEHICLE (E810-E823)	49	46	55	38	41	27	41	24	14	1	1
OTHER TRANS. (E800-E807,E825-E845)	10	6	3	4	4			1			
POISONING (E850-E877)	6	2	4	3	7	1	5	1			
FALLS (E880-E887)	15	14	10	26	25	38	51	76	114	49	9
FIRES (E890-E899)	9	9	18	12	13	10	16	15	5	5	1
DROWNING & SUBMERSIONS (E910)	3	3	5	4	1			2	1		
FIREARM MISSILES (E922)	2	4	3	4	1	1		1			
INDUSTRIAL (E916-E921,E923-E928)	7	10	10	14	16	6	3	8	3		1
OTHER REMAINDER OF (E900-E949)	7	6	15	12	11	20	13	12	14	2	
SUICIDE (E950-E959)	62	41	51	52	40	29	29	11	8	3	
HOMICIDE (E960-E978)	41	31	19	14	7	9	4	6	4	2	1
ALL OTHER EXTERNAL CAUSES (E980-E999)	11	10	13	9	9	11	7	5	3	1	

ALL AGES INCLUDES AGE UNKNOWN

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 13

RESIDENT AND RECORDED DEATHS, INFANT DEATHS AND MATERNAL  
DEATHS BY COUNTIES, WITH RATES, MISSOURI 1974

COUNTIES	POP.	NUMBER						RATE					
		RESIDENT			RECORDED			RESIDENT			RECORDED		
		DTHS.	INFANT	MAT.	DTHS.	INFANT	MAT.	DTHS.	INF.	MAT.	DTHS.	INF.	MAT.
			DTHS.	DTHS.		DTHS.	DTHS.		DTHS.	DTHS.		DTHS.	DTHS.
STATE TOTAL	4,777,000	50,504	1,175	13	51,656	1,287	14	10.6	16.9	1.9	10.8	17.9	1.9
COUNTIES INCL. CITIES													
ADAIR	23,600	229	8	-	398	17	-	9.7	26.1	-	16.9	28.7	-
ANDREW	12,800	133	-	-	77	-	-	10.4	-	-	6.0	-	-
ATCHISON	9,100	125	2	-	144	3	-	13.7	15.3	-	15.8	16.4	-
AUDRAIN	25,400	285	8	-	365	2	-	11.2	19.8	-	14.4	3.6	-
BARRY	21,600	323	6	-	256	2	-	15.0	21.0	-	11.9	10.1	-
BARTON	10,800	162	2	-	115	1	-	15.0	15.0	-	10.6	83.3	-
BATES	16,000	222	6	-	158	-	-	13.9	28.7	-	9.9	-	-
BENTON	11,400	166	4	-	99	1	-	14.6	36.0	-	8.7	500.0	-
BOLLINGER	9,600	127	2	-	46	-	-	13.2	19.4	-	4.8	-	-
BOONE	86,200	511	10	-	1,220	98	-	5.9	8.6	-	14.2	51.4	-
BUCHANAN	86,000	1,138	25	-	1,386	19	-	13.2	19.6	-	16.1	10.5	-
BUTLER	35,600	494	9	-	872	8	-	13.9	17.4	-	24.5	8.7	-
CALDWELL	8,600	144	-	-	57	-	-	16.7	-	-	6.6	-	-
CALLAWAY	28,100	271	5	-	300	-	-	9.6	12.7	-	10.7	-	-
CAMDEN	16,500	193	8	-	88	2	-	11.7	39.2	-	5.3	250.0	-
CAPE GIRARDEAU	51,700	454	12	-	634	19	-	8.8	16.7	-	12.3	14.2	-
CARROLL	12,100	207	5	-	115	-	-	17.1	28.2	-	9.5	-	-
CARTER	4,400	62	1	-	28	-	-	14.1	13.3	-	6.4	-	-
CASS	47,400	330	12	-	214	7	-	7.0	16.0	-	4.5	20.9	-
CEDAR	10,600	150	2	-	126	1	-	14.2	16.7	-	11.9	5.7	-
CHARITON	10,600	170	2	-	74	-	-	16.0	14.3	-	7.0	-	-
CHRISTIAN	19,200	165	6	-	47	-	-	8.6	20.3	-	2.4	-	-
CLARK	8,200	115	1	-	43	-	-	14.0	10.8	-	5.2	-	-
CLAY	133,300	786	23	1	815	9	1	5.9	11.7	5.1	6.1	6.7	7.5
CLINTON	14,000	190	5	-	179	1	-	13.6	27.0	-	12.8	9.1	-
COLE	48,900	377	8	-	665	10	-	7.7	10.7	-	13.6	6.7	-
COOPER	14,600	189	4	-	158	-	-	12.9	27.0	-	10.8	-	-
CRAWFORD	16,600	213	2	-	181	3	1	12.8	7.2	-	10.9	13.6	45.5
DADE	7,200	102	1	-	61	-	-	14.2	11.6	-	8.5	-	-
DALLAS	11,200	183	5	-	93	2	-	16.3	40.3	-	8.3	666.7	-
DAVISS	8,600	143	2	-	91	-	-	16.6	18.3	-	10.6	-	-
DE KALB	8,000	101	-	-	42	-	-	12.6	-	-	5.3	-	-
DENT	12,900	202	3	-	149	1	-	15.7	13.3	-	11.6	13.7	-

DEATH RATES ARE PER 1,000 POP., INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS,  
MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.  
PROVISIONAL POPULATION ESTIMATES FOR JULY 1, 1974 (SEE PP IV)

TABLE 13 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS AND MATERNAL  
DEATHS BY COUNTIES, WITH RATES, MISSOURI 1974

COUNTIES	POP.	NUMBER						RATE					
		RESIDENT			RECORDED			RESIDENT			RECORDED		
		INFANT	MAT.		INFANT	MAT.		INF.	MAT.		INF.	MAT.	
		DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.
DOUGLAS	10,400	121	4	-	68	-	-	11.6	29.4	-	6.5	-	-
DUNKLIN	35,500	505	18	-	392	12	-	14.2	29.1	-	11.0	23.1	-
FRANKLIN	63,200	632	8	1	502	3	-	10.0	7.8	9.7	7.9	5.2	-
GASCONADE	12,900	190	1	-	151	1	-	14.7	7.3	-	11.7	8.3	-
GENTRY	7,900	129	1	-	129	1	-	16.3	11.2	-	16.3	7.8	-
GREENE	168,000	1,582	45	-	2,455	81	-	9.4	18.2	-	14.6	19.8	-
GRUNDY	11,800	182	-	-	168	-	-	15.4	-	-	14.2	-	-
HARRISON	10,100	155	3	-	103	-	-	15.3	25.0	-	10.2	-	-
HENRY	19,500	316	3	-	339	4	-	16.2	10.7	-	17.4	10.2	-
HICKORY	5,500	82	-	-	23	-	-	14.9	-	-	4.2	-	-
HOLT	6,800	115	1	-	40	-	-	16.9	13.9	-	5.9	-	-
HOWARD	10,500	135	5	-	132	-	-	12.9	39.1	-	12.6	-	-
HOWELL	26,400	301	6	-	338	4	-	11.4	16.2	-	12.8	7.1	-
IRON	10,500	126	2	-	156	1	-	12.0	10.9	-	14.9	13.9	-
JACKSON	646,200	6,289	158	2	7,315	271	3	9.7	16.2	2.0	11.3	20.8	2.3
JASPER	83,000	1,088	25	-	1,112	23	-	13.1	20.1	-	13.4	14.5	-
JEFFERSON	122,500	826	30	-	510	7	-	6.7	14.2	-	4.2	15.9	-
JOHNSON	35,000	267	12	-	251	4	-	7.6	18.4	-	7.2	5.8	-
KNOX	5,700	102	1	-	50	-	-	17.9	15.4	-	8.8	-	-
LACLEDE	22,400	246	8	-	274	4	-	11.0	26.9	-	12.2	12.8	-
LAFAYETTE	28,600	360	1	-	320	1	-	12.6	2.9	-	11.2	2.8	-
LAWRENCE	27,200	360	5	-	349	1	-	13.2	12.9	-	12.8	3.3	-
LEWIS	11,000	130	3	-	61	-	-	11.8	24.8	-	5.5	-	-
LINCOLN	20,000	228	4	-	212	1	-	11.4	13.3	-	10.6	5.0	-
LINN	15,200	279	3	-	286	2	-	18.4	14.4	-	18.8	7.4	-
LIVINGSTON	15,900	240	3	-	317	5	-	15.1	13.5	-	19.9	14.7	-
MC DONALD	14,900	169	4	-	31	-	-	11.3	25.8	-	2.1	-	-
MACON	15,800	266	6	-	190	1	-	16.8	28.6	-	12.0	6.3	-
MADISON	9,300	153	2	-	133	2	-	16.5	14.8	-	14.3	12.4	-
MARIES	7,500	59	1	-	15	-	-	7.9	9.9	-	2.0	-	-
MARION	28,000	401	7	-	473	6	-	14.3	16.5	-	16.9	8.6	-
MERCER	4,900	64	2	-	41	2	-	13.1	35.1	-	8.4	58.8	-
MILLER	16,500	207	3	-	97	-	-	12.5	12.9	-	5.9	-	-
MISSISSIPPI	16,500	202	4	-	116	-	-	12.2	15.9	-	7.0	-	-
MONITEAU	11,100	140	5	-	53	2	-	12.6	26.7	-	4.8	200.0	-

DEATH RATES ARE PER 1,000 POP., INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS,  
MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

PROVISIONAL POPULATION ESTIMATES FOR JULY 1, 1974 (SEE PP IV).

TABLE 13 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS AND MATERNAL  
DEATHS BY COUNTIES, WITH RATES, MISSOURI 1974

COUNTIES	POP.	NUMBER						RATE					
		RESIDENT			RECORDED			RESIDENT			RECORDED		
		DTHS.	DTHS.	MAT.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	MAT.	DTHS.	DTHS.	MAT.
MONROE	9,400	148	5	-	83	-	-	15.7	40.3	-	8.8	-	-
MCNTGOMERY	11,400	176	1	-	60	-	-	15.4	6.1	-	5.3	-	-
MORGAN	11,900	160	2	-	92	1	-	13.4	13.1	-	7.7	250.0	-
NEW MADRID	23,900	292	8	-	128	1	-	12.2	19.7	-	5.4	166.7	-
NEWTON	36,600	376	6	-	421	5	-	10.3	11.9	-	11.5	9.1	-
NODAWAY	22,300	251	3	-	208	2	-	11.3	9.7	-	9.3	8.1	-
OREGON	9,600	137	4	-	83	2	-	14.3	36.0	-	8.6	.0	-
OSAGE	11,500	121	3	-	34	-	-	10.5	17.0	-	3.0	-	-
OZARK	7,100	99	2	-	35	-	-	13.9	24.4	-	4.9	-	-
PEMISCOT	25,700	368	16	1	330	17	1	14.3	31.3	19.5	12.8	29.3	17.2
PERRY	15,100	171	2	-	169	1	-	11.3	7.6	-	11.2	4.5	-
PETTIS	35,300	452	6	-	511	4	-	12.8	11.8	-	14.5	6.3	-
PHELPS	30,700	297	6	-	358	5	-	9.7	14.3	-	11.7	7.4	-
PIKE	16,800	240	5	1	218	2	-	14.3	19.2	38.3	13.0	10.9	-
PLATTE	37,700	214	7	-	102	-	-	5.7	13.2	-	2.7	-	-
POLK	17,400	236	4	-	130	1	-	13.6	17.6	-	7.5	20.0	-
PULASKI	41,000	216	19	-	177	8	-	5.3	22.3	-	4.3	9.8	-
PUTNAM	6,000	103	-	-	96	-	-	17.2	-	-	16.0	-	-
RALLS	8,100	85	1	-	32	-	-	10.5	9.6	-	4.0	-	-
RANDOLPH	22,800	316	8	-	330	6	-	13.9	27.8	-	14.5	22.6	-
RAY	19,900	222	2	-	160	2	-	11.2	6.5	-	8.0	11.7	-
REYNOLDS	6,600	76	2	-	24	-	-	11.5	26.7	-	3.6	-	-
RIPLEY	11,400	140	2	-	121	1	-	12.3	12.5	-	10.6	16.1	-
ST. CHARLES	111,300	636	25	-	660	14	-	5.7	12.9	-	5.9	10.7	-
ST. CLAIR	8,200	174	1	-	165	-	-	21.2	10.0	-	20.1	-	-
ST. FRANCOIS	39,000	500	12	-	618	4	-	12.8	23.1	-	15.8	4.7	-
STE. GENEVIEVE	14,000	138	3	1	105	-	1	9.9	13.8	45.9	7.5	-	58.5
ST. LOUIS COUNTY	973,700	7,374	146	2	6,316	72	-	7.6	11.8	1.6	6.5	5.6	-
ST. LOUIS CITY	530,500	8,121	234	4	10,811	462	7	15.3	26.7	4.6	20.4	37.9	5.7
SALINE	24,400	383	8	-	336	3	-	15.7	23.2	-	13.8	12.4	-
SCHUYLER	4,800	76	2	-	33	-	-	15.8	34.5	-	6.9	-	-
SCOTLAND	5,600	92	1	-	97	1	-	16.4	17.5	-	17.3	16.9	-
SCOTT	35,300	356	13	-	453	11	-	10.1	21.8	-	12.8	15.6	-
SHANNON	7,700	89	-	-	42	-	-	11.6	-	-	5.5	-	-
SHELBY	7,700	137	1	-	71	-	-	17.8	9.5	-	9.2	-	-

DEATH RATES ARE PER 1,000 POP., INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS,  
MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

PROVISIONAL POPULATION ESTIMATES FOR JULY 1, 1974 (SEE PP IV)

TABLE 13 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS AND MATERNAL  
DEATHS BY COUNTIES, WITH RATES, MISSOURI 1974

COUNTIES	POP.	NUMBER						RATE					
		RESIDENT			RECORDED			RESIDENT			RECORDED		
		DTHS.	INFANT	MAT.	DTHS.	INFANT	MAT.	DTHS.	DTHS.	MAT.	DTHS.	DTHS.	MAT.
STODDARD	27,600	321	9	-	225	2	-	11.6	25.0	-	8.2	3.9	-
STONE	12,500	127	1	-	51	1	-	10.2	6.6	-	4.1	-	-
SULLIVAN	7,600	158	2	-	114	-	-	20.8	18.7	-	15.0	-	-
TANEY	17,100	213	2	-	190	-	-	12.5	9.6	-	11.1	-	-
TEXAS	20,600	233	4	-	238	3	-	11.6	15.3	-	11.6	8.9	-
VERNON	19,600	241	5	-	282	5	-	12.3	19.0	-	14.4	17.6	-
WARREN	12,000	152	5	-	75	-	-	12.7	27.6	-	6.3	-	-
WASHINGTON	16,300	171	6	-	86	4	-	10.5	18.6	-	5.3	26.8	-
WAYNE	9,800	152	1	-	63	-	-	15.5	8.0	-	6.4	-	-
WEBSTER	18,100	165	3	-	77	-	-	9.1	10.8	-	4.3	-	-
WORTH	3,200	49	1	-	29	-	-	15.3	31.3	-	9.1	-	-
WRIGHT	15,200	236	3	-	119	2	-	15.5	14.4	-	7.8	20.2	-

DEATH RATES ARE PER 1,000 POP., INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS,  
MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.  
PROVISIONAL POPULATION ESTIMATES FOR JULY 1, 1974 (SEE PP IV)

TABLE 14

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND  
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1974

CITIES	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
TOTAL CITIES 2,500 POP. AND OVER	31,708	752	9	42,572	1,206	14
TOTAL CITIES 10,000 POP. AND OVER	24,513	615	6	33,146	1,083	10
TOTAL CITIES OVER 2,500 POP. LESS THAN 10,000 POP.	7,195	137	3	9,426	123	4
CITIES 10,000 POP. AND OVER						
BALLWIN	74	2	-	27	-	-
BELLEFONTAINE NEIGHBORS	136	-	-	20	-	-
BERKELEY	87	4	-	12	-	-
BRENTWOOD	74	-	-	8	-	-
BRIDGETON	90	2	-	14	-	-
CAPE GIRARDEAU	271	7	-	563	13	-
CARTHAGE	167	2	-	219	4	-
CLAYTON	172	-	-	975	9	-
COLUMBIA	323	8	-	1,144	93	-
CRESTWOOD	86	1	-	6	-	-
FERGUSON	237	4	-	31	-	-
FLORISSANT	466	13	-	699	11	-
FULTON	126	2	-	246	-	-
GLADSTONE	65	1	-	18	-	-
GRANDVIEW	79	3	-	25	-	-
HANNIBAL	277	4	-	419	6	-
MARION CO. PART	273	4	-	417	6	-
ROLLS CO. PART	4	-	-	2	-	-
HAZELWOOD	88	2	-	4	-	-
INDEPENDENCE	812	21	-	686	11	-
JEFFERSON CITY	259	6	-	633	10	-
JENNINGS	225	2	-	18	-	-
JOPLIN	556	16	-	816	19	-
JASPER CO. PART	527	16	-	705	18	-
NEWTON CO. PART	29	-	-	111	1	-
KANSAS CITY	5,079	126	2	6,521	259	3
CLAY CO. PART	312	8	-	43	-	-
JACKSON CO. PART	4,728	116	2	6,469	259	3

TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND  
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1974

CITIES 10,000 POP. AND OVER	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
PLATTE CO. PART	39	2	-	9	-	-
KIRKSVILLE	149	7	-	381	17	-
KIRKWOOD	296	-	-	525	6	-
LADUE	81	-	-	13	-	-
LEE'S SUMMIT	177	3	-	82	-	-
LIBERTY	111	5	-	185	1	-
MAPLEWOOD	129	4	-	17	-	-
MARSHALL	175	5	-	216	3	-
MEXICO	155	2	-	320	2	-
MOBERLY	216	6	-	304	6	-
OVERLAND	248	11	-	36	-	-
POPLAR BLUFF	290	6	-	839	8	-
RAYTOWN	207	5	-	18	-	-
RICHMOND HEIGHTS	172	1	-	560	6	-
ROLLA	93	-	-	289	3	-
ST. ANN	138	6	-	5	-	-
ST. CHARLES	313	14	-	561	13	-
ST. JOSEPH	1,036	22	-	1,370	19	-
ST. LOUIS CITY	8,121	234	4	10,811	462	7
SEDALIA	350	4	-	461	3	-
SIKESTON	154	7	-	322	6	-
NEW MADRID CO. PART	4	-	-	1	-	-
SCOTT CO. PART	150	7	-	321	6	-
SPRINGFIELD	1,277	30	-	2,339	80	-
UNIVERSITY CITY	511	9	-	109	-	-
WARRENSBURG	102	4	-	198	3	-
WEBSTER GROVES.	263	4	-	81	-	-
CITIES OVER 2,500 POPULATION LESS THAN 10,000						
AURORA	78	-	-	95	-	-
BEL-RIDGE	34	2	-	1	-	-
BELTON	60	2	-	7	-	-
BETHANY	53	-	-	70	-	-
BLUE SPRINGS	61	4	-	10	-	-

TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND  
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1974

CITIES OVER 2,500 POPULATION LESS THAN 10,000	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
BULIVAR	85	-	-	57	-	-
BONNE TERRE	57	4	-	137	2	-
BOONVILLE	98	1	-	47	-	-
BOWLING GREEN	46	-	-	38	-	-
BRECKENRIDGE HILLS	17	1	-	-	-	-
BROOKFIELD	122	2	-	152	1	-
BUTLER	66	3	-	117	-	-
CALIFORNIA	38	-	-	27	-	-
CAMERON	75	-	-	102	-	-
CLINTON CO. PART	70	-	-	100	-	-
DE KALB CO. PART	5	-	-	2	-	-
CANTON	24	1	-	8	-	-
CARROLLTON	90	2	-	92	-	-
CARUTHERSVILLE	111	6	1	24	1	-
CENTRALIA	42	-	-	19	-	-
CHAFFEE	41	1	-	94	4	-
CHARLESTON	74	2	-	65	-	-
CHILLICOTHE	164	3	-	275	5	-
CLINTON	150	2	-	254	4	-
CREVE COEUR	190	4	-	989	26	-
CRYSTAL CITY	41	-	-	10	-	-
DELLWOOD	52	1	-	1	-	-
DESOTO	74	2	-	23	-	-
DES PERES	46	1	-	43	-	-
DESLOGE	46	2	-	5	1	-
DEXTER	86	1	-	149	2	-
EAST PRAIRIE	61	1	-	19	-	-
ELDON	59	1	-	16	-	-
ELDOCRADO SPRINGS	73	2	-	104	1	-
ELLISVILLE	25	-	-	70	-	-
EXCELSIOR SPRINGS	110	6	-	93	2	-
CLAY CO. PART	110	6	-	93	2	-
RAY CO. PART	-	-	-	-	-	-
FARMINGTON	119	1	-	312	1	-
FAYETTE	48	2	-	102	-	-
FESTUS	88	3	-	22	-	-

TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND  
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1974

CITIES OVER 2,500 POPULATION LESS THAN 10,000	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
FLAT RIVER	73	1	-	8	-	-
FREDERICKTOWN	73	-	-	118	2	-
FRONTENAC	26	1	-	4	-	-
GLENDALE	55	-	-	3	-	-
HARRISONVILLE	67	2	-	125	6	-
HAYTI	78	3	-	275	14	1
HERMANN	42	1	-	76	1	-
HIGGINSVILLE	62	-	-	39	-	-
HILLSDALE VILLAGE	15	1	-	-	-	-
JACKSON	66	2	-	40	1	-
KENNETT	148	5	-	265	10	-
KINLOCH	14	-	-	-	-	-
LAMAR	68	-	-	96	-	-
LEBANON	113	2	-	224	1	-
LEXINGTON	92	-	-	146	-	-
LOUISIANA	72	2	-	148	2	-
MACON	104	4	-	135	-	-
MALDEN	79	1	-	48	-	-
MANCHESTER	55	2	-	82	-	-
MARCELINE	64	1	-	104	1	-
MARSHFIELD	43	-	-	21	-	-
MARYVILLE	89	-	-	163	1	-
MOLINE ACRES	84	-	-	5	-	-
MONETT	107	4	-	131	1	-
BARRY CO. PART	83	2	-	130	1	-
LAWRENCE CO. PART	24	2	-	1	-	-
MOUNTAIN GROVE	91	1	-	34	1	-
MT. VERNON	52	-	-	28	-	-
NEOSHO	123	2	-	204	1	-
NEVADA	135	3	-	200	5	-
NEW MADRID	46	2	-	11	-	-
NORMANDY	116	1	-	376	8	-
NORTH KANSAS CITY	69	1	1	293	2	1
NORTHWOODS	42	-	-	1	-	-
ODESSA	28	1	-	17	-	-
O'FALLON	39	3	-	11	-	-

TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND  
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1974


CITIES OVER 2,500 POPULATION LESS THAN 10,000	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
OLIVETTE	66	-	-	2	-	-
PACIFIC	36	2	-	3	-	-
FRANKLIN CO. PART	33	1	-	3	-	-
ST. LOUIS CO. PART	3	1	-	-	-	-
PAGEDALE	42	-	-	1	-	-
PALMYRA	57	1	-	32	-	-
PERRYVILLE	79	-	-	142	1	-
PINELAWN	52	-	-	14	-	-
PLEASANT HILL	27	1	-	17	-	-
PORTAGEVILLE	38	1	-	9	-	-
POTOSI	37	1	-	7	-	-
RICHMOND	75	-	-	123	1	-
RIVERVIEW	42	-	-	2	-	-
ROCK HILL	51	-	-	13	-	-
ST. CLAIR	49	-	-	9	-	-
ST. JAMES	73	1	-	44	-	-
ST. JOHN	67	1	-	-	-	-
STE. GENEVIEVE	59	-	-	88	-	1
SALEM	93	1	-	30	-	-
SAVANNAH	55	-	-	32	-	-
SHREWSBURY	51	1	-	5	-	-
SLATER	51	-	-	28	-	-
SUGAR CREEK	28	1	-	2	-	-
SULLIVAN	62	1	-	117	2	1
CRAWFORD CO. PART	10	-	-	107	2	1
FRANKLIN CO. PART	52	1	-	10	-	-
SUNSET HILLS	23	-	-	60	-	-
TOWN AND COUNTRY	20	-	-	373	2	-
TRENTON	114	-	-	150	-	-
TROY	41	3	-	143	1	-
UNION	60	-	-	33	-	-
VALLEY PARK	47	-	-	50	-	-
VANDALIA	51	-	-	7	-	-
VINITA PARK	12	-	-	-	-	-
WARSON WOODS	11	1	-	3	-	-
WASHINGTON	104	-	-	378	3	-

TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND  
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1974

CITIES OVER 2,500 POPULATION LESS THAN 10,000	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
WAYNESVILLE	31	3	-	89	3	-
WEBB CITY	75	-	-	55	-	-
WELLSTON	50	3	1	3	1	-
WENTZVILLE	32	1	-	7	-	-
WEST PLAINS	111	2	-	222	2	-
WINDSOR	64	1	-	52	-	-
WOODSON TERRACE	25	2	-	1	-	-

GRAPH D.

INFANT DEATH RATES BY COLOR 1932-1974  
(per 1,000 live births)

Source: Missouri State Board of Health, Vital Statistics Reports, 1932-34 and 1937-48; U. S. Bureau of the Census, Mortality Statistics, 1935-36; Missouri Division of Health, Vital Statistics Reports, 1949 to date. 1932-44 Recorded data and 1945 to date Resident.

INFANT DEATH TRENDS

Year	Total	White	Non-White	Year	Total	White	Non-White
1932	57.4	53.9	112.9	1962	25.5	23.2	40.0
1933	56.8	54.5	94.3	1963	24.3	21.5	41.5
1934	62.3	59.4	107.6	1964	24.4	21.2	43.2
1935	56.9	55.2	83.1	1965	25.4	22.2	42.7
1936	57.9	55.7	90.0	1966	23.4	19.8	43.0
1937	64.0	61.7	96.5	1967	22.6	19.1	41.9
1938	51.1	48.1	93.0	1968	21.3	19.1	33.9
1939	45.0	42.2	83.8	1969	21.3	18.6	36.4
1940	47.0	44.7	78.4	1970	19.5	17.0	33.6
1941	46.8	44.2	83.0	1971	20.2	18.6	28.0
1942	39.0	37.1	64.8	1972	18.3	16.2	28.5
1943	39.8	37.5	69.5	1973	17.7	15.9	27.1
1944	37.3	35.1	63.7	1974	16.9	15.0	27.0
1945	37.5	35.1	65.8				
1946	33.0	31.1	55.8				
1947	32.4	30.1	59.9				
1948	30.4	28.6	49.3				
1949	30.0	28.7	43.4				
1950	29.2	27.1	49.0				
1951	27.7	25.8	45.0				
1952	28.3	25.9	49.4				
1953	27.7	25.4	46.9				
1954	26.8	24.2	46.6				
1955	25.3	23.1	41.7				
1956	24.5	22.4	38.9				
1957	24.8	22.4	40.5				
1958	26.4	23.2	46.9				
1959	24.5	21.5	43.6				
1960	24.7	21.4	45.9				
1961	24.5	21.9	41.6				

TABLE 15 RESIDENT INFANT DEATHS BY AGE, CAUSE, AND COLOR WITH RATES BY CAUSE AND COLOR, MISSOURI 1974

CAUSE	COLOR	NUMBER	RATE	UNDER 1 HR.	OVER 1 HR.	OVER 1 DAY	OVER 7 DAS	OVER 28 DAS	OVER 3 MOS	OVER 6 MOS	OVER 1 YEAR
					UNDER 1 DAY	UNDER 7 DAS	UNDER 28 DAS	UNDER 3 MOS	UNDER 6 MOS	UNDER 1 YEAR	
ALL CAUSES	WHITE	869	15.0	80	215	234	105	92	71	59	
	NONWHITE	306	27.0	20	111	66	32	42	20	14	
	TOTAL	1,175	16.9	100	326	300	137	134	91	73	
GASTRO-INTESTINAL DISEASES (004,006-009,535,561,563)	WHITE	15	.3			1	9	1	3	1	
	NONWHITE	4	.4				1	2	1		
	TOTAL	19	.3			1	10	3	4	1	
INFLUENZA & PNEUMONIA (470-474,480-486)	WHITE	31	.5		2	4	5	9	7	3	
	NONWHITE	23	2.0			4	3	10	3	3	
	TOTAL	54	.8		2	8	8	19	10	6	
CONGENITAL ANOMALIES (740-759)	WHITE	171	2.9	14	29	37	38	19	15	16	
	NONWHITE	40	3.5	4	10	11	6	6	1	2	
	TOTAL	211	3.0	18	39	48	44	25	16	18	
BIRTH INJURIES (764-768 (1.0-.3),772)	WHITE	15	.3		2	8	5				
	NONWHITE	8	.7		2	6					
	TOTAL	23	.3		4	14	5				
ASPHYXIA OF NEWBORN, UNSPECIFIED (776.9)	WHITE	62	1.1	9	29	16	6				
	NONWHITE	47	4.1	5	32	9					
	TOTAL	109	1.6	14	61	25	6				
IMMATURITY, UNQUALIFIED (777)	WHITE	47	.8	15	21	5	2	1			
	NONWHITE	21	1.9	2	15	3	1				
	TOTAL	68	1.0	17	36	8	3	1			
OTHER DISEASES OF EARLY INFANCY (REMAINDER OF 760-778)	WHITE	339	5.8	39	126	150	17	3			
	NONWHITE	91	8.0	8	45	27	11				
	TOTAL	430	6.2	47	171	177	28	3			
ALL OTHER CAUSES (RESIDUAL)	WHITE	189	3.3	3	6	13	23	59	46	39	
	NONWHITE	72	6.3	1	7	6	10	24	15	9	
	TOTAL	261	3.8	4	13	19	33	83	61	48	

INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS.

NUMBER IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REVISION OF THE INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, ADAPTED.

NUMBER INCLUDES AGE UNKNOWN.

TABLE 16

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

PROVISIONAL EST. POP. JULY 1, 1974 (SEE PP IV) MISSOURI - 4,777,000	STATE TOTAL				UNDER 2,500		2,500 - LESS THAN 5,000	
	TOTAL	RATE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	69,412	14.5	58,062	11,350	28,638	1,312	2,919	210
ATTENDED BY M.D.	61,761		51,123	10,638	24,577	1,168	2,322	198
ATTENDED BY D.O.	7,493		6,811	682	3,949	137	592	12
ATTENDED BY MIDWIFE	107		78	29	72	6	3	
OTHERS OR UNSPECIFIED	51		50	1	40	1	2	
LIVE BIRTHS UNDER 5.5 LBS.	5,156		3,625	1,531	1,657	170	178	27
TOTAL FETAL DEATHS	848	12.2	552	196	304	23	48	5
ATTENDED BY M.D.	752		569	183	257	22	33	4
ATTENDED BY D.O.	91		80	11	45	1	15	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	5		3	2	2			
TOTAL DEATHS	50,504	10.6	45,393	5,111	18,322	474	3,029	153
UNDER ONE YEAR OF AGE	1,175	16.9	869	306	400	23	47	8
NEONATAL DEATHS	863	12.4	634	229	280	15	34	5
MATERNAL DEATHS	13	1.9	5	8	4			
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	88	1.8	74	14	27		3	
SYPHILIS AND ITS SEQUELAE (090-097)	10	.2	6	4	1		2	1
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	287	6.0	236	51	110	9	11	
MALIGNANT NEOPLASMS (140-209)	8,980	188.0	8,070	910	3,160	90	480	32
DIGEST. ORGANS (150-159)	2,373	49.7	2,101	272	783	29	119	5
RESPIRATORY SYSTEM (160-163)	2,072	43.4	1,869	203	746	20	121	6
BREAST (174)	750	15.7	678	72	231	5	41	3
GENITAL ORGANS (180-187)	1,085	22.7	944	141	390	15	65	8
URINARY ORGANS (188-189)	388	8.1	360	28	128	2	22	2
LEUKEMIA (204-207)	352	7.4	334	18	135	1	12	1
OTHER REMAINDER OF (140-209)	1,960	41.0	1,784	176	747	18	100	7
DIABETES MELLITUS (250)	961	20.1	816	145	307	6	57	4
MAJOR CARDIOVASCULAR DISEASE (390-448)	27,270	570.9	25,069	2,201	9,979	192	1,734	72
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	19,614	410.6	18,057	1,557	7,174	129	1,243	44

MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

LIVE BIRTH AND DEATH RATES ARE PER 1,000 POP.

INFANT DEATHS, NEONATAL DEATHS AND FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS.

RATES FOR SPECIFIC CAUSES OF DEATH ARE PER 100,000 POPULATION.

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	STATE TOTAL		UNDER 2,500		2,500 - LESS THAN 5,000			
	TOTAL	RATE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	331	6.9	302	29	118	2	14	4
HYPERTENSIVE HEART (402,404)	371	7.8	320	51	163	1	21	4
ISCHEMIC HEART (410-414)	17,563	367.7	16,262	1,301	6,328	105	1,108	32
OTHER HEART DISEASE (420-429)	1,349	28.2	1,173	176	565	21	100	4
HYPERTENSION (400,401,403)	194	4.1	156	38	69	3	8	2
CEREBROVASCULAR DISEASE (430-438)	5,836	122.2	5,335	501	2,159	53	373	19
ARTERIOSCLEROSIS (440)	952	19.9	896	56	334	3	69	6
OTHER CIRCULATORY (441-448)	674	14.1	625	49	243	4	41	1
INFLUENZA/PNEUMONIA (470-474,480-486)	1,390	29.1	1,232	158	510	16	99	5
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	708	14.8	674	34	273	4	58	2
PEPTIC ULCER (531-533)	206	4.3	192	14	75	2	14	1
CIRRHOSIS OF LIVER (571)	545	11.4	452	93	134	5	21	1
NEPHRITIS AND NEPHROSIS (580-584)	211	4.4	171	40	71	9	18	1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	13	.3	5	8	4			
CONGENITAL ANOMALIES (740-759)	321	6.7	261	60	117	4	16	2
DISEASES OF EARLY INFANCY (760-769,2,769.4-772,774-778)	630	13.2	463	167	204	12	24	3
SYMPTOMS & ILL-DEFINED COND. (780-796)	1,488	31.1	1,294	194	610	34	89	12
ALL OTHER DISEASES (RESIDUAL)	3,677	77.0	3,236	441	1,275	25	229	11
ACCIDENTAL DEATHS (E800-E949)	2,424	50.7	2,200	224	1,116	39	132	3
MOTOR VEHICLE (E810-E823)	1,030	21.6	958	72	531	18	49	1
OTHER TRANS. (E800-E807,E825-E845)	86	1.8	80	6	36	1	7	
POISONING (E850-E877)	75	1.6	64	11	31	2	5	
FALLS (E880-E887)	460	9.6	421	39	143	1	29	
FIRES (E890-E899)	181	3.8	152	29	82	5	10	1
DROWNING & SUBMERSIONS (E910)	155	3.2	130	25	69	4	6	1
FIREARM MISSILES (E922)	68	1.4	60	8	39		5	
INDUS. TYPE (E916-E921,E923-E928)	163	3.4	155	8	111	3	7	
OTHER REMAINDER OF (E900-E949)	206	4.3	180	26	74	5	14	
SUICIDE (E950-E959)	621	13.0	591	30	229	7	28	
HOMICIDE (E960-E978)	493	10.3	210	283	68	15	7	2
ALL OTHER EXTERNAL CAUSES (E980-E999)	181	3.8	141	40	52	5	7	1

MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

LIVE BIRTH AND DEATH RATES ARE PER 1,000 POP.

INFANT DEATHS, NEONATAL DEATHS AND FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS.

RATES FOR SPECIFIC CAUSES OF DEATH ARE PER 100,000 POPULATION.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	5,000 - LESS THAN 10,000		10,000 - LESS THAN 15,000		15,000 - LESS THAN 25,000		25,000 - LESS THAN 50,000	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	4,115	621	2,031	221	3,093	260	3,120	463
ATTENDED BY M.D.	3,476	507	1,798	163	2,767	236	2,855	425
ATTENDED BY D.O.	636	114	232	35	326	24	263	38
ATTENDED BY MIDWIFE			1	23			1	
OTHERS OR UNSPECIFIED	1						1	
LIVE BIRTHS UNDER 5.5 LBS.	258	76	140	32	208	27	195	56
TOTAL FETAL DEATHS	52	10	22	3	30	1	40	8
ATTENDED BY M.D.	50	8	18	3	24	1	38	7
ATTENDED BY D.O.	2	2	4		6		2	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	3,802	211	1,852	127	2,423	84	2,766	147
UNDER ONE YEAR OF AGE	73	9	34	6	46	10	56	9
NEONATAL DEATHS	52	4	21	4	40	8	45	9
MATERNAL DEATHS		3						
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	10		3		4		3	
SYPHILIS AND ITS SEQUELAE (090-097)	1				1			
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	16	1	6	1	8		22	1
MALIGNANT NEOPLASMS (140-209)	660	36	356	21	500	15	533	25
DIGEST. ORGANS (150-159)	185	9	90	11	132	3	137	8
RESPIRATORY SYSTEM (160-163)	131	8	75	4	114	5	115	5
BREAST (174)	57	4	40	1	43	1	48	4
GENITAL ORGANS (180-187)	82	5	42	1	49	1	62	2
URINARY ORGANS (188-189)	26	3	15	1	24		27	1
LEUKEMIA (204-207)	32		15		25	2	29	
OTHER REMAINDER OF (140-209)	147	7	79	3	113	3	115	5
DIABETES MELLITUS (250)	56	5	33	4	57	2	50	2
MAJOR CARDIOVASCULAR DISEASE (390-448)	2,145	94	993	60	1,304	36	1,537	67
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	1,541	67	682	39	920	29	1,070	40

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	5,000 - LESS THAN 10,000 NON- WHITE		10,000 - LESS THAN 15,000 NON- WHITE		15,000 - LESS THAN 25,000 NON- WHITE		25,000 - LESS THAN 50,000 NON- WHITE	
RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (390-398)	21		9		20		22	
HYPERTENSIVE HEART (402,404)	40	4	7	3	11	1	10	1
ISCHEMIC HEART (410-414)	1,383	53	617	33	821	26	997	33
OTHER HEART DISEASE (420-429)	97	10	49	3	68	2	41	6
HYPERTENSION (400,401,403)	10	2	5	1	8		11	
CEREBROVASCULAR DISEASE (430-438)	460	18	250	19	304	7	345	27
ARTERIOSCLEROSIS (440)	83	4	35	1	34		58	
OTHER CIRCULATORY (441-448)	51	3	21		38		53	
INFLUENZA/PNEUMONIA (470-474,480-486)	117	9	52	5	48	3	72	4
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	53	3	35		30		39	1
PEPTIC ULCER (531-533)	16	1	7		12		8	
CIRRHOSIS OF LIVER (571)	30		17	2	17		27	2
NEPHRITIS AND NEPHROSIS (580-584)	14	1	13	1	9	1	9	2
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)		3						
CONGENITAL ANOMALIES (740-759)	29		13		18		13	4
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	36	2	12	3	28	8	34	8
SYMPTOMS & ILL-DEFINED COND. (780-796)	101	12	39	11	54	4	69	4
ALL OTHER DISEASES (RESIDUAL)	265	16	149	7	162	7	194	11
ACCIDENTAL DEATHS (E800-E949)	174	15	83	6	104	5	112	7
MOTOR VEHICLE (E810-E823)	90	6	29	1	50	1	42	5
OTHER TRANS. (E800-E807,E825-E845)	7	1	1		4		7	
POISONING (E850-E877)	3		5		4		6	
FALLS (E880-E887)	41	1	22	2	14	1	29	
FIRES (E890-E899)	8	2	3		6	2	11	2
DROWNING & SUBMERSIONS (E910)	12	4	5	1	6	1	4	
FIREARM MISSILES (E922)	2		2		3			
INDUSTRIAL (E916-E921,E923-E928)	5		5	1	6		1	
OTHER REMAINDER OF (E900-E949)	6	1	11	1	11		12	
SUICIDE (E950-E959)	54	1	21		44		32	
HOMICIDE (E960-E978)	16	10	6	3	12	3	8	6
ALL OTHER EXTERNAL CAUSES (E980-E999)	9	2	14	3	11		4	3

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	50,000 - LESS THAN 75,000		75,000 - LESS THAN 100,000		100,000 -LESS THAN 500,000		500,000 AND OVER	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	2,371	233	1,848	56	6,516	2,633	3,413	5,341
ATTENDED BY M.D.	2,340	233	1,826	56	5,799	2,333	3,363	5,319
ATTENDED BY D.O.	31		20		712	300	50	22
ATTENDED BY MIDWIFE					1			
OTHERS OR UNSPECIFIED			2		4			
LIVE BIRTHS UNDER 5.5 LBS.	142	24	123	4	469	353	255	762
TOTAL FETAL DEATHS	28	1	16	1	79	60	33	84
ATTENDED BY M.D.	28	1	16	1	73	54	32	82
ATTENDED BY D.O.					6	5		1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED						1	1	1
TOTAL DEATHS	1,746	79	1,245	32	4,809	1,082	5,399	2,722
UNDER ONE YEAR OF AGE	38	5	28	2	91	56	56	178
NEONATAL DEATHS	35	4	19	1	67	36	41	143
MATERNAL DEATHS								
CAUSE OF DEATH						2	1	3
TUBERCULOSIS, ALL FORMS (010-019)	2		4		5	4	13	10
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES						2	1	1
REMAINDER OF (000-136)	10	1	4	1	21	14	28	23
MALIGNANT NEOPLASMS (140-209)	334	20	211	4	850	194	986	473
DIGEST. ORGANS (150-159)	86	4	55		229	66	285	137
RESPIRATORY SYSTEM (160-163)	76	2	48		199	44	244	109
BREAST (174)	31	1	17		81	11	89	42
GENITAL ORGANS (180-187)	38	2	22	2	93	31	101	74
URINARY ORGANS (188-189)	22	2	10		44	6	42	11
LEUKEMIA (204-207)	12	1	8		31	4	35	9
OTHER REMAINDER OF (140-209)	69	8	51	2	173	32	190	91
DIABETES MELLITUS (250)	37	4	18		60	24	141	94
MAJOR CARDIOVASCULAR DISEASE (390-448)								
DISEASES OF HEART	914	32	688	18	2,605	448	3,170	1,182

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	50,000 - LESS THAN 75,000 NON- WHITE		75,000 - LESS THAN 100,000 NON- WHITE		100,000 -LESS THAN 500,000 NON- WHITE		500,000 AND OVER WHITE NON- WHITE	
(390-398,402,404,410-429)								
RHEUMATIC FEVER & CHRONIC	15	3	13		38	7	32	13
RHEUMATIC HEART DISEASE (390-398)	9	1	3	1	24	7	32	28
HYPERTENSIVE HEART (402,404)	588	15	417	9	1,683	273	2,320	722
ISCHEMIC HEART (410-414)	41	3	21	1	119	44	72	82
OTHER HEART DISEASE (420-429)	5	2	3	1	16	8	21	19
HYPERTENSION (400,401,403)	199	6	172	5	565	92	508	255
CEREBROVASCULAR DISEASE (430-438)	29	1	45		90	12	119	29
ARTERIOSCLEROSIS (440)	28	1	14	1	70	5	66	34
OTHER CIRCULATORY (441-448)	35		33	1	119	27	147	88
INFLUENZA/PNEUMONIA (470-474,480-486)	21		11		71	5	83	19
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	10	1	3		28	5	19	4
PEPTIC ULCER (531-533)	30	1	12		60	18	104	64
CIRRHOSIS OF LIVER (571)	8		2		18	7	9	18
NEPHRITIS AND NEPHROSIS (580-584)								
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	7	1	7		33	13	8	36
CONGENITAL ANOMALIES (740-759)								
DISEASES OF EARLY INFANCY	26	2	16		45	24	38	105
(760-769,2,769,4-772,774-778)	47	3	68	7	165	78	52	29
SYMPTOMS & ILL-DEFINED COND. (780-796)	134	6	88		382	91	358	267
ALL OTHER DISEASES (RESIDUAL)								
ACCIDENTAL DEATHS	74	6	59		204	40	142	103
(E800-E949)	33	2	28		75	18	31	20
MOTOR VEHICLE (E810-E823)	2		2		12		2	4
OTHER TRANS. (E800-E807,E825-E845)			2		2		6	9
POISONING (E850-E877)	17		7		53	10	66	24
FALLS (E880-E887)	5		7		15	4	5	13
FIRES (E890-E899)	4	2	4		11	3	9	9
DROWNING & SUBMERSIONS (E910)	2				4	1	3	7
FIREARM MISSILES (E922)	3		5		10	1	2	3
INDUSTRIAL (E916-E921,E923-E928)	8	2	4		22	3	18	14
OTHER REMAINDER OF (E900-E949)	32		16		89	7	46	15
SUICIDE (E950-E959)	12	2	4		42	76	35	166
HOMICIDE (E960-E978)	13		1	1	12	3	18	22

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	ADAIR		ANDREW		ATCHISON		AUDRAIN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	296	10	155		130	1	379	26
ATTENDED BY M.D.	10		155		127	1	307	23
ATTENDED BY D.O.	284	10			3		51	3
ATTENDED BY MIDWIFE	2						20	
OTHERS OR UNSPECIFIED							1	
LIVE BIRTHS UNDER 5.5 LBS.	16		2		11		16	5
TOTAL FETAL DEATHS	5		4		1		2	
ATTENDED BY M.D.			4		1		2	
ATTENDED BY D.O.	5							
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	227	2	133		125		264	21
UNDER ONE YEAR OF AGE	8				2		8	
NEONATAL DEATHS	7				1		6	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			2		1		2	
MALIGNANT NEOPLASMS (140-209)	33	1	23		27		45	3
DIGEST. ORGANS (150-159)	11	1	5		6		9	2
RESPIRATORY SYSTEM (160-163)	5		2		11		5	
BREAST (174)	5		3				6	
GENITAL ORGANS (180-187)	1		4		1		9	1
URINARY ORGANS (188-189)	1		2		3		4	
LEUKEMIA (204-207)	4				1		1	
OTHER REMAINDER OF (140-209)	6		7		5		11	
DIABETES MELLITUS (250)	2		2				6	4
MAJOR CARDIOVASCULAR DISEASE (390-448)	130	1	81		69		136	11
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	88	1	64		47		75	8

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	ADAIR		ANDREW		ATCHISON		AUDRAIN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	4							
HYPERTENSIVE HEART (402,404)	3		1		1		2	2
ISCHEMIC HEART (410-414)	76	1	58		44		67	5
OTHER HEART DISEASE (420-429)	5		5		2		6	1
HYPERTENSION (400,401,403)	2				1		3	
CEREBROVASCULAR DISEASE (430-438)	31		13		15		43	2
ARTERIOSCLEROSIS (440)	6		1		2		13	
OTHER CIRCULATORY (441-448)	3		3		4		2	1
INFLUENZA/PNEUMONIA (470-474,480-486)	10		3		2		7	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		4		2		11	
PEPTIC ULCER (531-533)	1						1	
CIRRHOSIS OF LIVER (571)	2				1		3	
NEPHRITIS AND NEPHROSIS (580-584)			2		1			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2						3	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	5				2		4	
SYMPTOMS & ILL-DEFINED COND. (780-796)	6		1				5	
ALL OTHER DISEASES (RESIDUAL)	16		9		9		26	1
ACCIDENTAL DEATHS (E800-E949)	16		3		8		9	
MOTOR VEHICLE (E810-E823)	5				4		2	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)	1						1	
FALLS (E880-E887)	2				2		2	
FIRES (E890-E899)	3		2					
DROWNING & SUBMERSIONS (E910)	1						1	
FIREARM MISSILES (E922)					1			
INDUSTRIAL (E916-E921,E923-E928)	3		1		1		1	
OTHER REMAINDER OF (E900-E949)	1						2	
SUICIDE (E950-E959)	3		2				4	
HOMICIDE (E960-E978)			1		2		1	
ALL OTHER EXTERNAL CAUSES (E980-E999)					1			1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	BARRY		BARTON		BATES		BENTON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	285	1	133		204	5	110	1
ATTENDED BY M.D.	243	1	121		186	5	67	1
ATTENDED BY D.O.	41		11		18		42	
ATTENDED BY MIDWIFE							1	
OTHERS OR UNSPECIFIED	1		1					
LIVE BIRTHS UNDER 5.5 LBS.	19		7		13	1	8	
TOTAL FETAL DEATHS	4		2		4		3	
ATTENDED BY M.D.	3		2		3		2	
ATTENDED BY D.O.	1				1		1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	323		162		220	2	166	
UNDER ONE YEAR OF AGE	6		2		6		4	
NEONATAL DEATHS	5		1		4		2	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (1000-136)	2				2		1	
MALIGNANT NEOPLASMS (140-209)	54		35		40		33	
DIGEST. ORGANS (150-159)	14		6		9		8	
RESPIRATORY SYSTEM (160-163)	10		11		12		10	
BREAST (174)	1		1		2		3	
GENITAL ORGANS (180-187)	13		6		7		2	
URINARY ORGANS (188-189)			6		4		1	
LEUKEMIA (204-207)	1		1					
OTHER REMAINDER OF (140-209)	15		4		6		9	
DIABETES MELLITUS (250)	2		10		1		5	
MAJOR CARDIOVASCULAR DISEASE (390-448)	176		85		99		93	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	115		64		73		63	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	BARRY		BARTON		BATES		BENTON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	3				2		2	
HYPERTENSIVE HEART (402,404)	8		1		2			
ISCHEMIC HEART (410-414)	99		57		60		48	
OTHER HEART DISEASE (420-429)	5		6		9		13	
HYPERTENSION (400,401,403)	1							
CEREBROVASCULAR DISEASE (430-438)	38		16		21		24	
ARTERIOSCLEROSIS (440)	14		3		1		1	
OTHER CIRCULATORY (441-448)	8		2		4		5	
INFLUENZA/PNEUMONIA (470-474,480-486)	17		3		5		3	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		8		7		3	
PEPTIC ULCER (531-533)			1		5		2	
CIRRHOSIS OF LIVER (571)	2				1		3	
NEPHRITIS AND NEPHROSIS (580-584)	1		4		5			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	4		2		1		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2				4		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	17		2		21	1	2	
ALL OTHER DISEASES (RESIDUAL)	26		11		14		4	
ACCIDENTAL DEATHS (E800-E949)	13		1		14	1	10	
MOTOR VEHICLE (E810-E823)	5				8		3	
OTHER TRANS. (E800-E807,E825-E845)					2		1	
POISONING (E850-E877)	1							
FALLS (E880-E887)	1				1		1	
FIRES (E890-E899)	2				1	1	1	
DROWNING & SUBMERSIONS (E910)			1		1		2	
FIREARM MISSILES (E922)	2							
INDUSTRIAL (E916-E921,E923-E928)	1							
OTHER REMAINDER OF (E900-E949)	1				1		2	
SUICIDE (E950-E959)	2				1		2	
HOMICIDE (E960-E978)							1	
ALL OTHER EXTERNAL CAUSES (E980-E999)	1						1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	BOLLINGER		BOONE		BUCHANAN		BUTLER	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	102	1	1,022	140	1,196	79	468	48
ATTENDED BY M.D.	79		1,001	139	1,193	79	407	46
ATTENDED BY D.O.	23	1	20	1	3		61	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED			1					1
LIVE BIRTHS UNDER 5.5 LBS.	9		70	13	75	12	33	3
TOTAL FETAL DEATHS			5	1	20		5	1
ATTENDED BY M.D.			5	1	20		5	1
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	127		460	51	1,106	32	451	43
UNDER ONE YEAR OF AGE	2		8	2	24	1	8	1
NEONATAL DEATHS	2		8	2	20		7	1
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1		2			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			2	2	6		3	1
MALIGNANT NEOPLASMS (140-209)	24		86	13	200	8	85	6
DIGEST. ORGANS (150-159)	8		23	3	43	1	16	1
RESPIRATORY SYSTEM (160-163)	5		13	2	47	1	22	2
BREAST (174)	3		7	1	18		2	
GENITAL ORGANS (180-187)	1		9	2	32	1	16	1
URINARY ORGANS (188-189)	1		3	1	12		5	
LEUKEMIA (204-207)	2		4		5	1	5	
OTHER REMAINDER OF (140-209)	4		27	4	43	4	19	2
DIABETES MELLITUS (250)			4	3	25	2	9	
MAJOR CARDIOVASCULAR DISEASE (390-448)	77		232	24	595	12	237	22
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	49		155	16	434	8	164	10

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	HOLLINGER		BOONE		BUCHANAN		BUTLER	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
PNEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		3	1	10	2	2	
HYPERTENSIVE HEART (402,404)			2		8	1	1	
ISCHEMIC HEART (410-414)	47		132	12	393	5	132	10
OTHER HEART DISEASE (420-429)	1		18	3	23		29	
HYPERTENSION (400,401,403)	1		1	1	5		1	
CEREBROVASCULAR DISEASE (430-438)	24		68	5	118	4	66	12
ARTERIOSCLEROSIS (440)	1		4	1	19		2	
OTHER CIRCULATORY (441-448)	2		4	1	19		4	
INFLUENZA/PNEUMONIA (470-474,480-486)	5		19		22		7	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		7		12		5	
PEPTIC ULCER (531-533)			7		8	1	2	
CIRRHOSIS OF LIVER (571)	1		5		18	1	4	
NEPHRITIS AND NEPHROSIS (580-594)			3		6		3	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			4		3			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		6	1	15		5	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	1		3	1	45	2	45	7
ALL OTHER DISEASES (RESIDUAL)	8		37	3	82	2	23	2
ACCIDENTAL DEATHS (E800-E949)	8		29	3	41	3	15	2
MOTOR VEHICLE (E810-E823)	4		14	2	15		4	
OTHER TRANS. (E800-E807,E825-E845)					1		1	
POISONING (E850-E877)	1		1		3			
FALLS (E880-E887)	1		8		9		2	
FIRES (E890-E899)			2		5			2
DROWNING & SUBMERSIONS (E910)	1		2	1	1	1	2	
FIREARM MISSILES (E922)					1		1	
INDUSTRIAL (E916-E921,E923-E928)					2		4	
OTHER REMAINDER OF (E900-E949)	1		2		4	2	1	
SUICIDE (E950-E959)	1		9		15		6	
HOMICIDE (E960-E978)			3	1	4	1		1
ALL OTHER EXTERNAL CAUSES (E980-E999)			3		7		2	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	CALDWELL		CALLAWAY		CAMDEN		CAPE GIRARDEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	92		373	22	204		672	48
ATTENDED BY M.D.	76		275	21	149		650	47
ATTENDED BY D.O.	16		97	1	55		21	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED			1				1	
LIVE BIRTHS UNDER 5.5 LBS.	5		18	1	9		50	7
TOTAL FETAL DEATHS	2		4	2	1		12	4
ATTENDED BY M.D.	2		3	2			12	3
ATTENDED BY D.O.			1		1			1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	144		247	24	193		432	22
UNDER ONE YEAR OF AGE			5		8		11	1
NEONATAL DEATHS			3		5		9	1
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1					
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		1				5	
MALIGNANT NEOPLASMS (140-209)	20		45	6	32		86	3
DIGEST. ORGANS (150-159)	8		11	2	5		24	1
RESPIRATORY SYSTEM (160-163)	8		6	2	14		21	2
BREAST (174)	1		3		3		8	
GENITAL ORGANS (180-187)	1		8	1	4		7	
URINARY ORGANS (188-189)			3				3	
LEUKEMIA (204-207)			3		2		6	
OTHER REMAINDER OF (140-209)	2		11	1	4		17	
DIABETES MELLITUS (250)	3		4	1	1		5	
MAJOR CARDIOVASCULAR DISEASE (390-448)	87		129	7	110		245	11
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	50		94	4	86		159	8

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	CALDWELL		CALLAWAY		CAMDEN		CAPE GIRARDEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			3	1	3		3	
HYPERTENSIVE HEART (402,404)	1		3				4	1
ISCHEMIC HEART (410-414)	43		78	2	70		143	6
OTHER HEART DISEASE (420-429)	6		10	1	13		9	1
HYPERTENSION (400,401,403)	1				1			
CEREBROVASCULAR DISEASE (430-438)	25		31	3	18		65	3
ARTERIOSCLEROSIS (440)	8		3		2		13	
OTHER CIRCULATORY (441-448)	3		1		3		8	
INFLUENZA/PNEUMONIA (470-474,480-486)	2		8	2	5		12	2
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		5	1	2		2	
PEPTIC ULCER (531-533)	1						2	
CIRRHOSIS OF LIVER (571)			2		1		1	
NEPHRITIS AND NEPHROSIS (580-584)	1		3	2	3		3	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			1		3		2	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)			1		4		5	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	4		15	3	7		17	2
ALL OTHER DISEASES (RESIDUAL)	10		20		12		26	2
ACCIDENTAL DEATHS (E800-E949)	12		10	2	11		16	1
MOTOR VEHICLE (E810-E823)	4		4		5		8	
OTHER TRANS. (E800-E807,E825-E845)							1	
POISONING (E850-E877)	1							
FALLS (E880-E887)	3		5	1			4	
FIRES (E890-E899)	2						1	1
DROWNING & SUBMERSIONS (E910)	1				3			
FIREARM MISSILES (E922)					1			
INDUSTRIAL (E916-E921,E923-E928)	1						1	
OTHER REMAINDER OF (E900-E949)			1	1	2		1	
SUICIDE (E950-E959)	1		1		1		5	
HOMICIDE (E960-E978)			1		1			
ALL OTHER EXTERNAL CAUSES (E980-E999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	CARROLL		CARTER		CASS		CEDAR	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	171	6	75		738	13	117	3
ATTENDED BY M.D.	138	5	70		568	9	85	3
ATTENDED BY D.O.	33	1	4		170	4	32	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED			1					
LIVE BIRTHS UNDER 5.5 LBS.	11	2	6		38	1	9	
TOTAL FETAL DEATHS	3		2		12		3	
ATTENDED BY M.D.	3		2		10		2	
ATTENDED BY D.O.					2			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED							1	
TOTAL DEATHS	204	3	62		328	2	150	
UNDER ONE YEAR OF AGE	5		1		12		2	
NEONATAL DEATHS	5		1		5		1	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					1			
SYPHILIS AND ITS SEQUELAE (090-097)	1							
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2		1		1		2	
MALIGNANT NEOPLASMS (140-209)	38	1	9		50		23	
DIGEST. ORGANS (150-159)	6		4		17		7	
RESPIRATORY SYSTEM (160-163)	8		2		3		5	
BREAST (174)					5		2	
GENITAL ORGANS (180-187)	4		1		7		4	
URINARY ORGANS (188-189)	1				1		1	
LEUKEMIA (204-207)	5				2		1	
OTHER REMAINDER OF (140-209)	14	1	2		15		3	
DIABETES MELLITUS (250)	5		2		9		1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	112	1	28		186	1	88	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	79		19		121	1	51	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	CARROLL		CARTER		CASS		CEDAR	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			2		1			
HYPERTENSIVE HEART (402,404)	2							
ISCHEMIC HEART (410-414)	70		16		109		45	
OTHER HEART DISEASE (420-429)	7		1		11	1	6	
HYPERTENSION (400,401,403)	2							
CEREBROVASCULAR DISEASE (430-438)	24	1	8		52		31	
ARTERIOSCLEROSIS (440)	5				5		3	
OTHER CIRCULATORY (441-448)	2		1		8		3	
INFLUENZA/PNEUMONIA (470-474,480-486)	7		2		6		1	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		3		4		2	
PEPTIC ULCER (531-533)	2				3			
CIRRHOSIS OF LIVER (571)					2	1	2	
NEPHRITIS AND NEPHROSIS (580-584)					1		1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	4				7			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		1		3		1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	3		3		1		4	
ALL OTHER DISEASES (RESIDUAL)	16		2		23		13	
ACCIDENTAL DEATHS (E800-E949)	4		11		23		8	
MOTOR VEHICLE (E810-E823)			11		14		3	
OTHER TRANS. (E800-E807,E825-E845)					1			
POISONING (E850-E877)							2	
FALLS (E880-E887)	3				2		2	
FIRES (E890-E899)								
DROWNING & SUBMERSIONS (E910)	1				1			
FIREARM MISSILES (E922)					1			
INDUSTRIAL (E916-E921,E923-E928)					2			
OTHER REMAINDER OF (E900-E949)					2		1	
SUICIDE (E950-E959)	3				8		2	
HOMICIDE (E960-E978)	1	1					2	
ALL OTHER EXTERNAL CAUSES (E980-E999)	1							

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	CHARITON		CHRISTIAN		CLARK		CLAY	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	129	11	295	1	93		1,932	36
ATTENDED BY M.D.	98	7	291	1	69		1,736	34
ATTENDED BY D.O.	31	4	3		24		196	2
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED			1					
LIVE BIRTHS UNDER 5.5 LBS.	5	1	11		2		124	1
TOTAL FETAL DEATHS	1		2		3		19	3
ATTENDED BY M.D.	1		2		3		16	3
ATTENDED BY D.O.							3	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	160	10	165		115		778	8
UNDER ONE YEAR OF AGE	1	1	6		1		23	
NEONATAL DEATHS	1	1	5		1		15	
MATERNAL DEATHS								1
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1				3	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		2				3	
MALIGNANT NEOPLASMS (140-209)	26		28		16		137	2
DIGEST. ORGANS (150-159)	9		5		4		41	1
RESPIRATORY SYSTEM (160-163)	6		4		3		24	1
BREAST (174)	1		2		1		13	
GENITAL ORGANS (180-187)	4		4		2		13	
URINARY ORGANS (188-189)	1		1		1		7	
LEUKEMIA (204-207)	2		4				7	
OTHER REMAINDER OF (140-209)	3		8		5		32	
DIABETES MELLITUS (250)	5		2		1		16	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	93	4	85		67		407	4
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	56	2	50		49		284	3

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	CHARITON		CHRISTIAN		CLARK		CLAY	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (390-398)			2				2	
HYPERTENSIVE HEART (402,404)	1				1		2	
ISCHEMIC HEART (410-414)	49	2	43		39		252	3
OTHER HEART DISEASE (420-429)	6		5		9		28	
HYPERTENSION (400,401,403)			1				2	
CEREBROVASCULAR DISEASE (430-438)	30	2	25		12		94	1
ARTERIOSCLEROSIS (440)	4		6		3		15	
OTHER CIRCULATORY (441-448)	3		3		3		12	
INFLUENZA/PNEUMONIA (470-474,480-486)	2		3		6		13	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		3		3		13	
PEPTIC ULCER (531-533)	1		1				2	
CIRRHOSIS OF LIVER (571)	2				2		5	
NEPHRITIS AND NEPHROSIS (580-584)	2						3	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								1
CONGENITAL ANOMALIES (740-759)			3				8	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)		1	4		1		9	
SYMPTOMS & ILL-DEFINED COND. (780-796)	2	2	13		2		12	
ALL OTHER DISEASES (RESIDUAL)	12	1	9		10		67	
ACCIDENTAL DEATHS (E800-E949)	11		9		7		53	
MOTOR VEHICLE (E810-E823)	5		6		3		24	
OTHER TRANS. (E800-E807,E825-E845)	1				1		3	
POISONING (E850-E877)	1						2	
FALLS (E880-E887)	2		1		3		7	
FIRES (E890-E899)	1						6	
DROWNING & SUBMERSIONS (E910)							2	
FIREARM MISSILES (E922)							3	
INDUSTRIAL (E916-E921,E923-E928)			2				5	
OTHER REMAINDER OF (E900-E949)	1						1	
SUICIDE (E950-E959)	1	1	2				17	
HOMICIDE (E960-E978)		1					4	
ALL OTHER EXTERNAL CAUSES (E980-E999)							6	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	CLINTON		COLE		COOPER		CRAWFORD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	181	4	707	40	140	8	276	
ATTENDED BY M.D.	136	4	501	19	137	8	210	
ATTENDED BY D.O.	45		206	21	3		65	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED							1	
LIVE BIRTHS UNDER 5.5 LBS.	12	2	40	3	5	1	15	
TOTAL FETAL DEATHS	7		5		1		3	
ATTENDED BY M.D.	6		4		1		1	
ATTENDED BY D.O.	1		1				2	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	183	7	365	12	177	12	212	1
UNDER ONE YEAR OF AGE	5		8		4		2	
NEONATAL DEATHS	4		6		4		1	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		3	1	1		4	
MALIGNANT NEOPLASMS (140-209)	23	3	61	3	32	3	35	
DIGEST. ORGANS (150-159)	8	1	12	1	11	1	9	
RESPIRATORY SYSTEM (160-163)	4		9		5		7	
BREAST (174)	2	1	8	1	6		3	
GENITAL ORGANS (180-187)	4	1	9		2		5	
URINARY ORGANS (188-189)	1		3		1	1	1	
LEUKEMIA (204-207)			2				1	
OTHER REMAINDER OF (140-209)	4		18	1	7	1	9	
DIABETES MELLITUS (250)	2		8		5		2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	101	3	211	6	97	5	113	1
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	80	1	165	5	77	4	82	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	CLINTON		COLE		COOPER		CRAWFORD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		3		1		1	
HYPERTENSIVE HEART (402,404)	4	1			2		2	
ISCHEMIC HEART (410-414)	66		160	2	65	3	72	
OTHER HEART DISEASE (420-429)	8		2	3	9	1	7	
HYPERTENSION (400,401,403)	3		1				1	
CEREBROVASCULAR DISEASE (430-438)	13	2	38	1	17		25	1
ARTERIOSCLEROSIS (440)	3		5		3		4	
OTHER CIRCULATORY (441-448)	2		2			1	1	
INFLUENZA/PNEUMONIA (470-474,480-486)	6		5		11	2	4	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		3		2		3	
PEPTIC ULCER (531-533)	3		1				3	
CIRRHOSIS OF LIVER (571)		1	3		3		2	
NEPHRITIS AND NEPHROSIS (580-584)	2		2					
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2		2		1			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2		4		3			
SYMPTOMS & ILL-DEFINED COND. (780-796)	2		2		1		3	
ALL OTHER DISEASES (RESIDUAL)	20		27	2	11	1	26	
ACCIDENTAL DEATHS (E800-E949)	11		28		10	1	13	
MOTOR VEHICLE (E810-E823)	5		9		4		8	
OTHER TRANS. (E800-E807,E825-E845)			4					
POISONING (E850-E877)			3					
FALLS (E880-E887)	3		2		5		2	
FIRES (E890-E899)			3					
DROWNING & SUBMERSIONS (E910)	1		2			1	2	
FIREARM MISSILES (E922)	1							
INDUSTRIAL (E916-E921,E923-E928)	1		1				1	
OTHER REMAINDER OF (E900-E949)			4		1			
SUICIDE (E950-E959)	4		5				2	
HOMICIDE (E960-E978)							1	
ALL OTHER EXTERNAL CAUSES (E980-E999)							1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	DADE		DALLAS		DAVIESS		DE KALB	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	86		123	1	108	1	97	
ATTENDED BY M.D.	82		112	1	71		60	
ATTENDED BY D.O.	4		8		36	1	37	
ATTENDED BY MIDWIFE			1					
OTHERS OR UNSPECIFIED			2		1			
LIVE BIRTHS UNDER 5.5 LBS.	3		6		5		9	
TOTAL FETAL DEATHS	1		4		2			
ATTENDED BY M.D.	1		4		2			
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	102		183		143		101	
UNDER ONE YEAR OF AGE	1		5		2			
NEONATAL DEATHS			3		2			
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			3		1			
MALIGNANT NEOPLASMS (140-209)	17		31		27		17	
DIGEST. ORGANS (150-159)	2		3		6		4	
RESPIRATORY SYSTEM (160-163)	3		7		6		3	
BREAST (174)	2		3				1	
GENITAL ORGANS (180-187)	3		7		4		2	
URINARY ORGANS (188-189)			2		1		1	
LEUKEMIA (204-207)	2		1		2		2	
OTHER REMAINDER OF (140-209)	5		8		8		4	
DIABETES MELLITUS (250)	2		7		5		1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	57		86		80		62	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	40		66		58		47	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	DADE		DALLAS		DAVIESS		DE KALB	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			3		1			
HYPERTENSIVE HEART (402,404)			8		8		1	
ISCHEMIC HEART (410-414)	32		52		42		40	
OTHER HEART DISEASE (420-429)	8		3		7		6	
HYPERTENSION (400,401,403)					1			
CEREBROVASCULAR DISEASE (430-438)	13		16		17		13	
ARTERIOSCLEROSIS (440)	1		4		2		2	
OTHER CIRCULATORY (441-448)	3				2			
INFLUENZA/PNEUMONIA (470-474,480-486)	4		7				2	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		3		3			
PEPTIC ULCER (531-533)			1		2			
CIRRHOSIS OF LIVER (571)					1		1	
NEPHRITIS AND NEPHROSIS (580-584)	1				2			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1				2		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			3		1			
SYMPTOMS & ILL-DEFINED COND. (780-796)			11		3			
ALL OTHER DISEASES (RESIDUAL)	13		15		9		10	
ACCIDENTAL DEATHS (E800-E949)	4		13		5		6	
MOTOR VEHICLE (E810-E823)	1		8		2		4	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)								
FALLS (E880-E887)	3		1		2		1	
FIRES (E890-E899)			1					
DROWNING & SUBMERSIONS (E910)			1					
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)					1			
OTHER REMAINDER OF (E900-E949)			2				1	
SUICIDE (E950-E959)	2		3		2			
HOMICIDE (E960-E978)								
ALL OTHER EXTERNAL CAUSES (E980-E999)							1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	DENT		DOUGLAS		DUNKLIN		FRANKLIN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	226		136		549	69	1,014	15
ATTENDED BY M.D.	129		107		514	46	888	14
ATTENDED BY D.O.	97		27		35	23	126	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED			2					
LIVE BIRTHS UNDER 5.5 LBS.	18		9		38	6	66	2
TOTAL FETAL DEATHS	4		3		8	1	11	
ATTENDED BY M.D.	1		3		8		11	
ATTENDED BY D.O.	3					1		
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	202		121		485	20	625	7
UNDER ONE YEAR OF AGE	3		4		16	2	8	
NEONATAL DEATHS	2		4		13		6	
MATERNAL DEATHS							1	
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)					1		2	
MALIGNANT NEOPLASMS (140-209)	30		18		67	3	102	
DIGEST. ORGANS (150-159)	12		3		14	1	31	
RESPIRATORY SYSTEM (160-163)	8		9		20	1	24	
BREAST (174)	1				2		8	
GENITAL ORGANS (180-187)	2		1		12		10	
URINARY ORGANS (188-189)	2		1		2	1	4	
LEUKEMIA (204-207)	1				4		8	
OTHER REMAINDER OF (140-209)	4		4		13		17	
DIABETES MELLITUS (250)	1		3		11	1	13	
MAJOR CARDIOVASCULAR DISEASE (390-448)	100		69		261	9	353	3
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	83		44		200	6	295	2

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	DENT		DOUGLAS		DUNKLIN		FRANKLIN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2				1		1	
HYPERTENSIVE HEART (402,404)	2		1		2		3	
ISCHEMIC HEART (410-414)	74		41		190	6	260	1
OTHER HEART DISEASE (420-429)	5		2		7		31	1
HYPERTENSION (400,401,403)					3	1	1	
CEREBROVASCULAR DISEASE (430-438)	11		16		49	2	46	
ARTERIOSCLEROSIS (440)	1		6		2		3	1
OTHER CIRCULATORY (441-448)	5		3		7		8	
INFLUENZA/PNEUMONIA (470-474,480-486)	9		3		23	2	15	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		2		7		7	
PEPTIC ULCER (531-533)	1		1		4		1	
CIRRHOSIS OF LIVER (571)	1		1		3		3	1
NEPHRITIS AND NEPHROSIS (580-584)			2		1		1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)							1	
CONGENITAL ANOMALIES (740-759)					1	1	1	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	2		4		13		6	
SYMPTOMS & ILL-DEFINED COND. (780-796)	22		1		29		35	2
ALL OTHER DISEASES (RESIDUAL)	20		9		35	2	33	
ACCIDENTAL DEATHS (E800-E949)	7		5		20		37	
MOTOR VEHICLE (E810-E823)	1		1		12		22	
OTHER TRANS. (E800-E907,E825-E845)					2		1	
POISONING (E850-E877)								
FALLS (E880-E887)					3		6	
FIRES (E890-E899)	1		2				2	
DROWNING & SUBMERSIONS (E910)							3	
FIREARM MISSILES (E922)	2				2			
INDUSTRIAL (E916-E921,E923-E928)	2						3	
OTHER REMAINDER OF (E900-E949)	1		2		1			
SUICIDE (E950-E959)	2		3		5		9	
HOMICIDE (E960-E978)	2				1	1	5	
ALL OTHER EXTERNAL CAUSES (E980-E999)	1				3	1	1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	GASCONADE		GENTRY		GREENE		GRUNDY	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	137		89		2,421	57	161	1
ATTENDED BY M.D.	82		83		2,389	57	137	1
ATTENDED BY D.O.	54		6		28		23	
ATTENDED BY MIDWIFE							1	
OTHERS OR UNSPECIFIED	1				4			
LIVE BIRTHS UNDER 5.5 LBS.	6		7		156	5	8	
TOTAL FETAL DEATHS	4		1		19	1	1	
ATTENDED BY M.D.	2		1		19	1	1	
ATTENDED BY D.O.	2							
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	190		129		1,548	34	182	
UNDER ONE YEAR OF AGE	1		1		43	2		
NEONATAL DEATHS					31	1		
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					4		1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)					5	1		
MALIGNANT NEOPLASMS (140-209)	36		26		256	5	29	
DIGEST. ORGANS (150-159)	8		8		62		7	
RESPIRATORY SYSTEM (160-163)	6		8		60		6	
BREAST (174)	4		2		20	1	1	
GENITAL ORGANS (180-187)	5		2		26	2	6	
URINARY ORGANS (188-189)	1				11		1	
LEUKEMIA (204-207)	1		2		12			
OTHER REMAINDER OF (140-209)	11		4		65	2	8	
DIABETES MELLITUS (250)	3		1		25		4	
MAJOR CARDIOVASCULAR DISEASE (390-448)	112		69		845	19	107	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	91		43		557	12	80	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	GASCONADE		GENTRY		GREENE		GRUNDY	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2				16		3	
HYPERTENSIVE HEART (402,404)			1		3	1	12	
ISCHEMIC HEART (410-414)	82		37		509	10	59	
OTHER HEART DISEASE (420-429)	7		5		29	1	6	
HYPERTENSION (400,401,403)	2				5	1	1	
CEREBROVASCULAR DISEASE (430-438)	13		20		215	5	16	
ARTERIOSCLEROSIS (440)	4		6		51		7	
OTHER CIRCULATORY (441-448)	2				17	1	3	
INFLUENZA/PNEUMONIA (470-474,480-486)	4		7		38	1	9	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		3		16			
PEPTIC ULCER (531-533)	1		1		4		1	
CIRRHOSIS OF LIVER (571)	3				15		2	
NEPHRITIS AND NEPHROSIS (580-584)	1				5		4	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUEPPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)					11			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			1		25			
SYMPTOMS & ILL-DEFINED COND. (780-796)	5				83	7	6	
ALL OTHER DISEASES (RESIDUAL)	14		13		103		13	
ACCIDENTAL DEATHS (E800-E949)	8		5		82		5	
MOTOR VEHICLE (E810-E823)	1		3		39		2	
OTHER TRANS. (E800-E807,E825-E845)					4			
POISONING (E850-E877)					3			
FALLS (E880-E887)	3				8		2	
FIRES (E890-E899)	1		1		8			
DROWNING & SUBMERSIONS (E910)	1				7		1	
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	2				6			
OTHER REMAINDER OF (E900-E949)			1		7			
SUICIDE (E950-E959)			3		22		1	
HOMICIDE (E960-E978)					8			
ALL OTHER EXTERNAL CAUSES (E980-E999)					1	1		

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	HARRISON		HENRY		HICKORY		HOLT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	120		274	7	59		72	
ATTENDED BY M.D.	89		96	1	44		72	
ATTENDED BY D.O.	30		178	6	15			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1							
LIVE BIRTHS UNDER 5.5 LBS.	10		19		4			
TOTAL FETAL DEATHS	1							
ATTENDED BY M.D.								
ATTENDED BY D.O.	1							
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	155		310	6	82		115	
UNDER ONE YEAR OF AGE	3		3				1	
NEONATAL DEATHS	3		2				1	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1				1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			4				1	
MALIGNANT NEOPLASMS (140-209)	30		56		15		24	
DIGEST. ORGANS (150-159)	4		15		2		10	
RESPIRATORY SYSTEM (160-163)	9		16		6		6	
BREAST (174)	1		3		2			
GENITAL ORGANS (180-187)	7		6		2		4	
URINARY ORGANS (188-189)			4					
LEUKEMIA (204-207)	1		1					
OTHER REMAINDER OF (140-209)	8		11		3		4	
DIABETES MELLITUS (250)	2		3		2			
MAJOR CARDIOVASCULAR DISEASE (390-448)	84		171	4	38		63	
DISEASES OF HEART (390-398, 402, 404, 410-429)	70		123	3	22		42	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	HARRISON		HENRY		HICKORY		HOLT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			2				1	
HYPERTENSIVE HEART (402,404)	5		2					
ISCHEMIC HEART (410-414)	62		105	3	22		41	
OTHER HEART DISEASE (420-429)	3		14					
HYPERTENSION (400,401,403)	1							
CEREBROVASCULAR DISEASE (430-438)	9		35	1	14		18	
ARTERIOSCLEROSIS (440)	1		8		2		1	
OTHER CIRCULATORY (441-448)	3		5				2	
INFLUENZA/PNEUMONIA (470-474,480-486)	2		8		2		8	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		4				1	
PEPTIC ULCER (531-533)			1		1			
CIRRHOSIS OF LIVER (571)			6				1	
NEPHRITIS AND NEPHROSIS (580-584)	3							
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			2				1	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	2		2					
SYMPTOMS & ILL-DEFINED COND. (780-796)	2		15	1	8			
ALL OTHER DISEASES (RESIDUAL)	12		21	1	9		6	
ACCIDENTAL DEATHS (E800-E949)	12		16		3		10	
MOTOR VEHICLE (E810-E823)	3		4		1		3	
OTHER TRANS. (E800-E807,E825-E845)	1		1				1	
POISONING (E850-E877)							1	
FALLS (E880-E887)	3		5				3	
FIRES (E890-E899)	1				1			
DROWNING & SUBMERSIONS (E910)			4					
FIREARM MISSILES (E922)	1							
INDUSTRIAL (E916-E921,E923-E928)	2		2		1		1	
OTHER REMAINDER OF (E900-E949)	1						1	
SUICIDE (E950-E959)	2				3			
HOMICIDE (E960-E978)			1					
ALL OTHER EXTERNAL CAUSES (E980-E999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	HOWARD		HOWELL		IRON		JACKSON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	109	19	369	1	180	3	7,124	2,648
ATTENDED BY M.D.	107	19	349	1	148	3	6,311	2,343
ATTENDED BY D.O.			20		32		808	305
ATTENDED BY MIDWIFE							1	
OTHERS OR UNSPECIFIED							4	
LIVE BIRTHS UNDER 5.5 LBS.	8	3	17		10	2	529	357
TOTAL FETAL DEATHS	2		4				90	59
ATTENDED BY M.D.	2		4				83	53
ATTENDED BY D.O.							7	5
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								1
TOTAL DEATHS	120	15	301		125	1	5,201	1,088
UNDER ONE YEAR OF AGE	4	1	6		2		101	57
NEONATAL DEATHS	2	1	5		1		75	37
MATERNAL DEATHS								2
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1				4	4
SYPHILIS AND ITS SEQUELAE (090-097)								2
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1	1	5		1		23	14
MALIGNANT NEOPLASMS (140-209)	23	4	60		22		917	195
DIGEST. ORGANS (150-159)	7	2	20		6		236	66
RESPIRATORY SYSTEM (160-163)	5	1	13		8		220	44
BREAST (174)	5		3		1		86	11
GENITAL ORGANS (180-187)		1	10		1		104	31
URINARY ORGANS (188-189)							53	7
LEUKEMIA (204-207)			2				32	4
OTHER REMAINDER OF (140-209)	6		12		6		186	32
DIABETES MELLITUS (250)			6		3		69	24
MAJOR CARDIOVASCULAR DISEASE (390-448)	60	8	150		71	1	2,817	451
DISEASES OF HEART (390-398, 402, 404, 410-429)	33	4	107		52	1	2,004	334

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	HOWARD		HOWELL		IRON		JACKSON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1	1	1				38	7
HYPERTENSIVE HEART (402,404)	1		2				25	7
ISCHEMIC HEART (410-414)	29	2	98		48	1	1,821	276
OTHER HEART DISEASE (420-429)	2	1	6		4		120	44
HYPERTENSION (400,401,403)			4		2		17	8
CEREBROVASCULAR DISEASE (430-438)	20	3	30		11		623	92
ARTERIOSCLEROSIS (440)	6	1	3		5		97	12
OTHER CIRCULATORY (441-448)	1		6		1		76	5
INFLUENZA/PNEUMONIA (470-474,480-486)	8		7		5		134	27
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		7		4		76	5
PEPTIC ULCER (531-533)	1		3				29	5
CIRRHOSIS OF LIVER (571)	1		1		1		59	18
NEPHRITIS AND NEPHROSIS (580-584)	1		1				18	7
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								2
CONGENITAL ANOMALIES (740-759)	1		1		2		32	14
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2		4				53	25
SYMPTOMS & ILL-DEFINED COND. (780-796)			11		4		176	78
ALL OTHER DISEASES (RESIDUAL)	9	2	23		5		401	91
ACCIDENTAL DEATHS (E800-E949)	8		13		6		235	40
MOTOR VEHICLE (E810-E823)	1		3		5		93	18
OTHER TRANS. (E800-E807,E825-E845)							12	
POISONING (E850-E877)							1	
FALLS (E880-E887)	2		2				58	10
FIRES (E890-E899)	2		2				18	4
DROWNING & SUBMERSIONS (E910)	1		2				13	3
FIREARM MISSILES (E922)			1				4	1
INDUSTRIAL (E916-E921,E923-E928)							10	1
OTHER REMAINDER OF (E900-E949)	2		3		1		26	3
SUICIDE (E950-E959)	3		4		1		101	7
HOMICIDE (E960-E978)			4				45	76
ALL OTHER EXTERNAL CAUSES (E980-E999)							12	3

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	JASPER		JEFFERSON		JOHNSON		KNOX	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	1,212	30	2,084	32	596	57	65	
ATTENDED BY M.D.	1,035	20	2,033	32	535	54	7	
ATTENDED BY D.O.	178	10	51		60	3	58	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED					1			
LIVE BIRTHS UNDER 5.5 LBS.	80	4	128	3	35	5	3	
TOTAL FETAL DEATHS	12		22		13	1	1	
ATTENDED BY M.D.	10		21		13	1		
ATTENDED BY D.O.	2		1				1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	1,064	24	816	10	251	16	102	
UNDER ONE YEAR OF AGE	24	1	30		10	2	1	
NEONATAL DEATHS	14	1	22		8	1	1	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	3							
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	8		4		3			
MALIGNANT NEOPLASMS (140-209)	184	5	149	2	32	2	11	
DIGEST. ORGANS (150-159)	48	1	27	1	11		6	
RESPIRATORY SYSTEM (160-163)	51	2	41	1	6	2		
BREAST (174)	12	1	10		3		2	
GENITAL ORGANS (180-187)	21		12		2		1	
URINARY ORGANS (188-189)	6	1	7					
LEUKEMIA (204-207)	13		11		1		1	
OTHER REMAINDER OF (140-209)	33		41		9		1	
DIABETES MELLITUS (250)	14		22	1	6	1	5	
MAJOR CARDIOVASCULAR DISEASE (390-448)	536	13	422	6	147	7	66	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	381	7	327	4	108	4	45	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	JASPER		JEFFERSON		JOHNSON		KNOX	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		11		1		1	
HYPERTENSIVE HEART (402,404)	11		4		1			
ISCHEMIC HEART (410-414)	340	6	298	2	99	4	40	
OTHER HEART DISEASE (420-429)	28	1	14	2	7		4	
HYPERTENSION (400,401,403)	4		3	1			2	
CEREBROVASCULAR DISEASE (430-438)	114	6	72	1	31	2	16	
ARTERIOSCLEROSIS (440)	27		12		6	1	3	
OTHER CIRCULATORY (441-448)	10		8		2			
INFLUENZA/PNEUMONIA (470-474,480-486)	42		24		6	1		
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	16		5		9		2	
PEPTIC ULCER (531-533)	6		1		1			
CIRRHOSIS OF LIVER (571)	8	1	6		3		1	
NEPHRITIS AND NEPHROSIS (580-584)	10		3		1			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	6		11		2			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	10	1	15		6	1	1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	46	1	9			1	1	
ALL OTHER DISEASES (RESIDUAL)	101	2	57		21	1	7	
ACCIDENTAL DEATHS (E800-E949)	57		64	1	12	1	7	
MOTOR VEHICLE (E810-E823)	19		39		4	1	2	
OTHER TRANS. (E800-E807,E825-E845)	1		2					
POISONING (E850-E877)	1		1		1			
FALLS (E880-E887)	15		8		2		2	
FIRES (E890-E899)	5		2		1		1	
DROWNING & SUBMERSIONS (E910)	3		3	1				
FIREARM MISSILES (E922)	1		3		1			
INDUSTRIAL (E916-E921,E923-E928)	6		4				2	
OTHER REMAINDER OF (E900-E949)	6		2		3			
SUICIDE (E950-E959)	11		19		1	1	1	
HOMICIDE (E960-E978)	5		4		1			
ALL OTHER EXTERNAL CAUSES (E980-E999)	1	1	1					

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	LACLEDE		LAFAYETTE		LAWRENCE		LEWIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	295	2	334	10	385	3	114	7
ATTENDED BY M.D.	230	2	238	7	350	3	92	6
ATTENDED BY D.O.	64		96	3	35		22	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1							
LIVE BIRTHS UNDER 5.5 LBS.	16		14	2	21		4	2
TOTAL FETAL DEATHS	2		9	1	8		3	
ATTENDED BY M.D.	2		5		6		3	
ATTENDED BY D.O.			4	1	2			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	246		341	19	359	1	126	4
UNDER ONE YEAR OF AGE	8		1		5		3	
NEONATAL DEATHS	4		1		2		3	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1		3			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		3				1	
MALIGNANT NEOPLASMS (140-209)	39		58	4	63		21	2
DIGEST. ORGANS (150-159)	8		16	2	17		6	
RESPIRATORY SYSTEM (160-163)	6		11		11		6	
BREAST (174)	4		2		3		1	
GENITAL ORGANS (180-187)	4		7		10		1	1
URINARY ORGANS (188-189)	2		1	1	2			
LEUKEMIA (204-207)	2		4		2			
OTHER REMAINDER OF (140-209)	13		17	1	18		7	1
DIABETES MELLITUS (250)	2		3	1	4		1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	146		196	11	196		78	2
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	110		142	6	146		53	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	LACLEDE		LAFAYETTE		LAWRENCE		LEWIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)					2			
HYPERTENSIVE HEART (402,404)					3			
ISCHEMIC HEART (410-414)	108		132	5	134		46	1
OTHER HEART DISEASE (420-429)	2		10	1	7		7	
HYPERTENSION (400,401,403)	1		1					
CEREBROVASCULAR DISEASE (430-438)	28		41	4	46		21	1
ARTERIOSCLEROSIS (440)	7		8	1	1		2	
OTHER CIRCULATORY (441-448)			4		3		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	8		8	2	18		1	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		4		1		2	
PEPTIC ULCER (531-533)			2				1	
CIRRHOSIS OF LIVER (571)			1		1	1		
NEPHRITIS AND NEPHROSIS (580-584)	1		2		1			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1				2		2	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	3		1				1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	9		4	1	22		1	
ALL OTHER DISEASES (RESIDUAL)	14		23		18		9	
ACCIDENTAL DEATHS (E800-E949)	13		26		25		7	
MOTOR VEHICLE (E810-E823)	9		10		13		5	
OTHER TRANS. (E800-E807,E825-E845)	1		3					
POISONING (E850-E877)					1			
FALLS (E880-E887)			7		3			
FIRES (E890-E899)			1		2			
DROWNING & SUBMERSIONS (E910)					1		1	
FIREARM MISSILES (E922)			2					
INDUSTRIAL (E916-E921,E923-E928)	2		3		2			
OTHER REMAINDER OF (E900-E949)	1				3		1	
SUICIDE (E950-E959)	3		6		4		1	
HOMICIDE (E960-E978)	1		1					
ALL OTHER EXTERNAL CAUSES (E980-E999)	3		2		1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	LINCOLN		LINN		LIVINGSTON		MC DONALD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	292	9	206	3	217	5	152	3
ATTENDED BY M.D.	243	9	125	2	143	3	122	3
ATTENDED BY D.O.	49		81	1	74	2	29	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED							1	
LIVE BIRTHS UNDER 5.5 LBS.	14	3	9		16	1	10	
TOTAL FETAL DEATHS	3		2		1		2	
ATTENDED BY M.D.	3		2				2	
ATTENDED BY D.O.					1			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	220	8	272	7	234	6	167	2
UNDER ONE YEAR OF AGE	3	1	3		3		4	
NEONATAL DEATHS	2	1	2		3		3	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2		2		1		1	
MALIGNANT NEOPLASMS (140-209)	36	3	45	2	40	2	28	
DIGEST. ORGANS (150-159)	6	1	15	1	6	2	8	
RESPIRATORY SYSTEM (160-163)	7	1	10		9		7	
BREAST (174)	4		1	1	3		5	
GENITAL ORGANS (180-187)	6		8		9		1	
URINARY ORGANS (188-189)	5		4		1		2	
LEUKEMIA (204-207)	1		1		1			
OTHER REMAINDER OF (140-209)	7	1	6		11		5	
DIABETES MELLITUS (250)	6		9		4		1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	132	4	167	4	145	4	101	
DISEASES OF HEART								
(390-398,402,404,410-429)	70	3	98	2	102	1	72	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	LINCOLN		LINN		LIVINGSTON		MC DONALD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (390-398)								
HYPERTENSIVE HEART (402,404)	4		2		5		1	
ISCHEMIC HEART (410-414)	58	2	86	2	86		53	
OTHER HEART DISEASE (420-429)	8	1	10		11	1	18	
HYPERTENSION (400,401,403)	1		2	1			1	
CEREBROVASCULAR DISEASE (430-438)	52	1	54		35	2	22	
ARTERIOSCLEROSIS (440)	7		8		4	1	1	
OTHER CIRCULATORY (441-448)	2		5	1	4		5	
INFLUENZA/PNEUMONIA (470-474,480-486)	5		6		3		4	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		5		3		1	
PEPTIC ULCER (531-533)					5			
CIRRHOSIS OF LIVER (571)	4							
NEPHRITIS AND NEPHROSIS (580-584)	2				1			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2		1		2		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)		1	1		1		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	2						2	1
ALL OTHER DISEASES (RESIDUAL)	10		18	1	11		16	
ACCIDENTAL DEATHS (E800-E949)	14		14		12		8	1
MOTOR VEHICLE (E810-E823)	7		6		7		4	
OTHER TRANS. (E800-E807,E825-E845)			1				1	
POISONING (E850-E877)								
FALLS (E880-E887)			4		3			
FIRES (E890-E899)								
DROWNING & SUBMERSIONS (E910)	1		1		2			
FIREARM MISSILES (E922)	1							
INDUSTRIAL (E916-E921,E923-E928)	1		1				2	1
OTHER REMAINDER OF (E900-E949)	4		1				1	
SUICIDE (E950-E959)	1		3		5		2	
HOMICIDE (E960-E978)	2				1			
ALL OTHER EXTERNAL CAUSES (E980-E999)			1					

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	MACON		MADISON		MARIES		MARION	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	203	7	133	2	101		401	22
ATTENDED BY M.D.	69	1	103	2	58		390	22
ATTENDED BY D.O.	134	6	30		43		11	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	14	2	9		5		33	4
TOTAL FETAL DEATHS	1	1	4		2		5	
ATTENDED BY M.D.		1	2		1		5	
ATTENDED BY D.O.	1		2		1			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	243	3	151	2	59		385	16
UNDER ONE YEAR OF AGE	5	1	2		1		5	2
NEONATAL DEATHS	4	1	2		1		3	2
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1				1	
SYPHILIS AND ITS SEQUELAE (090-097)							1	
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2		2		1		2	
MALIGNANT NEOPLASMS (140-209)	43		20	1	14		72	7
DIGEST. ORGANS (150-159)	13		6		3		19	2
RESPIRATORY SYSTEM (160-163)	9		6		2		15	2
BREAST (174)	3						3	
GENITAL ORGANS (180-187)	5		2				12	
URINARY ORGANS (188-189)	3		1		1		4	
LEUKEMIA (204-207)			2		1		4	
OTHER REMAINDER OF (140-209)	10		3	1	7		15	3
DIABETES MELLITUS (250)	8		3				7	
MAJOR CARDIOVASCULAR DISEASE (390-448)	153	1	84	1	29		207	6
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	125		66	1	24		151	5

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	MACON		MADISON		MARIES		MARION	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	3		2				3	
HYPERTENSIVE HEART (402,404)	10				1		3	1
ISCHEMIC HEART (410-414)	101		61	1	21		127	3
OTHER HEART DISEASE (420-429)	11		3		2		18	1
HYPERTENSION (400,401,403)	2						2	
CEREBROVASCULAR DISEASE (430-438)	20	1	13		3		38	1
ARTERIOSCLEROSIS (440)	3		3				13	
OTHER CIRCULATORY (441-448)	3		2		2		3	
INFLUENZA/PNEUMONIA (470-474,480-486)	4	1	4		1		14	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		1		1		5	
PEPTIC ULCER (531-533)	2		1					
CIRRHOSIS OF LIVER (571)	2		1				3	
NEPHRITIS AND NEPHROSIS (580-584)	1						1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			1				5	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	4		1		1		3	2
SYMPTOMS & ILL-DEFINED COND. (780-796)	9		9		4		13	
ALL OTHER DISEASES (RESIDUAL)	21		15		3		26	1
ACCIDENTAL DEATHS (E800-E949)	7	1	7		5		17	
MOTOR VEHICLE (E810-E823)	2		3		4		6	
OTHER TRANS. (E800-E807,E825-E845)							1	
POISONING (E850-E877)								
FALLS (E880-E887)	3		1		1		4	
FIRES (E890-E899)			3				2	
DROWNING & SUBMERSIONS (E910)	2	1						
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)							4	
OTHER REMAINDER OF (E900-E949)								
SUICIDE (E950-E959)	2						4	
HOMICIDE (E960-E978)	1						3	
ALL OTHER EXTERNAL CAUSES (E980-E999)	1		1				1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	MERCER		MILLER		MISSISSIPPI		MONITEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	57		231	1	175	76	186	1
ATTENDED BY M.D.	33		85		89	7	113	
ATTENDED BY D.O.	24		145	1	85	69	73	1
ATTENDED BY MIDWIFE					1			
OTHERS OR UNSPECIFIED			1					
LIVE BIRTHS UNDER 5.5 LBS.	4		11		10	8	15	
TOTAL FETAL DEATHS	2		6		5	1	3	
ATTENDED BY M.D.	1		1		4		1	
ATTENDED BY D.O.	1		5		1	1	2	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	64		204	3	163	39	139	1
UNDER ONE YEAR OF AGE	2		3		3	1	5	
NEONATAL DEATHS	1		2		2		3	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)						1	2	
MALIGNANT NEOPLASMS (140-209)	7		31		27	5	17	
DIGEST. ORGANS (150-159)	2		6		7	1	4	
RESPIRATORY SYSTEM (160-163)	1		7		9	3	3	
BREAST (174)	1		3		2		1	
GENITAL ORGANS (180-187)	2		8		4			
URINARY ORGANS (188-189)							4	
LEUKEMIA (204-207)					1		1	
OTHER REMAINDER OF (140-209)	1		7		4	1	4	
DIABETES MELLITUS (250)	1		4			1	3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	39		119		87	16	79	1
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	32		82		55	10	58	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	MERCER		MILLER		MISSISSIPPI		MONITEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (390-398)			4					1
HYPERTENSIVE HEART (402,404)	1		1		1	2		
ISCHEMIC HEART (410-414)	26		68		45	7	53	
OTHER HEART DISEASE (420-429)	5		9		9	1	5	
HYPERTENSION (400,401,403)					1	1	1	
CEREBROVASCULAR DISEASE (430-438)	7		29		28	3	18	
ARTERIOSCLEROSIS (440)			3		2	2	1	
OTHER CIRCULATORY (441-448)			5		1		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	2		3		5	1	6	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		1		1	1	3	
PEPTIC ULCER (531-533)			1		1			
CIRRHOSIS OF LIVER (571)			3		1			
NEPHRITIS AND NEPHROSIS (580-584)	1					1		
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)					2			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2		2		1		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)			4		12	4	3	
ALL OTHER DISEASES (RESIDUAL)	4		17	1	13	3	12	
ACCIDENTAL DEATHS (E800-E949)	6		15	1	12	3	12	
MOTOR VEHICLE (E810-E823)	1		9	1	6	3	7	
OTHER TRANS. (E800-E807,E825-E845)			2		1			
POISONING (E850-E877)								
FALLS (E880-E887)	3		1		1		1	
FIRES (E890-E899)					2			
DROWNING & SUBMERSIONS (E910)			1		1		1	
FIREARM MISSILES (E922)	1						1	
INDUSTRIAL (E916-E921,E923-E928)	1		1		1			
OTHER REMAINDER OF (E900-E949)			1				2	
SUICIDE (E950-E959)			2		1			
HOMICIDE (E960-E978)			2	1		2		
ALL OTHER EXTERNAL CAUSES (E980-E999)	1					1		

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	MONROE		MONTGOMERY		MORGAN		NEW MADRID	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	118	6	152	11	152	1	318	89
ATTENDED BY M.D.	97	5	106	4	121	1	246	63
ATTENDED BY D.O.	17	1	46	7	31		67	26
ATTENDED BY MIDWIFE	4						5	
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	11	1	12	3	10		23	15
TOTAL FETAL DEATHS			2		1		3	5
ATTENDED BY M.D.			1		1		3	5
ATTENDED BY D.O.			1					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	141	7	167	9	155	5	243	49
UNDER ONE YEAR OF AGE	5		1		2		5	3
NEONATAL DEATHS	4		1		1		3	2
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)					1			
MALIGNANT NEOPLASMS (140-209)	25		25		27	2	37	12
DIGEST. ORGANS (150-159)	6		9		7	1	9	2
RESPIRATORY SYSTEM (160-163)	10		5		7		10	4
BREAST (174)	1		4		1		2	3
GENITAL ORGANS (180-187)	3				3		5	
URINARY ORGANS (188-189)			1				3	
LEUKEMIA (204-207)	2				1		1	
OTHER REMAINDER OF (140-209)	3		6		8	1	7	3
DIABETES MELLITUS (250)	1	1	2		3		5	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	74	2	110	7	90	1	125	19
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	48	2	85	6	52	1	87	12

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	MONROE		MONTGOMERY		MORGAN		NEW MADRID	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		1		2			
HYPERTENSIVE HEART (402,404)			3		1		1	1
ISCHEMIC HEART (410-414)	37	2	79	5	47	1	82	9
OTHER HEART DISEASE (420-429)	9		2	1	2		4	2
HYPERTENSION (400,401,403)			1				1	
CEREBROVASCULAR DISEASE (430-438)	15		18	1	29		33	6
ARTERIOSCLEROSIS (440)	8		4		6		2	
OTHER CIRCULATORY (441-448)	3		2		3		2	1
INFLUENZA/PNEUMONIA (470-474,480-486)	6	1	2		5		6	2
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3				2		5	
PEPTIC ULCER (531-533)			1		1			1
CIRRHOSIS OF LIVER (571)					2		2	
NEPHRITIS AND NEPHROSIS (580-584)	1	1			1			2
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		1				1	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	2		1		1		3	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	6			1	2		23	7
ALL OTHER DISEASES (RESIDUAL)	7	1	12		8		6	2
ACCIDENTAL DEATHS (E800-E949)	9	1	11	1	11	2	24	2
MOTOR VEHICLE (E810-E823)	4		4	1	2		12	1
OTHER TRANS. (E800-E807,E825-E845)			1				2	1
POISONING (E850-E877)	1				1			
FALLS (E880-E887)	4				1		4	
FIRES (E890-E899)					6		3	
DROWNING & SUBMERSIONS (E910)			2			1	1	
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)			4					
OTHER REMAINDER OF (E900-E949)		1			1	1	2	
SUICIDE (E950-E959)	3		2		1		3	
HOMICIDE (E960-E978)	3						2	
ALL OTHER EXTERNAL CAUSES (E980-E999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	NEWTON		NODAWAY		OREGON		OSAGE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	501	5	310		111		175	1
ATTENDED BY M.D.	382	5	304		93		114	
ATTENDED BY D.O.	107		6		17		61	1
ATTENDED BY MIDWIFE	11							
OTHERS OR UNSPECIFIED	1				1			
LIVE BIRTHS UNDER 5.5 LBS.	35		12		4		7	
TOTAL FETAL DEATHS	7		6				3	
ATTENDED BY M.D.	6		6				1	
ATTENDED BY D.O.	1						2	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	372	4	251		137		121	
UNDER ONE YEAR OF AGE	6		3		4		3	
NEONATAL DEATHS	3		1		3		2	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	2						1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	3		1					
MALIGNANT NEOPLASMS (140-209)	60	1	51		25		23	
DIGEST. ORGANS (150-159)	16	1	19		6		8	
RESPIRATORY SYSTEM (160-163)	10		11		9		2	
BREAST (174)	5		5		1		4	
GENITAL ORGANS (180-187)	11		5		3		1	
URINARY ORGANS (188-189)	1		2		1		2	
LEUKEMIA (204-207)	1		3		1		1	
OTHER REMAINDER OF (140-209)	16		6		4		5	
DIABETES MELLITUS (250)	4		2				2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	182	2	142		78		68	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	126	2	95		62		50	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	NEWTON		NODAWAY		OREGON		OSAGE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	3		1					
HYPERTENSIVE HEART (402,404)			7		1			
ISCHEMIC HEART (410-414)	106	2	76		55		46	
OTHER HEART DISEASE (420-429)	17		11		6		4	
HYPERTENSION (400,401,403)					1		1	
CEREBROVASCULAR DISEASE (430-438)	36		38		12		15	
ARTERIOSCLEROSIS (440)	13		6		3		1	
OTHER CIRCULATORY (441-448)	7		3				1	
INFLUENZA/PNEUMONIA (470-474,480-486)	15		8		6		1	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	5		6		1			
PEPTIC ULCER (531-533)	2		1					
CIRRHOSIS OF LIVER (571)	1		4				2	
NEPHRITIS AND NEPHROSIS (580-584)	1						1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1				3		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	3		1				2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	25		2		1		3	
ALL OTHER DISEASES (RESIDUAL)	30		16		10		7	
ACCIDENTAL DEATHS								
(E800-E949)	31	1	13		9		9	
MOTOR VEHICLE (E810-E823)	14		4		4		5	
OTHER TRANS. (E800-E807,E825-E845)	1				1			
POISONING (E850-E877)	1							
FALLS (E880-E887)	6		2		1		1	
FIRES (E890-E899)	1	1						
DROWNING & SUBMERSIONS (E910)	2						2	
FIREARM MISSILES (E922)					1		1	
INDUSTRIAL (E916-E921,E923-E928)	5		4		1			
OTHER REMAINDER OF (E900-E949)	1		3		1			
SUICIDE (E950-E959)	5		3		3		1	
HOMICIDE (E960-E978)	2							
ALL OTHER EXTERNAL CAUSES (E980-E999)			1		1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	OZARK		PEMISCOT		PERRY		PETTIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	82		282	230	264		475	35
ATTENDED BY M.D.	73		278	229	260		465	35
ATTENDED BY D.O.	8		3		4		10	
ATTENDED BY MIDWIFE				1				
OTHERS OR UNSPECIFIED	1		1					
LIVE BIRTHS UNDER 5.5 LBS.	4		24	33	21		26	9
TOTAL FETAL DEATHS	1		7	2	4		5	
ATTENDED BY M.D.	1		6	2	4		5	
ATTENDED BY D.O.			1					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	99		248	120	171		425	27
UNDER ONE YEAR OF AGE	2		7	9	2		5	1
NEONATAL DEATHS	1		4	5			4	1
MATERNAL DEATHS				1				
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1				1	
SYPHILIS AND ITS SEQUELAE (090-097)			1	1				
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1		2		1	
MALIGNANT NEOPLASMS (140-209)	13		32	12	32		73	3
DIGEST. ORGANS (150-159)	4		6	1	6		11	
RESPIRATORY SYSTEM (160-163)	4		13	4	12		19	1
BREAST (174)	2		1	1	3		7	1
GENITAL ORGANS (180-187)			2	4	3		7	
URINARY ORGANS (188-189)			2		2		2	
LEUKEMIA (204-207)	1						4	1
OTHER REMAINDER OF (140-209)	2		8	2	6		23	
DIABETES MELLITUS (250)	1		2	3	2		11	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	56		143	50	95		249	11
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	39		109	37	80		170	10

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	OZARK		PEMISCOT		PERRY		PETTIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		1	2			4	
HYPERTENSIVE HEART (402,404)			2	2	1		1	
ISCHEMIC HEART (410-414)	34		92	25	77		156	10
OTHER HEART DISEASE (420-429)	4		14	8	2		9	
HYPERTENSION (400,401,403)	1			1			2	
CEREBROVASCULAR DISEASE (430-438)	13		33	10	10		68	1
ARTERIOSCLEROSIS (440)	3			1	5		5	
OTHER CIRCULATORY (441-448)			1	1			4	
INFLUENZA/PNEUMONIA (470-474,480-486)	3		8	4	3		7	2
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		3	2	2		8	
PEPTIC ULCER (531-533)			1				1	
CIRRHOSIS OF LIVER (571)			3		2		1	
NEPHRITIS AND NEPHROSIS (580-584)			1		1		3	1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)				1				
CONGENITAL ANOMALIES (740-759)			3	1	2		4	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		2	4			2	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	6		17	22			2	
ALL OTHER DISEASES (RESIDUAL)	8		13	5	16		34	3
ACCIDENTAL DEATHS (E800-E949)	6		11	10	10		24	4
MOTOR VEHICLE (E810-E823)	4		7	7	4		8	1
OTHER TRANS. (E800-E807,E825-E845)					1			
POISONING (E850-E877)							2	
FALLS (E880-E887)			1		1		2	1
FIRES (E890-E899)	1		1		2		3	1
DROWNING & SUBMERSIONS (E910)				2			1	1
FIREARM MISSILES (E922)	1						1	
INDUSTRIAL (E916-E921,E923-E928)			1		2		2	
OTHER REMAINDER OF (E900-E949)			1	1			5	
SUICIDE (E950-E959)	2		3	1	1		3	
HOMICIDE (E960-E978)			3	4	2			1
ALL OTHER EXTERNAL CAUSES (E980-E999)					1		1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	PHELPS		PIKE		PLATTE		POLK	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	412	9	244	17	524	7	225	2
ATTENDED BY M.D.	307	7	180	14	496	7	217	2
ATTENDED BY D.O.	105	2	55	3	28		6	
ATTENDED BY MIDWIFE			9				1	
OTHERS OR UNSPECIFIED							1	
LIVE BIRTHS UNDER 5.5 LBS.	25		14	1	33		9	1
TOTAL FETAL DEATHS	2		4		5		1	
ATTENDED BY M.D.	2		4		5		1	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	296	1	214	26	214		236	
UNDER ONE YEAR OF AGE	6		5		7		4	
NEONATAL DEATHS	3		4		7		3	
MATERNAL DEATHS			1					
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1		1					
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1				1		3	
MALIGNANT NEOPLASMS (140-209)	59		31	2	31		43	
DIGEST. ORGANS (150-159)	13		4		9		12	
RESPIRATORY SYSTEM (160-163)	22		8	1	6		12	
BREAST (174)	6		2				3	
GENITAL ORGANS (180-187)	5		7	1	3		3	
URINARY ORGANS (188-189)	2		2		1		2	
LEUKEMIA (204-207)			1				1	
OTHER REMAINDER OF (140-209)	11		7		12		10	
DIABETES MELLITUS (250)	4		2	1	2		3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	143		134	19	117		139	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	95		99	11	69		97	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	PHELPS		PIKE		PLATTE		POLK	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)				1	2		1	
HYPERTENSIVE HEART (402,404)	3		7		2		1	
ISCHEMIC HEART (410-414)	80		82	9	61		76	
OTHER HEART DISEASE (420-429)	12		10	1	4		19	
HYPERTENSION (400,401,403)	1							
CEREBROVASCULAR DISEASE (430-438)	40		25	4	34		33	
ARTERIOSCLEROSIS (440)	4		9	4	8		2	
OTHER CIRCULATORY (441-448)	3		1		6		7	
INFLUENZA/PNEUMONIA (470-474,480-486)	15		6	1	1		7	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	5		2	1	5		3	
PEPTIC ULCER (531-533)	1		1				1	
CIRRHOSIS OF LIVER (571)	4		2		3		1	
NEPHRITIS AND NEPHROSIS (580-584)	1			1				
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)			1					
CONGENITAL ANOMALIES (740-759)	1		5		2		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2		1		5		3	
SYMPTOMS & ILL-DEFINED COND. (780-796)	13	1	2		16		15	
ALL OTHER DISEASES (RESIDUAL)	21		13		8		10	
ACCIDENTAL DEATHS (E800-E949)	19		10	1	16		5	
MOTOR VEHICLE (E810-E823)	9		3	1	6		3	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)	1							
FALLS (E880-E887)	3				4		1	
FIRES (E890-E899)	1		1					
DROWNING & SUBMERSIONS (E910)	1		2		2			
FIREARM MISSILES (E922)			1		2			
INDUSTRIAL (E916-E921,E923-E928)	2		2		2		1	
OTHER REMAINDER OF (E900-E949)	2		1					
SUICIDE (E950-E959)	4		3		6		1	
HOMICIDE (E960-E978)	2				1			
ALL OTHER EXTERNAL CAUSES (E980-E999)							1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	PULASKI		PUTNAM		RALLS		RANDOLPH	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	738	115	68		103	1	272	16
ATTENDED BY M.D.	602	112	20		101	1	166	9
ATTENDED BY D.O.	136	3	48		2		104	7
ATTENDED BY MIDWIFE							2	
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	48	10	4		8		11	5
TOTAL FETAL DEATHS	8	4	4		1		1	
ATTENDED BY M.D.	7	4					1	
ATTENDED BY D.O.	1		4		1			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	209	7	103		81	4	291	25
UNDER ONE YEAR OF AGE	19				1		6	2
NEONATAL DEATHS	11				1		3	1
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)							1	2
MALIGNANT NEOPLASMS (140-209)	31	2	20		13	3	46	6
DIGEST. ORGANS (150-159)	5		5		3		6	3
RESPIRATORY SYSTEM (160-163)	6	1	3		6		11	
BREAST (174)	2		1				4	1
GENITAL ORGANS (180-187)	6		7		1	3	8	1
URINARY ORGANS (188-189)	1	1	1		2		2	
LEUKEMIA (204-207)	1						1	
OTHER REMAINDER OF (140-209)	10		3		1		14	1
DIABETES MELLITUS (250)	1		2		1		4	
MAJOR CARDIOVASCULAR DISEASE (390-448)	91		63		38	1	169	10
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	62		44		24	1	118	7

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	PULASKI		PUTNAM		RALLS		RANDOLPH	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		1		1		2	
HYPERTENSIVE HEART (402,404)	5		5		1		3	
ISCHEMIC HEART (410-414)	52		31		21	1	99	6
OTHER HEART DISEASE (420-429)	3		7		1		14	1
HYPERTENSION (400,401,403)	2				1			
CEREBROVASCULAR DISEASE (430-438)	23		14		7		44	3
ARTERIOSCLEROSIS (440)	2		3		4		4	
OTHER CIRCULATORY (441-448)	2		2		2		3	
INFLUENZA/PNEUMONIA (470-474,480-486)	8		4		5		7	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		1		4		3	
PEPTIC ULCER (531-533)			2				2	
CIRRHOSIS OF LIVER (571)	6		1				1	
NEPHRITIS AND NEPHROSIS (580-584)		1	1		1		1	1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	6						3	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	9				1		3	
SYMPTOMS & ILL-DEFINED COND. (780-796)	17				2		11	2
ALL OTHER DISEASES (RESIDUAL)	16		3		9		22	2
ACCIDENTAL DEATHS (E800-E949)	14	2	6		7		12	2
MOTOR VEHICLE (E810-E823)	8		4		2		4	1
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)	1	1	1					
FALLS (E880-E887)					1		1	1
FIRES (E890-E899)							1	
DROWNING & SUBMERSIONS (E910)	1	1					2	
FIREARM MISSILES (E922)	1				1		1	
INDUSTRIAL (E916-E921,E923-E928)	1		1		1		3	
OTHER REMAINDER OF (E900-E949)	2				2			
SUICIDE (E950-E959)	4	1					5	
HOMICIDE (E960-E978)								
ALL OTHER EXTERNAL CAUSES (E980-E999)	2	1					1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	RAY		REYNOLDS		RIPLEY		ST CHARLES	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	304	5	75		160		1,910	31
ATTENDED BY M.D.	261	5	65		148		1,853	29
ATTENDED BY D.O.	43		9		9		57	2
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED			1		3			
LIVE BIRTHS UNDER 5.5 LBS.	26		8		7		122	4
TOTAL FETAL DEATHS	2		1		2		24	
ATTENDED BY M.D.	2		1		2		23	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED							1	
TOTAL DEATHS	215	7	76		139	1	619	17
UNDER ONE YEAR OF AGE	2		2		2		25	
NEONATAL DEATHS	1		2		2		20	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1				2		1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		1		1		3	
MALIGNANT NEOPLASMS (140-209)	30	3	12		19		101	7
DIGEST. ORGANS (150-159)	10		1		4		23	3
RESPIRATORY SYSTEM (160-163)	2		4		4		22	
BREAST (174)	3				3		13	
GENITAL ORGANS (180-187)	8	1	2		1		13	2
URINARY ORGANS (188-189)		2	1		2		3	
LEUKEMIA (204-207)	1		1		1		6	
OTHER REMAINDER OF (140-209)	6		3		4		21	2
DIABETES MELLITUS (250)	8		2		2		6	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	117	1	45		71		329	6
DISEASES OF HEART								
(390-398,402,404,410-429)	76	1	28		46		234	3

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	RAY		REYNOLDS		RIPLEY		ST CHARLES	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1						2	
HYPERTENSIVE HEART (402,404)							2	
ISCHEMIC HEART (410-414)	69		26		44		219	3
OTHER HEART DISEASE (420-429)	6	1	2		2		11	
HYPERTENSION (400,401,403)			1				4	
CEREBROVASCULAR DISEASE (430-438)	28		13		22		68	3
ARTERIOSCLEROSIS (440)	10		2				8	
OTHER CIRCULATORY (441-448)	3		1		3		15	
INFLUENZA/PNEUMONIA (470-474,480-486)	4		2		8		21	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		1		3		8	
PEPTIC ULCER (531-533)					1		1	1
CIRRHOSIS OF LIVER (571)	1						3	
NEPHRITIS AND NEPHROSIS (580-584)	2				1		1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	3		1				2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			1		2		17	
SYMPTOMS & ILL-DEFINED COND. (780-796)	12	2	2		11		26	1
ALL OTHER DISEASES (RESIDUAL)	17	1	4		10		49	
ACCIDENTAL DEATHS (E800-E949)	13		3		6	1	36	1
MOTOR VEHICLE (E810-E823)	8		2		1		23	1
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)							1	
FALLS (E880-E887)	2				3	1	3	
FIRES (E890-E899)	1						1	
DROWNING & SUBMERSIONS (E910)							3	
FIREARM MISSILES (E922)	2				1			
INDUSTRIAL (E916-E921,E923-E928)							3	
OTHER REMAINDER OF (E900-E949)			1		1		2	
SUICIDE (E950-E959)	4						12	
HOMICIDE (E960-E978)			1		2		1	
ALL OTHER EXTERNAL CAUSES (E980-E999)			1				2	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	ST CLAIR		ST FRANCOIS		STE GENEVIEVE		ST LOUIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	100		516	4	218		10,628	1,704
ATTENDED BY M.D.	67		321	2	176		10,338	1,627
ATTENDED BY D.O.	32		193	2	42		289	77
ATTENDED BY MIDWIFE			2					
OTHERS OR UNSPECIFIED	1						1	
LIVE BIRTHS UNDER 5.5 LBS.	6		34		11		576	204
TOTAL FETAL DEATHS			6		4		77	22
ATTENDED BY M.D.			3		4		76	21
ATTENDED BY D.O.			3				1	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	174		495	5	135	3	6,978	396
UNDER ONE YEAR OF AGE	1		12		3		114	32
NEONATAL DEATHS	1		9		2		89	24
MATERNAL DEATHS					1		1	1
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1				9	
SYPHILIS AND ITS SEQUELAE (090-097)							2	
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2		2				39	3
MALIGNANT NEOPLASMS (140-209)	20		75	1	22		1,510	75
DIGEST. ORGANS (150-159)	7		18		8		434	23
RESPIRATORY SYSTEM (160-163)	5		18		3		323	14
BREAST (174)	1		6		1		158	6
GENITAL ORGANS (180-187)	2		11	1	3		137	11
URINARY ORGANS (188-189)			4				64	2
LEUKEMIA (204-207)			1		2		71	3
OTHER REMAINDER OF (140-209)	5		17		5		323	16
DIABETES MELLITUS (250)	3		4		3		148	2
MAJOR CARDIOVASCULAR DISEASE (390-448)	109		272	3	68	2	3,787	156
DISEASES OF HEART								
(390-398,402,404,410-429)	86		199	3	47		2,780	108

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	ST CLAIR		ST FRANCOIS		STE GENEVIEVE		ST LOUIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			3		1		72	
HYPERTENSIVE HEART (402,404)			5		1		20	2
ISCHEMIC HEART (410-414)	75		181	3	45		2,597	96
OTHER HEART DISEASE (420-429)	11		10				91	10
HYPERTENSION (400,401,403)							19	2
CEREBROVASCULAR DISEASE (430-438)	20		55		16	2	751	41
ARTERIOSCLEROSIS (440)			12		3		123	2
OTHER CIRCULATORY (441-448)	3		6		2		114	3
INFLUENZA/PNEUMONIA (470-474,480-486)	6		19	1	2		127	14
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		9		1		117	4
PEPTIC ULCER (531-533)					1		19	2
CIRRHOSIS OF LIVER (571)			6		1		84	2
NEPHRITIS AND NEPHROSIS (580-584)	2		5		1		20	5
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)					1		1	1
CONGENITAL ANOMALIES (740-759)			1		1		46	8
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	1		6		2		58	19
SYMPTOMS & ILL-DEFINED COND. (780-796)	3		21		5		83	9
ALL OTHER DISEASES (RESIDUAL)	7		35		10	1	496	36
ACCIDENTAL DEATHS (E800-E949)	17		30		14		254	26
MOTOR VEHICLE (E810-E823)	3		14		8		119	14
OTHER TRANS. (E800-E807,E825-E845)							12	1
POISONING (E850-E877)			3				19	1
FALLS (E880-E887)	3		6		1		46	1
FIRES (E890-E899)	8		2		1		6	2
DROWNING & SUBMERSIONS (E910)	2						16	2
FIREARM MISSILES (E922)							7	
INDUSTRIAL (E916-E921,E923-E928)			3		3		10	3
OTHER REMAINDER OF (E900-E949)	1		2		1		19	2
SUICIDE (E950-E959)	2		4		1		109	4
HOMICIDE (E960-E978)	1		4		1		31	23
ALL OTHER EXTERNAL CAUSES (E980-E999)			1		1		38	7

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	ST LOUIS CITY		SALINE		SCHUYLER		SCOTLAND	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	3,413	5,341	338	7	56	2	57	
ATTENDED BY M.D.	3,363	5,319	334	7	3		7	
ATTENDED BY D.O.	50	22	4		53	2	50	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	255	762	24	1	2			
TOTAL FETAL DEATHS	33	84	1	1				
ATTENDED BY M.D.	32	82	1	1				
ATTENDED BY D.O.		1						
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1	1						
TOTAL DEATHS	5,399	2,722	355	28	76		92	
UNDER ONE YEAR OF AGE	56	178	8		2		1	
NEONATAL DEATHS	41	143	7		2		1	
MATERNAL DEATHS	1	3						
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	13	10						
SYPHILIS AND ITS SEQUELAE (090-097)	1	1						
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	28	23	2					
MALIGNANT NEOPLASMS (140-209)	986	473	68	7	15		15	
DIGEST. ORGANS (150-159)	285	137	18	5	2		3	
RESPIRATORY SYSTEM (160-163)	244	109	16		3		3	
BREAST (174)	89	42	4		1		2	
GENITAL ORGANS (180-187)	101	74	8		1		1	
URINARY ORGANS (188-189)	42	11	2		1		3	
LEUKEMIA (204-207)	35	9			2			
OTHER REMAINDER OF (140-209)	190	91	20	2	5		3	
DIABETES MELLITUS (250)	141	94	5		1		1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	3,170	1,182	203	18	36		58	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	2,456	845	140	10	25		41	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	ST LOUIS CITY		SALINE		SCHUYLER		SCOTLAND	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	32	13					2	
HYPERTENSIVE HEART (402,404)	32	28	2	1	1			
ISCHEMIC HEART (410-414)	2,320	722	126	9	19		36	
OTHER HEART DISEASE (420-429)	72	82	12		5		3	
HYPERTENSION (400,401,403)	21	19	2				1	
CEREBROVASCULAR DISEASE (430-438)	508	255	54	8	9		16	
ARTERIOSCLEROSIS (440)	119	29	5		2			
OTHER CIRCULATORY (441-448)	66	34	2					
INFLUENZA/PNEUMONIA (470-474,480-486)	147	88	10		2		4	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	83	19	5		1			
PEPTIC ULCER (531-533)	19	4	2				1	
CIRRHOSIS OF LIVER (571)	104	64	1	1	1			
NEPHRITIS AND NEPHROSIS (580-584)	9	18	2					
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	1	3						
CONGENITAL ANOMALIES (740-759)	8	36	1					
DISEASES OF EARLY INFANCY (760-769,770-772,774-778)	38	105	6		1		1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	52	29	2		1			
ALL OTHER DISEASES (RESIDUAL)	358	267	21	1	7		6	
ACCIDENTAL DEATHS (E800-E949)	142	103	18	1	8		6	
MOTOR VEHICLE (E810-E823)	31	20	7		5		5	
OTHER TRANS. (E800-E807,E825-E845)	2	4						
POISONING (E850-E877)	6	9						
FALLS (E880-E887)	66	24	2		1		1	
FIRES (E890-E899)	5	13	3					
DROWNING & SUBMERSIONS (E910)	9	9	2	1				
FIREARM MISSILES (E922)	3	7						
INDUSTRIAL (E916-E921,E923-E928)	2	3	2		1			
OTHER REMAINDER OF (E900-E949)	18	14	2		1			
SUICIDE (E950-E959)	46	15	5		1			
HOMICIDE (E960-E978)	35	166	2		1			
ALL OTHER EXTERNAL CAUSES (E980-E999)	18	22	2		1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	SCOTT		SHANNON		SHELBY		STODDARD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	524	73	104	2	104	1	343	17
ATTENDED BY M.D.	400	18	96	2	84		202	1
ATTENDED BY D.O.	123	27	8		20	1	141	16
ATTENDED BY MIDWIFE	1	28						
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	44	13	4		3		16	1
TOTAL FETAL DEATHS	11	1			1		4	1
ATTENDED BY M.D.	9	1			1		3	1
ATTENDED BY D.O.	2						1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	321	35	89		134	3	309	12
UNDER ONE YEAR OF AGE	9	4			1		8	1
NEONATAL DEATHS	8	3			1		4	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							2	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		1		1		1	2
MALIGNANT NEOPLASMS (140-209)	49	3	14		17	1	44	2
DIGEST. ORGANS (150-159)	14	1	4		2		11	
RESPIRATORY SYSTEM (160-163)	15	1	1		1	1	10	
BREAST (174)	3				4		1	1
GENITAL ORGANS (180-187)	4		2		7		2	1
URINARY ORGANS (188-189)	2		1		1			
LEUKEMIA (204-207)	1		1				6	
OTHER REMAINDER OF (140-209)	10	1	5		2		14	
DIABETES MELLITUS (250)	7		1		5		4	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	165	15	53		83	1	163	5
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	133	11	38		63		124	4

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	SCOTT		SHANNON		SHELBY		STODDARD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			1				1	
HYPERTENSIVE HEART (402,404)	3	1			13		6	
ISCHEMIC HEART (410-414)	124	9	36		47		104	3
OTHER HEART DISEASE (420-429)	6	1	1		3		13	1
HYPERTENSION (400,401,403)		1	1		3	1	1	
CEREBROVASCULAR DISEASE (430-438)	26	3	12		13		26	1
ARTERIOSCLEROSIS (440)	2		2		3		11	
OTHER CIRCULATORY (441-448)	4				1		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	8				3		15	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	7		1		1		8	
PEPTIC ULCER (531-533)	3				1			
CIRRHOSIS OF LIVER (571)	2	1					2	
NEPHRITIS AND NEPHROSIS (580-584)	1				2			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	3						2	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	5	3			1		5	
SYMPTOMS & ILL-DEFINED COND. (780-796)	10	5	4		3	1	14	
ALL OTHER DISEASES (RESIDUAL)	33	2	5		4		27	
ACCIDENTAL DEATHS (E800-E949)	19		9		10		15	1
MOTOR VEHICLE (E810-E823)	5		4		8		7	
OTHER TRANS. (E800-E807,E825-E845)					1		2	
POISONING (E850-E877)								
FALLS (E880-E887)	6				1		3	
FIRES (E890-E899)	1		5					
DROWNING & SUBMERSIONS (E910)	2						1	
FIREARM MISSILES (E922)	1						1	
INDUSTRIAL (E916-E921,E923-E928)	1						1	
OTHER REMAINDER OF (E900-E949)	3							1
SUICIDE (E950-E959)	3				1		3	
HOMICIDE (E960-E978)	2	4					1	
ALL OTHER EXTERNAL CAUSES (E980-E999)	3	2	1		2		3	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	STONE		SULLIVAN		TANEY		TEXAS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	151	1	107		208		260	1
ATTENDED BY M.D.	150	1	26		206		195	1
ATTENDED BY D.O.	1		80		2		65	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED			1					
LIVE BIRTHS UNDER 5.5 LBS.	9		7		7		14	
TOTAL FETAL DEATHS	2		1		1		3	
ATTENDED BY M.D.	2				1		2	
ATTENDED BY D.O.			1				1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	127		158		213		238	
UNDER ONE YEAR OF AGE	1		2		2		4	
NEONATAL DEATHS	1		2		2		2	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1		2		2	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1						1	
MALIGNANT NEOPLASMS (140-209)	19		23		37		41	
DIGEST. ORGANS (150-159)	8		4		6		8	
RESPIRATORY SYSTEM (160-163)	6		4		8		12	
BREAST (174)	1		4		2		2	
GENITAL ORGANS (180-187)	1		3		12		7	
URINARY ORGANS (188-189)	1		2					
LEUKEMIA (204-207)	1						2	
OTHER REMAINDER OF (140-209)	1		6		9		10	
DIABETES MELLITUS (250)	1		2		2		1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	64		100		125		145	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	45		71		88		100	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	STONE		SULLIVAN		TANEY		TEXAS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		1		2			
HYPERTENSIVE HEART (402,404)			5		1		6	
ISCHEMIC HEART (410-414)	41		50		76		88	
OTHER HEART DISEASE (420-429)	2		15		9		6	
HYPERTENSION (400,401,403)	1						3	
CEREBROVASCULAR DISEASE (430-438)	11		26		31		31	
ARTERIOSCLEROSIS (440)	3				4		5	
OTHER CIRCULATORY (441-448)	4		3		2		6	
INFLUENZA/PNEUMONIA (470-474,480-486)	5		7		3		11	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		1		1		4	
PEPTIC ULCER (531-533)	1						2	
CIRRHOSIS OF LIVER (571)	2				1		2	
NEPHRITIS AND NEPHROSIS (580-584)							1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			1		2			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		1		1		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	12				9		4	
ALL OTHER DISEASES (RESIDUAL)	9		13		18		9	
ACCIDENTAL DEATHS (E800-E949)	8		8		9		11	
MOTOR VEHICLE (E810-E823)	7		2		5		4	
OTHER TRANS. (E800-E807,E825-E845)	1						4	
POISONING (E850-E877)								
FALLS (E880-E887)			2		2			
FIRES (E890-E899)			3		1		1	
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)			1				1	
OTHER REMAINDER OF (E900-E949)					1		1	
SUICIDE (E950-E959)	1				3		2	
HOMICIDE (E960-E978)								
ALL OTHER EXTERNAL CAUSES (E980-E999)	1		1					

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	VERNON		WARREN		WASHINGTON		WAYNE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	262	1	169	12	319	3	123	2
ATTENDED BY M.D.	246	1	146	12	232	3	103	2
ATTENDED BY D.O.	16		23		69		20	
ATTENDED BY MIDWIFE					14			
OTHERS OR UNSPECIFIED					4			
LIVE BIRTHS UNDER 5.5 LBS.	13		14	4	23	1	7	
TOTAL FETAL DEATHS	3		2		5		1	
ATTENDED BY M.D.	3		2		4			
ATTENDED BY D.O.					1		1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	240	1	143	9	168	3	152	
UNDER ONE YEAR OF AGE	5		5		6		1	
NEONATAL DEATHS	3		5		2			
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2				2			
MALIGNANT NEOPLASMS (140-209)	36		26	1	22		25	
DIGEST. ORGANS (150-159)	8		4		6		6	
RESPIRATORY SYSTEM (160-163)	4		7		4		5	
BREAST (174)	2		4		1			
GENITAL ORGANS (180-187)	6		3		2		2	
URINARY ORGANS (188-189)	2				2		4	
LEUKEMIA (204-207)	3		2		1			
OTHER REMAINDER OF (140-209)	11		6	1	6		8	
DIABETES MELLITUS (250)	1		1		3		2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	132	1	75	4	91		81	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	83	1	54	3	62		64	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	VERNON		WARREN		WASHINGTON		WAYNE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2				2		1	
HYPERTENSIVE HEART (402,404)	1		1		1			
ISCHEMIC HEART (410-414)	73	1	51	1	55		58	
OTHER HEART DISEASE (420-429)	7		2	2	4		5	
HYPERTENSION (400,401,403)			1					
CEREBROVASCULAR DISEASE (430-438)	43		18	1	21		12	
ARTERIOSCLEROSIS (440)	1		2		5		1	
OTHER CIRCULATORY (441-448)	5				3		4	
INFLUENZA/PNEUMONIA (470-474,480-486)	8		3		8		7	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		1		4	1	1	
PEPTIC ULCER (531-533)	2				2		2	
CIRRHOSIS OF LIVER (571)	4		2			1	1	
NEPHRITIS AND NEPHROSIS (580-584)								
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		2		1			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	4		3		2			
SYMPTOMS & ILL-DEFINED COND. (780-796)	19		14		7		10	
ALL OTHER DISEASES (RESIDUAL)	11		8		13	1	10	
ACCIDENTAL DEATHS (E800-E949)	9		6	4	9		11	
MOTOR VEHICLE (E810-E823)	3		3		6		7	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)	1							
FALLS (E880-E887)	3				1			
FIRES (E890-E899)				4			1	
DROWNING & SUBMERSIONS (E910)	1		1		1		1	
FIREARM MISSILES (E922)					1			
INDUSTRIAL (E916-E921,E923-E928)	1		2					
OTHER REMAINDER OF (E900-E949)							2	
SUICIDE (E950-E959)	6		1		2		1	
HOMICIDE (E960-E978)	1				1			
ALL OTHER EXTERNAL CAUSES (E980-E999)			1		1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	WEBSTER		WORTH		WRIGHT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	278	1	32		208	1
ATTENDED BY M.D.	250	1	21		154	1
ATTENDED BY D.O.	23		11		53	
ATTENDED BY MIDWIFE	2					
OTHERS OR UNSPECIFIED	3				1	
LIVE BIRTHS UNDER 5.5 LBS.	20	1	3		11	
TOTAL FETAL DEATHS	3				4	
ATTENDED BY M.D.	3				2	
ATTENDED BY D.O.					2	
ATTENDED BY MIDWIFE						
OTHERS OR UNSPECIFIED						
TOTAL DEATHS	165		49		235	1
UNDER ONE YEAR OF AGE	3		1		3	
NEONATAL DEATHS	3		1		2	
MATERNAL DEATHS						
CAUSE OF DEATH						
TUBERCULOSIS, ALL FORMS (010-019)						
SYPHILIS AND ITS SEQUELAE (090-097)						
OTHER INFECTIVE & PARASITIC DISEASES						
REMAINDER OF (000-136)					1	
MALIGNANT NEOPLASMS (140-209)	20		5		36	
DIGEST. ORGANS (150-159)	7		1		2	
RESPIRATORY SYSTEM (160-163)	6				11	
BREAST (174)	2					
GENITAL ORGANS (180-187)	1				12	
URINARY ORGANS (188-189)					1	
LEUKEMIA (204-207)					2	
OTHER REMAINDER OF (140-209)	4		4		8	
DIABETES MELLITUS (250)	1		2		4	
MAJOR CARDIOVASCULAR DISEASE (390-448)	104		28		136	1
DISEASES OF HEART						
(390-398, 402, 404, 410-429)	63		21		82	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	WEBSTER		WORTH		WRIGHT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC						
RHEUMATIC HEART DISEASE (390-398)	1				1	
HYPERTENSIVE HEART (402,404)	1					
ISCHEMIC HEART (410-414)	59		20		75	1
OTHER HEART DISEASE (420-429)	2		1		6	
HYPERTENSION (400,401,403)	1				1	
CEREBROVASCULAR DISEASE (430-438)	33		5		49	
ARTERIOSCLEROSIS (440)	5		1		3	
OTHER CIRCULATORY (441-448)	2		1		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	5		2		17	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		1		4	
PEPTIC ULCER (531-533)	1		1			
CIRRHOSIS OF LIVER (571)	1				1	
NEPHRITIS AND NEPHROSIS (580-584)	1					
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)						
CONGENITAL ANOMALIES (740-759)	2		1		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		1		1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	1				6	
ALL OTHER DISEASES (RESIDUAL)	10		6		13	
ACCIDENTAL DEATHS (E800-E949)	13		2		13	
MOTOR VEHICLE (E810-E823)	5		1		5	
OTHER TRANS. (E800-E807,E825-E845)			1			
POISONING (E850-E877)						
FALLS (E880-E887)	2					
FIRES (E890-E899)					5	
DROWNING & SUBMERSIONS (E910)						
FIREARM MISSILES (E922)	2				1	
INDUSTRIAL (E916-E921,E923-E928)	4				1	
OTHER REMAINDER OF (E900-E949)					1	
SUICIDE (E950-E959)	1				1	
HOMICIDE (E960-E978)	1				1	
ALL OTHER EXTERNAL CAUSES (E980-E999)	1					

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	BALLWIN		BELLEFONTAINE NEIGHBORS		BERKELEY		BRENTWOOD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	186	3	44	1	160	59	73	27
ATTENDED BY M.D.	186	3	42	1	145	53	72	27
ATTENDED BY D.O.			2		15	6	1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	11		2		12	6	6	3
TOTAL FETAL DEATHS	1				2		2	
ATTENDED BY M.D.	1				2		2	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	74		136		81	6	72	2
UNDER ONE YEAR OF AGE	2				1	3		
NEONATAL DEATHS	2				1	2		
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1					
MALIGNANT NEOPLASMS (140-209)	15		29		19	1	14	
DIGEST. ORGANS (150-159)	6		7		7		2	
RESPIRATORY SYSTEM (160-163)	1		10		3		2	
BREAST (174)	1		2		3		4	
GENITAL ORGANS (180-187)	4		3		1	1	2	
URINARY ORGANS (188-189)	1		1				1	
LEUKEMIA (204-207)							1	
OTHER REMAINDER OF (140-209)	2		6		5		2	
DIABETES MELLITUS (250)			2		2		1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	37		72		42	2	39	1
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	24		52		34	2	29	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	BALLWIN		BELLEFONTAINE NEIGHBORS		BERKELEY		BRENTWOOD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			1		2			
HYPERTENSIVE HEART (402,404)								
ISCHEMIC HEART (410-414)	23		49		31	1	28	1
OTHER HEART DISEASE (420-429)	1		2		1	1	1	
HYPERTENSION (400,401,403)								
CEREBROVASCULAR DISEASE (430-438)	11		18		7		8	
ARTERIOSCLEROSIS (440)							1	
OTHER CIRCULATORY (441-448)	2		2		1		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	2		1		3		2	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		3					
PEPTIC ULCER (531-533)			1					
CIRRHOSIS OF LIVER (571)			3		1		2	
NEPHRITIS AND NEPHROSIS (580-584)			2				1	1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1							
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	2				1	2		
SYMPTOMS & ILL-DEFINED COND. (780-796)	1		1				1	
ALL OTHER DISEASES (RESIDUAL)	4		14		8		8	
ACCIDENTAL DEATHS (E800-E949)	3		3		1		1	
MOTOR VEHICLE (E810-E823)	1		1		1			
OTHER TRANS. (E800-E807,E825-E845)	1							
POISONING (E850-E877)								
FALLS (E880-E887)			1				1	
FIRES (E890-E899)								
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	1		1					
OTHER REMAINDER OF (E900-E949)								
SUICIDE (E950-E959)	6		1		2		2	
HOMICIDE (E960-E978)	2				1	1		
ALL OTHER EXTERNAL CAUSES (E980-E999)			3		1		1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	BRIDGETON		CAPE GIRARDEAU		CARTHAGE		CLAYTON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	195	3	376	46	161	6	80	8
ATTENDED BY M.D.	189	3	364	45	154	6	80	8
ATTENDED BY D.O.	6		11	1	7			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED			1					
LIVE BIRTHS UNDER 5.5 LBS.	13		28	7	10	1	5	
TOTAL FETAL DEATHS	1		8	4	2		1	
ATTENDED BY M.D.	1		8	3	1		1	
ATTENDED BY D.O.				1	1			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	89	1	253	18	160	7	169	3
UNDER ONE YEAR OF AGE	2		6	1	2			
NEONATAL DEATHS	2		5	1				
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			5		1		1	
MALIGNANT NEOPLASMS (140-209)	19	1	54	1	31	3	43	
DIGEST. ORGANS (150-159)	5		13		9	1	14	
RESPIRATORY SYSTEM (160-163)	6		13	1	7	1	6	
BREAST (174)	3		5		2		5	
GENITAL ORGANS (180-187)			6		5		4	
URINARY ORGANS (188-189)	1		2			1		
LEUKEMIA (204-207)	1	1	6		3		2	
OTHER REMAINDER OF (140-209)	3		9		5		12	
DIABETES MELLITUS (250)	1		4		4		3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	53		138	10	85	4	96	2
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	40		88	7	57	2	66	2

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	BRIDGETON		CAPE GIRARDEAU		CARTHAGE		CLAYTON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		3				1	
HYPERTENSIVE HEART (402,404)			2	1			1	
ISCHEMIC HEART (410-414)	38		79	5	53	2	64	2
OTHER HEART DISEASE (420-429)	1		4	1	4			
HYPERTENSION (400,401,403)					1		1	
CEREBROVASCULAR DISEASE (430-438)	13		35	3	19	2	22	
ARTERIOSCLEROSIS (440)			10		8		4	
OTHER CIRCULATORY (441-448)			5				3	
INFLUENZA/PNEUMONIA (470-474,480-486)			6	1	5			
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)			2		1		1	
PEPTIC ULCER (531-533)	1		1		2		1	
CIRRHOSIS OF LIVER (571)							1	
NEPHRITIS AND NEPHROSIS (580-584)					1			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			1					
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	2		3	1				
SYMPTOMS & ILL-DEFINED COND. (780-796)			12	2	4			
ALL OTHER DISEASES (RESIDUAL)	5		17	2	20		15	1
ACCIDENTAL DEATHS (E800-E949)	6		9	1	5		2	
MOTOR VEHICLE (E810-E823)	2		4				2	
OTHER TRANS. (E800-E807,E825-E845)			1					
POISONING (E850-E877)								
FALLS (E880-E887)	1		3		2			
FIRES (E890-E899)				1				
DROWNING & SUBMERSIONS (E910)	2							
FIREARM MISSILES (E922)	1				1			
INDUSTRIAL (E916-E921,E923-E928)								
OTHER REMAINDER OF (E900-E949)			1		2			
SUICIDE (E950-E959)	1		1				5	
HOMICIDE (E960-E978)					1			
ALL OTHER EXTERNAL CAUSES (E980-E999)	1						1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	COLUMBIA		CRESTWOOD		FERGUSON		FLORISSANT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	515	120	66		248	19	802	35
ATTENDED BY M.D.	510	120	65		232	17	779	35
ATTENDED BY D.O.	5		1		16	2	23	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	39	9	4		17	2	40	3
TOTAL FETAL DEATHS	3	1			5		9	
ATTENDED BY M.D.	3	1			4		9	
ATTENDED BY D.O.					1			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	282	41	86		237		460	6
UNDER ONE YEAR OF AGE	6	2	1		4		11	2
NEONATAL DEATHS	6	2	1		4		11	2
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2	1					2	
MALIGNANT NEOPLASMS (140-209)	54	11	16		61		103	1
DIGEST. ORGANS (150-159)	15	3	3		12		31	
RESPIRATORY SYSTEM (160-163)	9	1	2		19		25	
BREAST (174)	4	1	1		6		11	
GENITAL ORGANS (180-187)	5	1	3		4		4	
URINARY ORGANS (188-189)	3	1	2		3		9	1
LEUKEMIA (204-207)	4				3		3	
OTHER REMAINDER OF (140-209)	14	4	5		14		20	
DIABETES MELLITUS (250)	1	2	2		5		13	
MAJOR CARDIOVASCULAR DISEASE (390-448)	141	19	45		135		228	1
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	94	14	33		93		163	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	COLUMBIA		CRESTWOOD		FERGUSON		FLORISSANT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2	1			4		3	
HYPERTENSIVE HEART (402,404)	1		1					
ISCHEMIC HEART (410-414)	80	10	32		82		152	
OTHER HEART DISEASE (420-429)	11	3			7		8	
HYPERTENSION (400,401,403)		1					1	1
CEREBROVASCULAR DISEASE (430-438)	40	2	11		29		51	
ARTERIOSCLEROSIS (440)	4	1			4		7	
OTHER CIRCULATORY (441-448)	3	1	1		9		6	
INFLUENZA/PNEUMONIA (470-474,480-486)	11		1		3		5	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2				4		7	
PEPTIC ULCER (531-533)	1		1				1	
CIRRHOSIS OF LIVER (571)	4				5		9	
NEPHRITIS AND NEPHROSIS (580-584)	2		1		1		1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2		2		3		2	1
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	6	1			3		7	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	2	1	2				5	
ALL OTHER DISEASES (RESIDUAL)	25	3	4		8		35	1
ACCIDENTAL DEATHS (E800-E949)	16	3	7		4		24	
MOTOR VEHICLE (E810-E823)	5	2	4		2		14	
OTHER TRANS. (E800-E807,E825-E845)							1	
POISONING (E850-E877)			2					
FALLS (E880-E887)	7						3	
FIRES (E890-E899)	1							
DROWNING & SUBMERSIONS (E910)	1	1					2	
FIREARM MISSILES (E922)							1	
INDUSTRIAL (E916-E921,E923-E928)			1				1	
OTHER REMAINDER OF (E900-E949)	2				2		2	
SUICIDE (E950-E959)	8		4		3		9	
HOMICIDE (E960-E978)	2		1		1		6	1
ALL OTHER EXTERNAL CAUSES (E980-E999)	3						3	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	FULTON		GLADSTONE		GRANDVIEW		HANNIBAL	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	105	16	255	3	351	23	249	16
ATTENDED BY M.O.	92	15	243	3	324	19	242	16
ATTENDED BY D.O.	13	1	12		27	4	7	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	9	1	16		22	3	17	3
TOTAL FETAL DEATHS	1	2	1		6		3	
ATTENDED BY M.O.		2	1		6		3	
ATTENDED BY D.O.	1							
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	110	16	65		78	1	262	15
UNDER ONE YEAR OF AGE	2		1		2	1	2	2
NEONATAL DEATHS	1		1			1	1	2
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1						1	
SYPHILIS AND ITS SEQUELAE (090-097)							1	
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)							2	
MALIGNANT NEOPLASMS (140-209)	18	3	17		13		57	6
DIGEST. ORGANS (150-159)	5	1	2		3		15	2
RESPIRATORY SYSTEM (160-163)	2	2	3		3		15	2
BREAST (174)	1		4		1		2	
GENITAL ORGANS (180-187)	2		2		2		8	
URINARY ORGANS (188-189)	2		1		1		3	
LEUKEMIA (204-207)	1				2		3	
OTHER REMAINDER OF (140-209)	5		5		1		11	2
DIABETES MELLITUS (250)	2	1	2		2		6	
MAJOR CARDIOVASCULAR DISEASE (390-448)	57	5	26		38		140	6
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	37	3	18		27		103	5

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	FULTON		GLADSTONE		GRANDVIEW		HANNIBAL	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2						1	
HYPERTENSIVE HEART (402,404)	2						3	1
ISCHEMIC HEART (410-414)	30	2	15		24		86	3
OTHER HEART DISEASE (420-429)	3	1	3		3		13	1
HYPERTENSION (400,401,403)					1		1	
CEREBROVASCULAR DISEASE (430-438)	16	2	6		7		29	1
ARTERIOSCLEROSIS (440)	3		2		2		5	
OTHER CIRCULATORY (441-448)	1				1		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	7	2	1		4		6	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1						4	
PEPTIC ULCER (531-533)								
CIRRHOSIS OF LIVER (571)	1						2	
NEPHRITIS AND NEPHROSIS (580-584)	3		1				1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1				1		2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			1			1	1	2
SYMPTOMS & ILL-DEFINED COND. (780-796)	4	3	2		3		6	
ALL OTHER DISEASES (RESIDUAL)	9		2		5		18	1
ACCIDENTAL DEATHS (E800-E949)	6	2	7		10		8	
MOTOR VEHICLE (E810-E823)	1		4		4		4	
OTHER TRANS. (E800-E807,E825-E845)					1		1	
POISONING (E850-E877)								
FALLS (E880-E887)	4	1			1		2	
FIRES (E890-E899)			2		1			
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)					1			
INDUSTRIAL (E916-E921,E923-E928)							1	
OTHER REMAINDER OF (E900-E949)	1	1	1		2			
SUICIDE (E950-E959)			4		2		3	
HOMICIDE (E960-E978)			1				3	
ALL OTHER EXTERNAL CAUSES (E980-E999)			1				1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	HAZELWOOD		INDEPENDENCE		JEFFERSON CITY		JENNINGS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	203	19	1,644	34	381	38	82	44
ATTENDED BY M.D.	197	15	1,434	25	275	18	77	42
ATTENDED BY D.O.	6	4	209	9	106	20	5	2
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED			1					
LIVE BIRTHS UNDER 5.5 LBS.	11	1	100	3	16	3	6	3
TOTAL FETAL DEATHS	2		17		3		2	1
ATTENDED BY M.D.	2		16		3		2	1
ATTENDED BY D.O.			1					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	84	4	802	10	247	12	222	3
UNDER ONE YEAR OF AGE	2		21		6		2	
NEONATAL DEATHS	2		16		5		2	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1				1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			2		3	1		
MALIGNANT NEOPLASMS (140-209)	28	1	141	3	46	3	55	
DIGEST. ORGANS (150-159)	3		34	1	7	1	21	
RESPIRATORY SYSTEM (160-163)	9		33		8		18	
BREAST (174)	6		12		6	1	1	
GENITAL ORGANS (180-187)	2		20	2	8		3	
URINARY ORGANS (188-189)	1		9		3		3	
LEUKEMIA (204-207)	3		4		2		2	
OTHER REMAINDER OF (140-209)	4	1	29		12	1	7	
DIABETES MELLITUS (250)			8	1	4		8	
MAJOR CARDIOVASCULAR DISEASE (390-448)	36	1	452	5	143	6	116	3
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	30	1	321	2	110	5	93	3

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	HAZELWOOD		INDEPENDENCE		JEFFERSON CITY		JENNINGS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		7	1	1		1	
HYPERTENSIVE HEART (402,404)			1				2	
ISCHEMIC HEART (410-414)	27	1	297	1	107	2	87	3
OTHER HEART DISEASE (420-429)	2		16		2	3	3	
HYPERTENSION (400,401,403)			4	1	1			
CEREBROVASCULAR DISEASE (430-438)	5		105	2	27	1	16	
ARTERIOSCLEROSIS (440)			14		4		3	
OTHER CIRCULATORY (441-448)	1		8		1		4	
INFLUENZA/PNEUMONIA (470-474,480-486)			27		3		7	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		13		3		3	
PEPTIC ULCER (531-533)			8		1		4	
CIRRHOSIS OF LIVER (571)	1		7		1		2	
NEPHRITIS AND NEPHROSIS (580-584)	1						1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		7		1		1	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	1		11		4		1	
SYMPTOMS & ILL-DEFINED COND. (780-796)			16		1			
ALL OTHER DISEASES (RESIDUAL)	5	1	58		18	2	15	
ACCIDENTAL DEATHS (E800-E949)	8	1	26	1	17		5	
MOTOR VEHICLE (E810-E823)	4		15	1	4		2	
OTHER TRANS. (E800-E807,E825-E845)			3		4			
POISONING (E850-E877)					2			
FALLS (E880-E887)	2		2		1		2	
FIRES (E890-E899)					3			
DROWNING & SUBMERSIONS (E910)	1		2		2			
FIREARM MISSILES (E922)	1		1					
INDUSTRIAL (E916-E921,E923-E928)		1	3					
OTHER REMAINDER OF (E900-E949)					1		1	
SUICIDE (E950-E959)	2		17		2		2	
HOMICIDE (E960-E978)			7					
ALL OTHER EXTERNAL CAUSES (E980-E999)			1				1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	JOPLIN		KANSAS CITY (TOTAL)		KANSAS CITY (JACKSON CNTY)		KANSAS CITY (CLAY CNTY)	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	546	18	4,872	2,599	3,654	2,573	1,015	21
ATTENDED BY M.D.	457	9	4,365	2,308	3,263	2,282	915	21
ATTENDED BY D.O.	88	9	503	291	387	291	100	
ATTENDED BY MIDWIFE	1		1		1			
OTHERS OR UNSPECIFIED			3		3			
LIVE BIRTHS UNDER 5.5 LBS.	41	3	369	350	298	350	57	
TOTAL FETAL DEATHS	5		62	60	51	59	9	1
ATTENDED BY M.D.	4		57	54	47	53	8	1
ATTENDED BY D.O.	1		5	5	4	5	1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED				1		1		
TOTAL DEATHS	540	16	4,007	1,072	3,656	1,072	312	
UNDER ONE YEAR OF AGE	15	1	70	56	60	56	8	
NEONATAL DEATHS	9	1	51	36	43	36	6	
MATERNAL DEATHS				2		2		
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			4	4	2	4	2	
SYPHILIS AND ITS SEQUELAE (090-097)				2		2		
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	3		19	14	17	14	2	
MALIGNANT NEOPLASMS (140-209)	99	2	709	191	635	191	67	
DIGEST. ORGANS (150-159)	21		195	65	168	65	25	
RESPIRATORY SYSTEM (160-163)	29	1	166	44	154	44	10	
BREAST (174)	7	1	69	11	64	11	5	
GENITAL ORGANS (180-187)	12		73	29	67	29	5	
URINARY ORGANS (188-189)	4		35	6	34	6	1	
LEUKEMIA (204-207)	7		27	4	21	4	6	
OTHER REMAINDER OF (140-209)	19		144	32	127	32	15	
DIABETES MELLITUS (250)	6		52	23	46	23	6	
MAJOR CARDIOVASCULAR DISEASE (390-448)	273	9	2,153	443	1,977	443	156	
DISEASES OF HEART								
(390-398,402,404,410-429)	187	5	1,543	329	1,421	329	108	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	JOPLIN		KANSAS CITY (TOTAL)		KANSAS CITY (JACKSON CNTY)		KANSAS CITY (CLAY CNTY)	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		31	6	29	6	2	
HYPERTENSIVE HEART (402,404)	6		23	7	22	7	1	
ISCHEMIC HEART (410-414)	161	4	1,386	272	1,279	272	93	
OTHER HEART DISEASE (420-429)	19	1	103	44	91	44	12	
HYPERTENSION (400,401,403)	3		12	7	11	7	1	
CEREBROVASCULAR DISEASE (430-438)	61	4	460	90	418	90	37	
ARTERIOSCLEROSIS (440)	11		76	12	71	12	4	
OTHER CIRCULATORY (441-448)	11		62	5	56	5	6	
INFLUENZA/PNEUMONIA (470-474,480-486)	16		92	27	87	27	5	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	6		58	5	50	5	7	
PEPTIC ULCER (531-533)	4		20	5	19	5	1	
CIRRHOSIS OF LIVER (571)	7	1	53	18	50	18	1	
NEPHRITIS AND NEPHROSIS (580-584)	5		18	7	18	7		
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)				2		2		
CONGENITAL ANOMALIES (740-759)	5		26	13	21	13	5	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	6	1	34	24	29	24	3	
SYMPTOMS & ILL-DEFINED COND. (780-796)	27		149	78	143	78	5	
ALL OTHER DISEASES (RESIDUAL)	48	2	324	91	298	91	25	
ACCIDENTAL DEATHS (E800-E949)	27		178	39	158	39	17	
MOTOR VEHICLE (E810-E823)	7		60	17	51	17	7	
OTHER TRANS. (E800-E807,E825-E845)	1		9		7		2	
POISONING (E850-E877)	1		2		1		1	
FALLS (E880-E887)	9		51	10	48	10	3	
FIRES (E890-E899)	5		15	4	15	4		
DROWNING & SUBMERSIONS (E910)	1		9	3	7	3	1	
FIREARM MISSILES (E922)			3	1	1	1	2	
INDUSTRIAL (E916-E921,E923-E928)			7	1	6	1	1	
OTHER REMAINDER OF (E900-E949)	3		22	3	22	3		
SUICIDE (E950-E959)	5		72	7	66	7	5	
HOMICIDE (E960-E978)	3		35	76	31	76	3	
ALL OTHER EXTERNAL CAUSES (E980-E999)		1	11	3	9	3	2	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	KANSAS CITY (PLATTE CNTY)		KIRKSVILLE		KIRKWOOD		LAQUE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	203	5	198	9	245	63	36	
ATTENDED BY M.D.	187	5	8		245	62	36	
ATTENDED BY D.O.	16		180	9		1		
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	14		11		11	10		
TOTAL FETAL DEATHS	2		4		4	1		
ATTENDED BY M.D.	2				4	1		
ATTENDED BY D.O.			4					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	39		147	2	277	19	81	
UNDER ONE YEAR OF AGE	2		7					
NEONATAL DEATHS	2		7					
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)								
MALIGNANT NEOPLASMS (140-209)	7		22	1	55	1	20	
DIGEST. ORGANS (150-159)	2		8	1	15	1	8	
RESPIRATORY SYSTEM (160-163)	2		3		8		2	
BREAST (174)			4		4		2	
GENITAL ORGANS (180-187)	1		1		7			
URINARY ORGANS (188-189)			1		2			
LEUKEMIA (204-207)			1		3		2	
OTHER REMAINDER OF (140-209)	2		4		16		6	
DIABETES MELLITUS (250)			2		7	1	2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	20		82	1	160	13	40	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	14		55	1	105	8	29	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	KANSAS CITY (PLATTE CNTY)		KIRKSVILLE		KIRKWOOD		LADUE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			2		7		1	
HYPERTENSIVE HEART (402,404)			1					
ISCHEMIC HEART (410-414)	14		49	1	97	8	27	
OTHER HEART DISEASE (420-429)			3		1		1	
HYPERTENSION (400,401,403)			2		3			
CEREBROVASCULAR DISEASE (430-438)	5		19		41	5	10	
ARTERIOSCLEROSIS (440)	1		3		8		1	
OTHER CIRCULATORY (441-448)			3		3			
INFLUENZA/PNEUMONIA (470-474,480-486)			9		4	1	3	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1				4		1	
PEPTIC ULCER (531-533)			1		1			
CIRRHOSIS OF LIVER (571)	2		1		7	1		
NEPHRITIS AND NEPHROSIS (580-584)						1		
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			1					
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	2		5					
SYMPTOMS & ILL-DEFINED COND. (780-796)	1		4		3		1	
ALL OTHER DISEASES (RESIDUAL)	1		8		20		7	
ACCIDENTAL DEATHS (E800-E949)	3		9		14	1	2	
MOTOR VEHICLE (E810-E823)	2		5		3	1		
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)					2		1	
FALLS (E880-E887)					5		1	
FIRES (E890-E899)			1					
DROWNING & SUBMERSIONS (E910)	1		1					
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)			1					
OTHER REMAINDER OF (E900-E949)			1		4			
SUICIDE (E950-E959)	1		3		2		2	
HOMICIDE (E960-E978)	1							
ALL OTHER EXTERNAL CAUSES (E980-E999)							2	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	LEE'S SUMMIT		LIBERTY		MAPLEWOOD		MARSHALL	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	312	2	214	2	71	11	194	4
ATTENDED BY M.D.	291	2	177		68	11	192	4
ATTENDED BY D.O.	21		37	2	3		2	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	22		19		5	2	13	1
TOTAL FETAL DEATHS	3		4				1	
ATTENDED BY M.D.	1		3				1	
ATTENDED BY D.O.	2		1					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	177		108	3	127	2	163	12
UNDER ONE YEAR OF AGE	3		5		3	1	5	
NEONATAL DEATHS	3		1		1	1	5	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)								
MALIGNANT NEOPLASMS (140-209)	40		12	1	30		34	2
DIGEST. ORGANS (150-159)	8		3	1	8		13	2
RESPIRATORY SYSTEM (160-163)	9		4		5		4	
BREAST (174)	5		1		4		1	
GENITAL ORGANS (180-187)	3		2		2		4	
URINARY ORGANS (189-189)	2		1				1	
LEUKEMIA (204-207)	3				3			
OTHER REMAINDER OF (140-209)	10		1		8		11	
DIABETES MELLITUS (250)	6		1		2		1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	93		70	2	65	1	91	8
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	52		49	2	43		60	5

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	LEE'S SUMMIT		LIBERTY		MAPLEWOOD		MARSHALL	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2				1			
HYPERTENSIVE HEART (402,404)								
ISCHEMIC HEART (410-414)	47		45	2	40		54	5
OTHER HEART DISEASE (420-429)	3		4		2		6	
HYPERTENSION (400,401,403)							1	
CEREBROVASCULAR DISEASE (430-438)	34		16		17	1	28	3
ARTERIOSCLEROSIS (440)	2		2		2		1	
OTHER CIRCULATORY (441-448)	5		3		3		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	3				2		6	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	5		1		3		4	
PEPTIC ULCER (531-533)							1	
CIRRHOSIS OF LIVER (571)	1						1	1
NEPHRITIS AND NEPHROSIS (580-584)							2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		1		2		1	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	3		1			1	4	
SYMPTOMS & ILL-DEFINED COND. (780-796)	2		2		7			
ALL OTHER DISEASES (RESIDUAL)	9		7		9		4	
ACCIDENTAL DEATHS (E800-E949)	7		11		1		7	1
MOTOR VEHICLE (E810-E823)	4		4				4	
OTHER TRANS. (E800-E807,E825-E845)			1					
POISONING (E850-E877)			1					
FALLS (E880-E887)	1		2				1	
FIRES (E890-E899)			1					
DROWNING & SUBMERSIONS (E910)	1						1	1
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)			2					
OTHER REMAINDER OF (E900-E949)	1				1		1	
SUICIDE (E950-E959)	3		1		2		5	
HOMICIDE (E960-E978)	3				1		1	
ALL OTHER EXTERNAL CAUSES (E980-E999)	1		1		3		1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	MEXICO		MOBERLY		OVERLAND		POPLAR BLUFF	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	133	20	150	15	272	25	213	26
ATTENDED BY M.D.	117	18	95	8	259	24	192	26
ATTENDED BY D.O.	16	2	55	7	13	1	21	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	3	5	10	5	15	1	17	2
TOTAL FETAL DEATHS	1				2		1	
ATTENDED BY M.D.	1				2		1	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	141	14	197	19	243	5	269	21
UNDER ONE YEAR OF AGE	2		4	2	10	1	5	1
NEONATAL DEATHS	1		2	1	8		4	1
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1				1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1			1	2		1	
MALIGNANT NEOPLASMS (140-209)	23	2	33	5	56		49	3
DIGEST. ORGANS (150-159)	5	2	5	2	16		12	
RESPIRATORY SYSTEM (160-163)	3		6		17		10	2
BREAST (174)	4		3	1	4		1	
GENITAL ORGANS (180-187)	5		6	1	3		9	
URINARY ORGANS (188-189)	2		2		4		2	
LEUKEMIA (204-207)					3		4	
OTHER REMAINDER OF (140-209)	4		11	1	9		11	1
DIABETES MELLITUS (250)	4	2	3		6	1	7	
MAJOR CARDIOVASCULAR DISEASE (390-448)	72	7	117	7	127	3	135	9
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	35	6	80	4	90	3	93	4

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	MEXICO		MOBERLY		OVERLAND		POPLAR BLUFF	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			1		5		2	
HYPERTENSIVE HEART (402,404)	2	2	1		1			
ISCHEMIC HEART (410-414)	30	3	66	4	79	3	72	4
OTHER HEART DISEASE (420-429)	3	1	12		5		19	
HYPERTENSION (400,401,403)	2				1			
CEREBROVASCULAR DISEASE (430-438)	26	1	31	3	23		39	5
ARTERIOSCLEROSIS (440)	7		4		5		1	
OTHER CIRCULATORY (441-448)	2		2		8		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	2	1	6		2	1	5	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	6		3		3		4	
PEPTIC ULCER (531-533)	1						2	
CIRRHOSIS OF LIVER (571)	3		1		6		2	
NEPHRITIS AND NEPHROSIS (580-584)			1				3	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2		2		3			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			1		4		4	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	1		5	2	3		29	4
ALL OTHER DISEASES (RESIDUAL)	15	1	14	2	17		17	2
ACCIDENTAL DEATHS (E800-E949)	6		8	2	10		8	1
MOTOR VEHICLE (E810-E823)	1		3	1	7		3	
OTHER TRANS. (E800-E807,E825-E845)					1			
POISONING (E850-E877)	1							
FALLS (E880-E887)	2		1	1	2		2	
FIRES (E890-E899)			1					1
DROWNING & SUBMERSIONS (E910)			1				1	
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)			2				1	
OTHER REMAINDER OF (E900-E949)	2						1	
SUICIDE (E950-E959)	3		2		1		3	
HOMICIDE (E960-E978)	1							1
ALL OTHER EXTERNAL CAUSES (E980-E999)		1	1		2			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	RAYTOWN		RICHMOND HGHTS		ROLLA		ST ANN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	322	3	91	23	164	5	192	7
ATTENDED BY M.D.	294	3	89	23	144	5	177	5
ATTENDED BY D.O.	28		2		20		15	2
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	28		2	4	14		17	1
TOTAL FETAL DEATHS	5		1		1			
ATTENDED BY M.D.	5		1		1			
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	207		161	11	92	1	137	1
UNDER ONE YEAR OF AGE	5			1			5	1
NEONATAL DEATHS	4			1			5	1
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		2				1	
MALIGNANT NEOPLASMS (140-209)	34		39	1	15		23	
DIGEST. ORGANS (150-159)	8		10	1	5		6	
RESPIRATORY SYSTEM (160-163)	7		7		5		5	
BREAST (174)	3		5		2		2	
GENITAL ORGANS (180-187)	3		6		1			
URINARY ORGANS (188-189)	4		3				1	
LEUKEMIA (204-207)	1		1				2	
OTHER REMAINDER OF (140-209)	8		7		2		7	
DIABETES MELLITUS (250)	2		5		2		2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	115		89	8	47		84	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	84		68	6	27		60	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	RAYTOWN		RICHMOND HGHTS		ROLLA		ST ANN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			1				1	
HYPERTENSIVE HEART (402,404)	1		1		1		1	
ISCHEMIC HEART (410-414)	81		66	6	24		52	
OTHER HEART DISEASE (420-429)	2				2		6	
HYPERTENSION (400,401,403)					1			
CEREBROVASCULAR DISEASE (430-438)	26		18	2	15		17	
ARTERIOSCLEROSIS (440)	4		2		2		4	
OTHER CIRCULATORY (441-448)	1		1		2		3	
INFLUENZA/PNEUMONIA (470-474,480-486)	6		3	1	7		1	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		2		2		2	
PEPTIC ULCER (531-533)	1		1				1	
CIRRHOSIS OF LIVER (571)			2		2		1	
NEPHRITIS AND NEPHROSIS (580-584)					1			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1				1		3	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	4			1			2	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	6		2		4	1		
ALL OTHER DISEASES (RESIDUAL)	17		9		3		10	
ACCIDENTAL DEATHS (E800-E949)	8		7		6		2	
MOTOR VEHICLE (E810-E823)	4		1		4		1	
OTHER TRANS. (E800-E807,E825-E845)	1							
POISONING (E850-E877)			2					
FALLS (E880-E887)	1		2				1	
FIRES (E890-E899)	1							
DROWNING & SUBMERSIONS (E910)	1		1		1			
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)								
OTHER REMAINDER OF (E900-E949)			1		1			
SUICIDE (E950-E959)	6				1		3	
HOMICIDE (E960-E978)	2				1		1	
ALL OTHER EXTERNAL CAUSES (E980-E999)	1						1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	ST CHARLES		ST JOSEPH		ST LOUIS CITY		SEDALIA	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	569	10	1,054	78	3,413	5,341	292	32
ATTENDED BY M.D.	558	9	1,051	76	3,363	5,319	289	32
ATTENDED BY D.O.	11	1	3		50	22	3	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	34	3	63	12	255	762	20	8
TOTAL FETAL DEATHS	9		16		33	84	3	
ATTENDED BY M.D.	9		16		32	82	3	
ATTENDED BY D.O.						1		
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED					1	1		
TOTAL DEATHS	304	9	1,004	32	5,399	2,722	324	26
UNDER ONE YEAR OF AGE	14		21	1	56	178	3	1
NEONATAL DEATHS	12		18		41	143	3	1
MATERNAL DEATHS					1	3		
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			2		13	10	1	
SYPHILIS AND ITS SEQUELAE (090-097)					1	1		
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2		6		28	23	1	
MALIGNANT NEOPLASMS (140-209)	49	4	177	8	986	473	56	3
DIGEST. ORGANS (150-159)	13	2	40	1	285	137	6	
RESPIRATORY SYSTEM (160-163)	10		42	1	244	109	13	1
BREAST (174)	6		16		89	42	6	1
GENITAL ORGANS (180-187)	7	1	29	1	101	74	6	
URINARY ORGANS (188-189)	1		10		42	11	2	
LEUKEMIA (204-207)	2		5	1	35	9	2	1
OTHER REMAINDER OF (140-209)	10	1	35	4	190	91	21	
DIABETES MELLITUS (250)	1	1	23	2	141	94	8	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	166	2	545	12	3,170	1,182	190	10
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	115	1	396	8	2,456	845	132	9

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	ST CHARLES		ST JOSEPH		ST LOUIS CITY		SEDALIA	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		10	2	32	13	2	
HYPERTENSIVE HEART (402,404)			8	1	32	28	1	
ISCHEMIC HEART (410-414)	109	1	356	5	2,320	722	122	9
OTHER HEART DISEASE (420-429)	4		22		72	82	7	
HYPERTENSION (400,401,403)	3		4		21	19	2	
CEREBROVASCULAR DISEASE (430-438)	38	1	108	4	508	255	50	1
ARTERIOSCLEROSIS (440)	2		18		119	29	3	
OTHER CIRCULATORY (441-448)	8		19		66	34	3	
INFLUENZA/PNEUMONIA (470-474,480-486)	15		19		147	88	4	2
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		12		83	19	7	
PEPTIC ULCER (531-533)			8	1	19	4	1	
CIRRHOSIS OF LIVER (571)	2		17	1	104	64		
NEPHRITIS AND NEPHROSIS (580-584)	1		5		9	18	2	1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)					1	3		
CONGENITAL ANOMALIES (740-759)	1		3		8	36	3	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	10		13		38	105	2	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	13	1	40	2	52	29	2	
ALL OTHER DISEASES (RESIDUAL)	20		74	2	358	267	25	3
ACCIDENTAL DEATHS								
(E800-E949)	13	1	34	3	142	103	19	4
MOTOR VEHICLE (E810-E823)	9	1	14		31	20	6	1
OTHER TRANS. (E800-E807,E825-E845)			1		2	4		
POISONING (E850-E877)					6	9	2	
FALLS (E880-E887)	2		7		66	24	2	1
FIRES (E890-E899)			4		5	13	2	1
DROWNING & SUBMERSIONS (E910)			1	1	9	9	1	1
FIREARM MISSILES (E922)			1		3	7	1	
INDUSTRIAL (E916-E921,E923-E928)	1		2		2	3	1	
OTHER REMAINDER OF (E900-E949)	1		4	2	18	14	4	
SUICIDE (E950-E959)	6		15		46	15	2	
HOMICIDE (E960-E978)			4	1	35	166		1
ALL OTHER EXTERNAL CAUSES (E980-E999)	1		7		18	22	1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	SIKESTON		SPRINGFIELD		UNIVERSITY CITY		WARRENSBURG	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	251	57	1,848	56	205	240	141	15
ATTENDED BY M.D.	195	18	1,826	56	204	236	128	12
ATTENDED BY D.O.	55	16	20		1	4	13	3
ATTENDED BY MIDWIFE	1	23						
OTHERS OR UNSPECIFIED			2					
LIVE BIRTHS UNDER 5.5 LBS.	23	6	123	4	8	26	13	3
TOTAL FETAL DEATHS	7	1	16	1	1	3		
ATTENDED BY M.D.	6	1	16	1	1	3		
ATTENDED BY D.O.	1							
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	127	27	1,245	32	455	56	93	9
UNDER ONE YEAR OF AGE	6	1	28	2	3	6	3	1
NEONATAL DEATHS	6		19	1	3	6	2	1
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			4		1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			4	1	4		1	
MALIGNANT NEOPLASMS (140-209)	17	2	211	4	86	10	13	1
DIGEST. ORGANS (150-159)	5	1	55		32	2	2	
RESPIRATORY SYSTEM (160-163)	6		48		13	2	3	1
BREAST (174)	1		17		10	2	2	
GENITAL ORGANS (180-187)	1		22	2	10	1	1	
URINARY ORGANS (188-189)	1		10		3			
LEUKEMIA (204-207)			8		4		1	
OTHER REMAINDER OF (140-209)	3	1	51	2	14	3	4	
DIABETES MELLITUS (250)	3		18		16		1	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	61	12	688	18	272	20	52	4
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	48	8	454	11	201	11	38	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

	SIKESTON		SPRINGFIELD		UNIVERSITY CITY		WARRENSBURG	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			13		4		1	
HYPERTENSIVE HEART (402,404)		1	3	1				
ISCHEMIC HEART (410-414)	45	6	417	9	196	10	33	1
OTHER HEART DISEASE (420-429)	3	1	21	1	1	1	4	
HYPERTENSION (400,401,403)		1	3	1				
CEREBROVASCULAR DISEASE (430-438)	12	3	172	5	56	9	11	2
ARTERIOSCLEROSIS (440)			45		7		2	1
OTHER CIRCULATORY (441-448)	1		14	1	8		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	5		33	1	12	2	3	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		11		4	1	5	
PEPTIC ULCER (531-533)			3				1	
CIRRHOSIS OF LIVER (571)	1	1	12		3			
NEPHRITIS AND NEPHROSIS (580-584)	1		2			1		
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		7			4	1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	3		16		3	5	2	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	7	5	68	7	4	1		
ALL OTHER DISEASES (RESIDUAL)	16	2	88		27	2	9	1
ACCIDENTAL DEATHS (E800-E949)	8		59		13	4	4	
MOTOR VEHICLE (E810-E823)	5		28		7	3	1	
OTHER TRANS. (E800-E807,E825-E845)			2					
POISONING (E850-E877)			2					
FALLS (E880-E887)	2		7		6		1	
FIRES (E890-E899)			7			1	1	
DROWNING & SUBMERSIONS (E910)			4					
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)			5					
OTHER REMAINDER OF (E900-E949)	1		4				1	
SUICIDE (E950-E959)			16		6			
HOMICIDE (E960-E978)		3	4		2	4	1	
ALL OTHER EXTERNAL CAUSES (E980-E999)	2	2	1	1	2	2		

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

## WEBSTER GROVES.

	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	228	26
ATTENDED BY M.D.	226	26
ATTENDED BY D.O.	2	
ATTENDED BY MIDWIFE		
OTHERS OR UNSPECIFIED		
LIVE BIRTHS UNDER 5.5 LBS.	12	2
TOTAL FETAL DEATHS		
ATTENDED BY M.D.		
ATTENDED BY D.O.		
ATTENDED BY MIDWIFE		
OTHERS OR UNSPECIFIED		
TOTAL DEATHS	246	17
UNDER ONE YEAR OF AGE	3	1
NEONATAL DEATHS	3	1
MATERNAL DEATHS		
CAUSE OF DEATH		
TUBERCULOSIS, ALL FORMS (010-019)	1	
SYPHILIS AND ITS SEQUELAE (090-097)		
OTHER INFECTIVE & PARASITIC DISEASES		
REMAINDER OF (000-136)	4	
MALIGNANT NEOPLASMS (140-209)	49	4
DIGEST. ORGANS (150-159)	16	2
RESPIRATORY SYSTEM (160-163)	8	1
BREAST (174)	1	
GENITAL ORGANS (180-187)	5	
URINARY ORGANS (188-189)	5	1
LEUKEMIA (204-207)	1	
OTHER REMAINDER OF (140-209)	13	
DIABETES MELLITUS (250)	5	
MAJOR CARDIOVASCULAR DISEASE (390-448)	135	7
DISEASES OF HEART		
(390-398, 402, 404, 410-429)	87	3

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1974

## WEBSTER GROVES.

	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (390-398)		
HYPERTENSIVE HEART (402,404)	1	
ISCHEMIC HEART (410-414)	85	3
OTHER HEART DISEASE (420-429)	1	
HYPERTENSION (400,401,403)	1	
CEREBROVASCULAR DISEASE (430-438)	32	4
ARTERIOSCLEROSIS (440)	8	
OTHER CIRCULATORY (441-448)	7	
INFLUENZA/PNEUMONIA (470-474,480-486)	7	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	9	
PEPTIC ULCER (531-533)		
CIRRHOSIS OF LIVER (571)	2	
NEPHRITIS AND NEPHROSIS (580-584)	2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)		
CONGENITAL ANOMALIES (740-759)	1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	3	
ALL OTHER DISEASES (RESIDUAL)	19	3
ACCIDENTAL DEATHS (E800-E949)	7	
MOTOR VEHICLE (E810-E823)	2	
OTHER TRANS. (E800-E807,E825-E845)		
POISONING (E850-E877)	1	
FALLS (E880-E887)	2	
FIRES (E890-E899)	2	
DROWNING & SUBMERSIONS (E910)		
FIREARM MISSILES (E922)		
INDUSTRIAL (E916-E921,E923-E928)		
OTHER REMAINDER OF (E900-E949)		
SUICIDE (E950-E959)	1	
HOMICIDE (E960-E978)		2
ALL OTHER EXTERNAL CAUSES (E980-E999)		

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 17

## RECORDED DEATHS BY TYPE OF ACCIDENT, AGE AND SEX, MISSOURI 1974

TYPE OF ACCIDENT	ALL AGES		0-4		5-14		15-24		25-44		45-64		65-74		OVER-74	
	MALE	FEMLE	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1. GRAND TOTAL	1,731	770	73	54	119	49	423	105	389	105	364	103	146	82	216	272
10. WORK TOTAL	128	5	-	-	1	1	20	1	38	1	50	2	14	-	5	-
11. AGRICULTURE	45	2	-	-	1	1	3	-	8	1	18	-	12	-	3	-
12. MINING, QUARRYING, OIL/GAS WELL	7	-	-	-	-	-	2	-	3	-	2	-	-	-	-	-
13. CONSTRUCTION	23	-	-	-	-	-	6	-	9	-	6	-	-	-	2	-
14. MANUFACTURING	18	-	-	-	-	-	2	-	7	-	9	-	-	-	-	-
15. TRANS. AND PUBLIC UTILITIES	8	-	-	-	-	-	2	-	3	-	3	-	-	-	-	-
16. TRADE	3	1	-	-	-	-	1	-	1	-	1	1	-	-	-	-
17. SERVICE	10	1	-	-	-	-	-	-	1	-	7	1	2	-	-	-
18. GOVERNMENT	9	-	-	-	-	-	1	-	5	-	3	-	-	-	-	-
19. OTHER AND UNSPECIFIED INDUS.	5	1	-	-	-	-	3	1	1	-	1	-	-	-	-	-
20. HOME TOTAL	373	241	44	25	39	14	37	11	42	19	86	30	41	35	84	107
21. POISONINGS (GAS EXCEPTED)	11	5	1	2	-	-	5	1	4	-	-	2	1	-	-	-
22. POISONINGS BY GAS AND VAPOR	14	7	1	-	-	-	4	2	4	-	5	1	-	2	-	2
23. FALLS	116	133	4	2	1	2	-	2	7	3	26	15	20	22	58	87
24. FIRES	108	49	17	4	9	4	9	4	11	7	30	10	11	7	21	13
25. DROWNING	17	5	7	2	4	2	1	-	-	1	4	-	-	-	1	-
26. SUFFOCATION, INGESTED OBJECTS	5	5	1	3	-	-	1	-	1	1	1	1	1	-	-	-
27. SUFFOCATION, MECHANICAL	18	8	7	7	9	1	-	-	1	-	-	-	1	-	-	-
28. FIREARMS	42	10	-	1	12	2	13	2	8	4	8	-	1	-	-	1
29. OTHER AND UNSPECIFIED ACC.	42	19	6	4	4	3	4	-	6	3	12	1	6	4	4	4
30. MOTOR VEHICLE TOTAL	792	297	15	23	43	24	270	84	211	64	147	52	55	20	50	30
31. INJURY TO PEDESTRIAN	111	45	10	10	14	9	15	7	17	3	28	3	13	6	13	7
32. INJURY TO PEDAL CYCLIST	15	4	-	-	7	1	6	3	2	-	-	-	-	-	-	-
33. INJURY TO RIDER OF ANIMAL OR OCCUPANT OF ANML-DRAWN VEHICLE	2	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-
34. COLLISION WITH RAILROAD TRAIN	22	11	-	-	-	2	8	5	9	3	2	1	2	-	1	-
35. COLLISION WITH OTHER MOTOR V	280	131	4	7	6	6	89	32	73	33	66	32	20	9	22	12
36. COLLISION WITH FIXED OBJECT	225	62	-	1	2	2	104	23	65	17	32	10	14	2	8	7
37. NONCOLLISION	75	26	-	3	8	1	32	10	20	7	10	3	3	1	2	1
38. OTHER AND UNSPECIFIED ACC.	62	17	1	2	5	3	16	3	24	1	9	3	3	2	4	3

NOTE ALL AGES INCLUDES UNKNOWN AGE.

M = MALE F = FEMALE V = VEHICLE

TABLE 17 (CONT)


## RECORDED DEATHS BY TYPE OF ACCIDENT, AGE AND SEX, MISSOURI 1974

TYPE OF ACCIDENT	ALL AGES		0-4		5-14		15-24		25-44		45-64		65-74		OVER-74	
	MALE	FEML	M	F	M	F	M	F	M	F	M	F	M	F	M	F
50. PUBLIC NON-MOTOR VEHICLE TOTAL	438	227	14	6	36	10	96	9	98	21	81	19	36	27	77	135
51. RAILROAD NOT WITH MOTOR V	11	1	-	-	1	-	4	1	2	-	3	-	1	-	-	-
52. OTHER V NOT WITH MOTOR V	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
53. WATER TRANSPORT	6	-	-	-	1	-	-	-	5	-	-	-	-	-	-	-
54. AIR-TRANSPORT	30	1	-	-	-	-	4	-	16	1	10	-	-	-	-	-
55. FALLS	106	120	1	-	1	-	8	1	8	-	19	4	10	12	59	103
56. FIRES	7	9	-	-	-	-	1	-	2	1	1	1	2	2	1	5
57. DROWNING	144	20	5	1	24	8	54	2	39	4	18	2	2	2	2	1
58. FIREARMS	17	2	-	-	2	-	4	1	6	-	4	1	1	-	-	-
59. OTHER AND UNSPECIFIED ACC.	116	74	8	5	6	2	21	4	20	15	26	11	20	11	15	26
60. TYPE OF ACCIDENT UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE ALL AGES INCLUDES UNKNOWN AGE.  
M = MALE F = FEMALE V = VEHICLE

# MARRIAGES

GRAPH E.  
MARRIAGE RATES 1949-1974  
(per 1,000 population)



## MARRIAGES

Year	Number	Rate	Year	Number	Rate
1949	34,689	8.8	1962	35,192	8.1
1950	34,300	8.7	1963	37,667	8.6
1951	30,880	7.7	1964	38,802	8.7
1952	28,373	7.1	1965	39,882	8.9
1953	33,012	8.2	1966	42,597	9.4
1954	33,520	8.2	1967	44,055	9.7
1955	34,162	8.3	1968	48,155	10.5
1956	34,382	8.3	1969	50,411	10.9
1957	31,395	7.5	1970	50,224	10.7
1958	31,965	7.6	1971	51,048	10.8
1959	34,352	8.1	1972	53,372	11.2
1960	35,368	8.2	1973	51,990	10.9
1961	34,640	8.0	1974	51,434	10.8

**SOURCE:** Number of marriages recorded by the Division of Health of Missouri, VITAL STATISTICS REPORTS, 1949, to date. Population estimates taken from United States Bureau of Census Publication, Population Estimates—Series P-25, No's 139, 304, 460, 488. Provisional estimate for July 1, 1974—see page iv.

TABLE 18

## REPORTED MARRIAGES BY AGE OF GROOM, BY AGE OF BRIDE, MISSOURI 1974

AGE OF GROOM	TOTAL	AGE OF BRIDE														
		15 AND UND.	16	17	18	19	20	21	22	23	24	25	26	27	28	29
TOTAL	51,434	832	1,769	2,888	5,618	5,590	4,982	4,373	3,961	3,018	2,191	1,755	1,459	1,265	1,014	731
15 AND UNDER	50	11	7	8	6	4	2	2	1	1	1		1	2		
16 YEARS	182	30	58	45	27	13	4	2		1	1					2
17 YEARS	946	122	220	272	189	73	34	12	9	4	3	2	1			
18 YEARS	2,516	177	406	580	751	362	127	41	21	17	12	5	4	4		1
19 YEARS	3,881	178	380	602	1,183	862	383	145	61	35	19	11	10	2	5	2
20 YEARS	4,548	114	268	492	1,051	1,133	832	328	146	71	38	20	16	9	7	3
21 YEARS	4,624	57	145	294	834	973	902	784	324	138	49	42	24	19	6	5
22 YEARS	4,539	41	96	186	543	671	783	826	765	312	119	63	37	31	15	13
23 YEARS	3,991	25	57	120	356	452	570	652	729	512	226	103	52	41	30	16
24 YEARS	3,191	17	45	94	225	323	373	438	487	436	322	154	88	52	42	21
25 YEARS	2,688	15	24	66	146	221	285	299	376	349	278	233	120	92	44	32
26 YEARS	2,300	13	16	33	91	138	200	247	274	297	241	218	175	109	79	44
27 YEARS	1,911	7	10	28	63	93	137	152	202	204	197	180	168	146	98	40
28 YEARS	1,474	6	7	12	40	55	79	116	145	157	153	134	130	115	99	61
29 YEARS	1,121	1	7	13	27	42	61	59	95	112	112	90	98	95	79	55
30 YEARS	1,041	3	5	9	16	34	47	65	71	73	68	94	109	83	82	68
31 YEARS	938		2	5	22	29	41	55	60	62	72	87	73	83	68	47
32 YEARS	773	2	2	5	10	20	23	33	31	40	54	63	65	61	51	63
33 YEARS	686		2	5	9	17	16	25	24	40	47	51	48	46	49	30
34 YEARS	608	2		2	2	9	24	20	24	27	22	32	46	40	33	27
35-39 YEARS	2,400	2	6	7	12	35	31	45	73	81	95	97	98	134	125	119
40-44 YEARS	1,787	4	1	4	6	11	17	17	27	27	37	38	61	62	55	42
45-49 YEARS	1,415	1	2	4	5	10	5	6	11	14	15	19	22	25	26	24
50-54 YEARS	1,186	1	2	2	1	6	2	2	3	6	6	10	6	9	11	10
55-59 YEARS	799	1			1	1		1		2	3	7	6	4	9	3
60-64 YEARS	632							1			1	2	1	1	1	1
65-69 YEARS	489	2					2									2
70-74 YEARS	366															
75 YEARS AND OVER	339					1										
NOT STATED	13		1		2	2	2		2							

TABLE 18 (CONT)

## REPORTED MARRIAGES BY AGE OF GROOM, BY AGE OF BRIDE, MISSOURI 1974

AGE OF GROOM	AGE OF BRIDE														NOT STAT-ED
	30	31	32	33	34	35 TO 39	40 TO 44	45 TO 49	50 TO 54	55 TO 59	60 TO 64	65 TO 69	70 TO 74	75+	
TOTAL	679	649	615	492	431	1,844	1,403	1,157	882	626	477	390	212	111	20
15 AND UNDER				1		1	2								
16 YEARS		1													
17 YEARS						1		2							
18 YEARS	1	2	1			2								1	1
19 YEARS		1							1					1	
20 YEARS	1	5	2	4	1	5		1							1
21 YEARS	4	7	4	2	1	7	1								2
22 YEARS	4	9	4	6		9	3	1							2
23 YEARS	11	4	8	7		12	3	3						1	1
24 YEARS	14	17	6	8	8	13	2	3	1		1				1
25 YEARS	29	16	18	9	5	21	7	2							1
26 YEARS	33	15	19	10	9	28	6	4	1						
27 YEARS	56	30	24	26	11	25	9	4							1
28 YEARS	40	22	22	14	15	35	5	9	2						1
29 YEARS	34	30	30	19	18	28	10	4	1						1
30 YEARS	47	41	30	18	17	42	10	7	2						
31 YEARS	48	51	35	28	13	40	15		1	1					
32 YEARS	46	41	38	29	25	42	15	8	2		1				3
33 YEARS	42	44	44	36	20	60	21	7		3					
34 YEARS	34	45	49	29	29	82	23	7							
35-39 YEARS	123	131	145	116	115	494	212	65	23	9	4	2			1
40-44 YEARS	67	71	63	82	71	412	365	163	58	17	3	5		1	
45-49 YEARS	23	37	43	28	37	271	308	292	139	32	11	4	1		
50-54 YEARS	12	18	19	14	29	134	214	293	234	102	23	11	5	1	
55-59 YEARS	5	7	7	1	6	50	102	161	197	137	54	24	8	1	1
60-64 YEARS	3	3	3	4	1	14	43	76	130	164	123	48	8	4	
65-69 YEARS	1	1	1			11	18	30	48	94	127	109	38	4	1
70-74 YEARS						2	6	10	28	48	87	107	64	14	
75 YEARS AND OVER	1			1		2	3	5	14	18	43	80	88	83	
NOT STATED						1				1					2

TABLE 19

REPORTED MARRIAGES BY MARITAL STATUS AND SELECTED AGE GROUPS,  
GROOM AND BRIDE , MISSOURI 1974

AGE	GROOM					BRIDE				
	TOTAL	SINGLE	AN- NULLLED	WIDOWED	DIVORCED	TOTAL	SINGLE	AN- NULLLED	WIDOWED	DIVORCED
TOTAL	51,434	34,539	18	2,191	14,603	51,434	35,614	36	2,648	13,052
15 AND UNDER	50	42		1	7	832	820		1	11
16 YEARS	182	180			2	1,769	1,750		3	15
17 YEARS	946	940		1	4	2,888	2,844	1	1	40
18 YEARS	2,516	2,501		1	14	5,618	5,499	2	3	113
19 YEARS	3,881	3,835		3	41	5,590	5,339	2	9	239
20 YEARS	4,548	4,450		1	97	4,982	4,570	1	7	398
21 YEARS	4,624	4,413		3	204	4,373	3,827	4	16	523
22 YEARS	4,539	4,145	1	7	384	3,961	3,350	2	12	592
23 YEARS	3,991	3,458	2	8	521	3,018	2,320	4	22	669
24 YEARS	3,191	2,593	3	1	588	2,191	1,470	5	24	692
25 YEARS	2,688	1,999	2	7	678	1,755	1,003	2	21	727
26 YEARS	2,300	1,514	1	6	779	1,459	676	3	33	743
27 YEARS	1,911	1,127		17	765	1,265	511	1	33	718
28 YEARS	1,474	725		10	736	1,014	330	1	33	649
29 YEARS	1,121	493	1	9	618	731	214	1	29	483
30 YEARS	1,041	403		18	616	679	165		23	487
31 YEARS	938	260		10	685	649	139	1	25	481
32 YEARS	773	213	1	12	543	615	124		25	463
33 YEARS	686	152		12	521	492	83	1	32	374
34 YEARS	608	143		20	441	431	70		30	329
35-39 YEARS	2,400	388		81	1,924	1,844	214	1	165	1,455
40-44 YEARS	1,787	181	3	114	1,483	1,403	104	1	204	1,091
45-49 YEARS	1,415	126	1	179	1,103	1,157	69		325	759
50-54 YEARS	1,186	103	2	236	840	882	47	1	325	506
55-59 YEARS	799	61	1	288	445	626	27	1	341	251
60-64 YEARS	632	46		297	286	477	21	1	323	132
65-69 YEARS	489	21		292	172	390	8		319	61
70-74 YEARS	366	13		271	77	212	3		179	28
75 YEARS AND OVER	339	6		285	45	111	6		83	18
NOT STATED	13	8		1	4	20	11		2	5

TOTAL FOR GROOM AND BRIDE INCLUDES NOT STATED

TABLE 20

REPORTED MARRIAGES BY MARITAL STATUS,  
MISSOURI 1974

GROOM	TOTAL	BRIDE				
		SINGLE	WIDOWED	DIVORCED	ANNULLED	NOT STATED
SINGLE	34,539	30,761	311	3,424	22	21
WIDOWED	2,191	248	1,208	727	4	4
DIVORCED	14,603	4,579	1,122	8,886	8	8
ANNULLED	18	7	2	7	2	
NOT STATED	83	19	5	8		51
TOTAL	51,434	35,614	2,648	13,052	36	84

TABLE 21

## REPORTED MARRIAGES BY COLOR OF GROOM BY COLOR OF BRIDE, MISSOURI 1974

COLOR OF GROOM	TOTAL	COLOR OF BRIDE		
		WHITE	NONWHITE	NOT STATED
WHITE	47,088	46,989	91	8
NONWHITE	4,309	265	4,044	
NOT STATED	37	14		23
TOTAL	51,434	47,268	4,135	31

TABLE 22

## REPORTED MARRIAGES BY COUNTY OF RECORDING WITH RATES, MISSOURI: 1974

COUNTIES	TOTAL POPULATION	REPORTED MARRIAGES		COUNTIES	TOTAL POPULATION	REPORTED MARRIAGES	
	(ALL AGES)	NUMBER	RATE		(ALL AGES)	NUMBER	RATE
STATE TOTAL	4,777,000	51,434	10.8				
ADAIR	23,600	320	13.6	DOUGLAS	10,400	111	10.7
ANDREW	12,800	113	8.8	DUNKLIN	35,500	553	15.6
ATCHISON	9,100	256	28.1	FRANKLIN	63,200	717	11.3
AUDRAIN	25,400	311	12.2	GASCONADE	12,900	87	6.7
BARRY	21,600	267	12.4	GENTRY	7,900	74	9.4
BARTON	10,800	111	10.3	GREENE	168,000	2,046	12.2
BATES	16,000	118	7.4	GRUNDY	11,800	145	12.3
BENTON	11,400	69	6.1	HARRISON	10,100	172	17.0
BOLLINGER	9,600	131	13.6	HENRY	19,500	260	13.3
BOONE	86,200	898	10.4	HICKORY	5,500	45	8.2
BUCHANAN	86,000	1,120	13.0	HOLT	6,800	72	10.6
BUTLER	35,600	577	16.2	HOWARD	10,500	91	8.7
CALDWELL	8,600	68	7.9	HOWELL	26,400	352	13.3
CALLAWAY	28,100	179	6.4	IRON	10,500	119	11.3
CAMDEN	16,500	219	13.3	JACKSON	646,200	7,803	12.1
CAPE GIRARDEAU	51,700	537	10.4	JASPER	83,000	1,111	13.4
CARROLL	12,100	110	9.1	JEFFERSON	122,500	901	7.4
CARTER	4,400	39	8.9	JOHNSON	35,000	355	10.1
CASS	47,400	596	12.6	KNOX	5,700	39	6.8
CEDAR	10,600	98	9.2	LACLEDE	22,400	253	11.3
CHARITON	10,600	91	8.6	LAFAYETTE	28,600	265	9.3
CHRISTIAN	19,200	167	8.7	LAWRENCE	27,200	248	9.1
CLARK	8,200	238	29.0	LEWIS	11,000	96	8.7
CLAY	133,300	1,050	7.9	LINCOLN	20,000	189	9.5
CLINTON	14,000	98	7.0	LINN	15,200	152	10.0
COLE	48,900	695	14.2	LIVINGSTON	15,900	212	13.3
COOPER	14,600	128	8.8	MC DONALD	14,900	131	8.8
CRAWFORD	16,600	180	10.8	MACON	15,800	153	9.7
DADE	7,200	58	8.1	MADISON	9,300	120	12.9
DALLAS	11,200	98	8.8	MARIES	7,500	59	7.9
DAVISS	8,600	94	10.9	MARION	28,000	458	16.4
DE KALB	8,000	61	7.6	MERCER	4,900	144	29.4
DENT	12,900	176	13.6	MILLER	16,500	171	10.4

MARRIAGE RATES ARE PER 1,000 POPULATION -- SEE PAGE IV.

TABLE 22 (CONT)


## REPORTED MARRIAGES BY COUNTY OF RECORDING WITH RATES, MISSOURI: 1974

COUNTIES	TOTAL POPULATION (ALL AGES)	REPORTED MARRIAGES NUMBER	RATE	COUNTIES	TOTAL POPULATION (ALL AGES)	REPORTED MARRIAGES NUMBER	RATE
MISSISSIPPI	16,500	257	15.6	ST. CHARLES	111,300	1,152	10.4
MONITEAU	11,100	109	9.8	ST. CLAIR	8,200	62	7.6
MONROE	9,400	48	5.1	ST. FRANCOIS	39,000	529	13.6
MONTGOMERY	11,400	103	9.0	STE. GENEVIEVE	14,000	130	9.3
MORGAN	11,900	132	11.1	ST. LOUIS CITY	530,500	5,900	11.1
NEW MADRID	23,900	192	8.0	ST. LOUIS COUNTY	973,700	8,757	9.0
NEWTON	36,600	366	10.0	SALINE	24,400	277	11.4
NODAWAY	22,300	281	12.6	SCHUYLER	4,800	147	30.6
OREGON	9,600	95	9.9	SCOTLAND	5,600	88	15.7
OSAGE	11,500	75	6.5	SCOTT	35,300	420	11.9
OZARK	7,100	63	8.9	SHANNON	7,700	74	9.6
PEMISCOT	25,700	306	11.9	SHELBY	7,700	70	9.1
PERRY	15,100	171	11.3	STODDARD	27,600	361	13.1
PETTIS	35,300	432	12.2	STONE	12,500	111	8.9
PHELPS	30,700	322	10.5	SULLIVAN	7,600	62	8.2
PIKE	16,800	215	12.8	TANEY	17,100	194	11.3
PLATTE	37,700	286	7.6	TEXAS	20,600	240	11.7
POLK	17,400	171	9.8	VERNON	19,600	219	11.2
PULASKI	41,000	481	11.7	WARREN	12,000	102	8.5
PUTNAM	6,000	111	18.5	WASHINGTON	16,300	188	11.5
RALLS	8,100	114	14.1	WAYNE	9,800	96	9.8
RANDOLPH	22,800	229	10.0	WEBSTER	18,100	155	8.6
RAY	19,900	200	10.1	WORTH	3,200	58	18.1
REYNOLDS	6,600	61	9.2	WRIGHT	15,200	131	8.6
RIPLEY	11,400	116	10.2				

MARRIAGE RATES ARE PER 1,000 POPULATION -- SEE PAGE IV.

# DISSOLUTIONS

GRAPH F.  
DISSOLUTION RATES 1949-1974  
(per 1,000 population)



## DISSOLUTIONS

Year	Number	Rate	Year	Number	Rate
1949	12,912	3.3	1962	11,882	2.7
1950	12,177	3.1	1963	12,652	2.9
1951	12,131	3.0	1964	12,785	2.9
1952	12,943	3.3	1965	13,261	3.0
1953	12,342	3.1	1966	13,758	3.0
1954	11,705	2.9	1967	14,520	3.2
1955	11,351	2.7	1968	16,473	3.6
1956	10,993	2.6	1969	17,578	3.8
1957	10,861	2.6	1970	17,852	3.8
1958	10,747	2.6	1971	19,643	4.2
1959	11,695	2.7	1972	20,699	4.4
1960	11,320	2.6	1973	21,777	4.6
1961	11,574	2.7	1974	22,050	4.6

**SOURCE:** Number of Divorces recorded by the Division of Health of Missouri, VITAL STATISTICS REPORTS, 1949, to date. Population estimates taken from United States Bureau of Census Publication, Population Estimates, Series P-25, No.'s 139, 304, 460, 488. Provisional estimate for July 1, 1974—see page iv.

TABLE 23

REPORTED DISSOLUTIONS, INVALIDITIES AND LEGAL SEPARATIONS BY NUMBER OF PREVIOUS MARRIAGES.  
HUSBAND BY WIFE, MISSOURI 1974

HUSBAND	TOTAL	WIFE						
		DISSOLUTIONS						
		NONE	ONE	TWO	THREE	FOUR	FIVE OR MORE	NOT STATED
TOTAL	21,998	15,588	4,602	1,287	299	81	41	100
NONE	15,490	13,616	1,558	240	35	13	5	23
ONE	4,646	1,627	2,262	573	124	31	22	7
TWO	1,253	257	561	316	87	23	8	1
THREE	330	44	146	96	35	7	2	
FOUR	95	15	41	25	9	5		
FIVE OR MORE	59	9	16	25	5	1	3	
NOT STATED	125	20	18	12	4	1	1	69

INVALIDITIES								
TOTAL	52	24	17	8	2		1	
NONE	23	18	2	2			1	
ONE	18	4	11	2	1			
TWO	7	1	3	3				
THREE	1				1			
FOUR	1		1					
FIVE OR MORE								
NOT STATED	2	1		1				

LEGAL SEPARATIONS								
TOTAL	38	24	12	1				1
NONE	22	19	2	1				
ONE	12	5	7					
TWO	1		1					
THREE	1		1					
FOUR	1		1					
FIVE OR MORE								
NOT STATED	1							1

TABLE 24      REPORTED DISSOLUTIONS, INVALIDITIES AND LEGAL SEPARATIONS BY DURATION OF MARRIAGE, MISSOURI 1974

DURATION OF MARRIAGE (IN YEARS)	TOTAL	DISSOLUTIONS	INVALIDITIES	LEGAL SEPARATIONS
TOTAL	22,088	21,998	52	38
UNDER 1 YEAR	651	630	20	1
1 YEAR	2,241	2,218	22	1
2 YEARS	2,381	2,372	4	5
3 YEARS	2,185	2,182	2	1
4 YEARS	1,982	1,976		6
5 YEARS	1,668	1,667		1
6 YEARS	1,310	1,309		1
7 YEARS	1,060	1,059	1	
8 YEARS	965	964		1
9 YEARS	820	819	1	
10 YEARS	722	720		2
11 YEARS	579	579		
12 YEARS	501	501		
13 YEARS	480	479		1
14 YEARS	404	403		1
15 YEARS	378	375		3
16 YEARS	335	334		1
17 YEARS	308	307		1
18 YEARS	330	329	1	
19 YEARS	286	285		1
20-24 YEARS	1,126	1,119	1	6
25-29 YEARS	739	738		1
30-34 YEARS	354	351		3
35-39 YEARS	121	121		
40 YEARS AND OVER	107	106		1
NOT STATED	55	55		

TABLE 25 REPORTED DISSOLUTIONS, INVALIDITIES AND LEGAL SEPARATIONS BY NUMBER OF CHILDREN AFFECTED, MISSOURI 1974

CHILDREN REPORTED	TOTAL	DISSOLUTIONS	INVALIDITIES	LEGAL SEPARATIONS
TOTAL	22,088	21,998	52	38
NO CHILDREN	9,880	9,815	51	14
ONE CHILD	5,786	5,777		9
TWO CHILDREN	3,782	3,771	1	10
THREE CHILDREN	1,592	1,590		2
FOUR CHILDREN	657	655		2
FIVE CHILDREN	226	225		1
SIX CHILDREN	101	101		
SEVEN CHILDREN	19	19		
EIGHT CHILDREN	15	15		
NINE OR MORE CHILDREN	8	8		
NOT STATED	22	22		

TABLE 26 REPORTED DISSOLUTIONS, INVALIDITIES AND LEGAL SEPARATIONS BY PETITIONER

PETITIONER	TOTAL	DISSOLUTIONS	INVALIDITIES	LEGAL SEPARATIONS
TOTAL	22,088	21,998	52	38
HUSBAND	4,852	4,836	8	8
WIFE	12,928	12,864	42	22
HUSBAND AND WIFE	4,275	4,266	2	7
OTHER	3	3		
NOT STATED	30	29		1

TABLE 27 REPORTED DISSOLUTIONS, INVALIDITIES AND LEGAL SEPARATIONS BY PETITIONER BY DISPOSITION OF CHILDREN

PETITIONER	TOTAL	HUSBAND	WIFE	GUARDIAN	JNT	CUST. OTHER	NOT STATED	NO CHILDREN
DISSOLUTIONS								
TOTAL	21,998	874	10,769	6	302	69	151	9,827
HUSBAND	4,836	427	1,707	2	75	25	57	2,543
WIFE	12,864	248	7,143	3	157	34	79	5,200
HUSBAND AND WIFE	4,266	197	1,911	1	70	10	13	2,064
OTHER	3	1	1					1
NOT STATED	29	1	7				2	19
INVALIDITIES								
TOTAL	52		1					51
HUSBAND	8		1					7
WIFE	42							42
HUSBAND AND WIFE	2							2
OTHER								
NOT STATED								
LEGAL SEPARATIONS								
TOTAL	38	2	22					14
HUSBAND	8	2	2					4
WIFE	22		16					6
HUSBAND AND WIFE	7		3					4
OTHER								
NOT STATED	1		1					

TABLE 28 REPORTED DISSOLUTIONS, INVALIDITIES AND LEGAL SEPARATIONS BY MAINTENANCE AND SETTLEMENT, MISSOURI 1974

MAINTENANCE AND SETTLEMENT	NUMBER		INVAL- IDITIES	LEGAL SEPARATIONS
	TOTAL	DISSOLUTIONS		
TOTAL	22,088	21,998	52	38
NO MAINTENANCE OR SUPPORT	10,798	10,737	51	10
MAINTENANCE TO WIFE	995	989		6
MAINTENANCE TO HUSBAND				
PROPERTY SETTLEMENT	77	75		2
SUPPORT TO CHILDREN	5,089	5,082	1	6
MAINTENANCE AND CHILD SUPPORT	4,919	4,905		14
MAINTENANCE OR SUPPORT TO OTHERS	3	3		
NOT STATED	207	207		

TABLE 29 REPORTED DISSOLUTIONS, INVALIDITIES AND LEGAL SEPARATIONS BY LEGAL GROUNDS FOR DECREE

LEGAL GROUNDS FOR DECREE	NUMBER		INVAL- IDITIES	LEGAL SEPARATIONS
	TOTAL	DISSOLUTIONS		
TOTAL	22,088	21,998	52	38
IRRETRIEVABLY BROKEN (NO CONTEST)	20,656	20,624		32
CONTESTED CASES				
ADULTERY	4	4		
MISBEHAVIOR	1,155	1,153		2
ABANDONMENT	5	5		
12 MONTH SEPARATION BY MUTUAL CONSENT	2	2		
24 MONTH SEPARATION	3	3		
INVALIDITY	52		52	
NOT STATED	211	207		4

TABLE 30      REPORTED DISSOLUTIONS, INVALIDITIES AND LEGAL SEPARATIONS BY COLOR, HUSBAND BY WIFE, MISSOURI 1974

HUSBAND	DISSOLUTIONS	TOTAL	WIFE		NOT STATED
			WHITE	NONWHITE	
TOTAL		21,998	19,189	2,431	378
WHITE		19,180	19,069	59	52
NONWHITE		2,442	64	2,367	11
NOT STATED		376	56	5	315
INVALIDITIES					
TOTAL		52	49	2	1
WHITE		48	48		
NONWHITE		2		2	
NOT STATED		2	1		1
LEGAL SEPARATIONS					
TOTAL		38	32	6	
WHITE		32	32		
NONWHITE		6		6	
NOT STATED					

TABLE 31      REPORTED DISSOLUTIONS, INVALIDITIES AND LEGAL SEPARATIONS BY NUMBER OF CASES CONTESTED, MISSOURI 1974

CONTESTANT	TOTAL	DISSOLUTIONS	INVALIDITIES	LEGAL SEPARATIONS
TOTAL	22,088	21,998	52	38
HUSBAND	857	855	1	1
WIFE	506	505		1
NO CONTEST	20,661	20,574	51	36
NOT STATED	64	64		

TABLE 32

## REPORTED DISSOLUTIONS AND INVALIDITIES BY COUNTY OF RECORDING WITH RATES, MISSOURI: 1974

COUNTIES	TOTAL POPULATION (ALL AGES)	REPORTED DISSOLUTIONS AND INVALIDITIES		COUNTIES	TOTAL POPULATION (ALL AGES)	REPORTED DISSOLUTIONS AND INVALIDITIES	
		NUMBER	RATE			NUMBER	RATE
STATE TOTAL	4,777,000	22,050	4.6				
ADAIR	23,600	97	4.1	DE KALB	8,000	21	2.6
ANDREW	12,800	36	2.8	DENT	12,900	52	4.0
ATCHISON	9,100	37	4.1	DOUGLAS	10,400	20	1.9
AUDRAIN	25,400	96	3.8	DUNKLIN	35,500	198	5.6
BARRY	21,600	88	4.1	FRANKLIN	63,200	248	3.9
BARTON	10,800	47	4.4	GASCONADE	12,900	35	2.7
BATES	16,000	51	3.2	GENTRY	7,900	20	2.5
BENTON	11,400	35	3.1	GREENE	168,000	1,008	6.0
BOLLINGER	9,600	28	2.9	GRUNDY	11,800	34	2.9
BOONE	86,200	478	5.5	HARRISON	10,100	37	3.7
BUCHANAN	86,000	526	6.1	HENRY	19,500	81	4.2
BUTLER	35,600	209	5.9	HICKORY	5,500	12	2.2
CALDWELL	8,600	36	1.9	HOLT	6,800	18	2.6
CALLAWAY	28,100	113	4.0	HOWARD	10,500	30	2.9
CAMDEN	16,500	69	4.2	HOWELL	26,400	16	0.6
CAPE GIRARDEAU	51,700	232	4.5	IRON	10,500	31	3.0
CARROLL	12,100	40	3.3	JACKSON	646,200	4,069	6.3
CARTER	4,400	14	3.2	JASPER	83,000	651	7.8
CASS	47,400	203	4.3	JEFFERSON	122,500	481	3.9
CEDAR	10,600	28	2.6	JOHNSON	35,000	173	4.9
CHARITON	10,600	21	2.0	KNOX	5,700	17	3.0
CHRISTIAN	19,200	90	4.7	LACLEDE	22,400	94	4.2
CLARK	8,200	35	4.3	LAFAYETTE	28,600	103	3.6
CLAY	133,300	598	4.5	LAWRENCE	27,200	106	3.9
CLINTON	14,000	71	5.1	LEWIS	11,000	42	3.8
COLE	48,900	269	5.5	LINCOLN	20,000	62	3.1
COOPER	14,600	46	3.2	LINN	15,200	81	5.3
CRAWFORD	16,600	51	3.1	LIVINGSTON	15,900	73	4.6
DADE	7,200	23	3.2	MC DONALD	14,900	30	2.0
DALLAS	11,200	62	5.5	MACON	15,800	60	3.8
DAVISS	8,600	33	3.8	MADISON	9,300	52	5.6

DISSOLUTION RATES ARE PER 1,000 POPULATION -- SEE PAGE IV.

TABLE 32 (CONT)

## REPORTED DISSOLUTIONS AND INVALIDITIES BY COUNTY OF RECORDING WITH RATES, MISSOURI: 1974

COUNTIES	TOTAL POPULATION (ALL AGES)	REPORTED DISSOLUTIONS AND INVALIDITIES		COUNTIES	TOTAL POPULATION (ALL AGES)	REPORTED DISSOLUTIONS AND INVALIDITIES	
		NUMBER	RATE			NUMBER	RATE
MARIES	7,500	13	1.7	REYNOLDS	6,600	7	1.1
MARION	28,000	88	3.1	RIPLEY	11,400	46	4.0
MERCER	4,900	15	3.1	ST. CHARLES	111,300	498	4.5
MILLER	16,500	33	2.0	ST. CLAIR	8,200	40	4.9
MISSISSIPPI	16,500	87	5.3	ST. FRANCOIS	39,000	220	5.6
MONITEAU	11,100	39	3.5	STE. GENEVIEVE	14,000	30	2.1
MONROE	9,400	17	1.8	ST. LOUIS CITY	530,500	2,016	3.8
MONTGOMERY	11,400	33	2.9	ST. LOUIS COUNTY	973,700	4,450	4.6
MORGAN	11,900	42	3.5	SALINE	24,400	111	4.5
NEW MADRID	23,900	116	4.9	SCHUYLER	4,800	21	4.4
NEWTON	36,600	164	4.5	SCOTLAND	5,600	16	2.9
NODAWAY	22,300	59	2.6	SCOTT	35,300	172	4.9
OREGON	9,600	5	0.5	SHANNON	7,700	24	3.1
OSAGE	11,500	9	0.8	SHELBY	7,700	16	2.1
OZARK	7,100	19	2.8	STODDARD	27,600	131	4.7
PEMISCOT	25,700	150	5.8	STONE	12,500	45	3.6
PERRY	15,100	38	2.5	SULLIVAN	7,600	30	3.9
PETTIS	35,300	181	5.1	TANEY	17,100	79	4.6
PHELPS	30,700	138	4.5	TEXAS	20,600	67	3.3
PIKE	16,800	62	3.7	VERNON	19,600	84	4.3
PLATTE	37,700	230	6.1	WARREN	12,000	28	2.3
POLK	17,400	62	3.6	WASHINGTON	16,300	13	0.8
PULASKI	41,000	172	4.2	WAYNE	9,800	28	2.9
PUTNAM	6,000	18	3.0	WEBSTER	18,100	47	2.6
RALLS	8,100	20	2.5	WORTH	3,200	7	2.2
RANDOLPH	22,800	125	5.5	WRIGHT	15,200	64	4.2
RAY	19,900	108	5.4				

DISSOLUTION RATES ARE PER 1,000 POPULATION -- SEE PAGE IV.

DEPARTMENT OF SOCIAL SERVICES  
DIVISION OF HEALTH OF MISSOURI  
Broadway State Office Building  
P. O. Box 570  
Jefferson City, Missouri 65101